







*Welcome to our latest and most comprehensive ever collection of exterior lighting.*

This catalogue brings together more than 450 great options to help bring light effectively and attractively to the outdoors.

Good and effective outdoor lighting plays an important role in today's marketplace, accenting property appearance, assisting with security and enhancing outdoor living spaces. We have also placed considerable emphasis on the uniqueness of the designs, the versatility of their use along with performance and quality of the product to ensure this is the catalogue of choice when requiring outdoor lighting solutions.

Amongst some of the highlights, this catalogue features a section dedicated to Outdoor Living space with lighting options including IP44 rated outdoor chandeliers as well as an industry leading Coastal Collection that brings style and design to locations facing the harshest of conditions.



## *LIGHT BOX COLLECTION*

The Lightbox Collection™ from Elstead lighting signifies ranges that have limited distribution through selected distribution channels. Take care when considering these ranges to ensure your status as a Lightbox partner. This selected distribution operates only in certain countries, so please contact your local sales office to check on your access to this range.




## *COASTAL*

Planet earth is covered by more than 70% ocean, and has more than 620,000 miles of coastline. With a 3.5% content of salt in seawater, and with coastlines often accompanied by extreme temperatures, sun and high winds, it is no surprise that coastal damage due to saline conditions is one of the major outdoor lighting challenges in such locations. This Coastal range delivers solutions that use materials with this very much in mind. Robust, rust resistant and UV stable to resist the harshest of climates, these fittings combine technical competence with design, style and variety.

## *OUTDOOR LIVING*

For the first time, we have brought together a series of dedicated products for outdoor living spaces, aimed to enhance and bring the indoors outside. More and more people, whether at home or in a hotel, bar or restaurant, enjoy being outdoors to eat, relax and spend social time together. Our Outdoor Living models offer new lighting options such as Outdoor Chandeliers to bring new life to these locations.





## LITEC LED LAMPS

The majority of our outdoor fittings use E27 or E14 lamp-holders, which makes them suitable to use retrofit LED lamps. The Litec range offers an LED lamp solution for every such fitting in this catalogue. Using the latest LED filament technology, these energy efficient lamps offer good lumen output, look stylish with their retro vintage influences, yet run at a cool temperature and have a 25,000 hour life expectancy.



## SAFETY AND COMPLIANCE

Safety is paramount with all lighting, and especially when used outdoors. All of the products within this catalogue are manufactured to be safe and fit for their intended purposes. All products are CE compliant and are fully inspected and tested for electrical safety and function. They are all constructed to EN60-598 standards and are all IP rated to ensure suitable protection against the ingress of water. The company is also ISO9001:2015 certified by BSI for our UK headquarters and by SGS for our Polish subsidiary to further show commitment and competence in the manufacturing and supply of safe and reliable product.

## OUR AMERICAN PARTNERS

We share our passion for design with our American partners who put their heart and soul into creating light fittings to excite and inspire. They too employ great energy and commitment to bring truly original design to their customers. Elstead Lighting is very proud to have strategic partnerships with Hinkley, Quoizel, Feiss and Kichler to manufacture under licence and distribute many of their products to the 220V-240V markets.

**FEISS**  
EST. 1955


**KICHLER**

**QUOIZEL**

**HINKLEY**  
LIGHTING



# CONTENTS




Outdoor Living

p22




Transitional

p30




American Traditional

p62




Country Traditional

p106




Coastal Collection

p134



Modern

p168



Landscape

p188



LED Lamps

p210





AGNER  
Graphite  
p179



ANO  
Graphite  
p187



ARGYLE  
Weathered Zinc  
p125



ASHLAND BAY  
Weathered Zinc  
p45



BALMORAL  
Old Bronze  
p126



BALTIMORE  
Weathered Bronze  
p98-99



BATON ROUGE  
Walnut  
p94-95



BAY SHORE  
Polished Brass  
p72



BEDFORD  
Mystic Black  
p147



BENNIE  
Antique Bronze  
p36



BENNIE  
Painted Brushed Steel  
p36



BINGHAM  
Sienna  
p162-163



BOYNTON  
Brushed Steel  
p138-139



BRIDGE POINT  
Weathered Zinc  
p46



BRIGHTON  
Sienna  
p164



BROMLEY  
Oil Rubbed Bronze  
p59



BRUGES  
Stainless Steel  
p175



BURFORD  
Black  
p128



BYRON  
Imperial Bronze  
p58



CANTERBURY  
Black  
p115



CAPE COD  
Sienna Bronze  
p166



CARSON  
Vintage Iron  
p24-25



CHAPEL  
Black  
p116-117



CHAPEL  
Black  
p117



CHEDWORTH  
Old Bronze  
p124





CHELSEA HARBOR  
Storm Cloud  
p50



CHICAGO  
Rusty Bronze Patina  
p104-105



CLEARPOINT  
Brushed Aluminum  
p42



COPENHAGEN  
Black  
p173



COPENHAGEN  
Silver  
p172



CORTLAND  
Imperial Bronze  
p124



COTSWOLD LANE  
Black  
p80-83



CRICKLADE  
Black/Gold  
p129



DOWNING STREET  
Aged Brass  
p157



DOWNING STREET  
Verdi  
p157



DUNGARVAN  
Black  
p131, 151



EDINBURGH  
Black  
p114



EGIL  
Graphite  
p187



ENGLISH BRIDLE  
Black  
p88-90




ENGLISH BRIDLE  
British Bronze  
p91-93



ELITE  
Anodised Aluminium  
p131, 201



ELITE  
Solid Natural Brass  
p131, 200-201



ELVA  
Graphite  
p178



ENZO  
Autumn  
p76



EUSTON  
Old Bronze  
p125



FEDERAL  
Gilded Bronze  
p143



FRANCEASI  
Olde Bronze  
p77



FREYR  
Graphite  
p184



FREYR  
Graphite  
p184



FRIDA  
Graphite  
p185



GLENBEIGH  
Black  
p148



GOLDENROD  
Western Bronze  
p37



GRAMPIAN  
Black  
p121



HALLERON  
Londonderry  
p67



HELSINGOR  
Black or Silver  
p133, 172-173



HELSINKI  
Stainless Steel  
p175



HEREFORD  
Black  
p122



HEREFORD  
Black  
p123



HIGHNAM  
Weathered Bronze  
p129



HODGES  
Ash Black  
p136-137



HOLBORN  
Chrome or Dark Bronze  
p161



HOLBORN  
Chrome or Dark Bronze  
p161



HORNBAEK  
Black  
p174



HORNBAEK  
Black  
p174



HYDE PARK  
Aged Brass  
p157



HYTHE  
Old Bronze  
p127



INGLENOOK  
Valiant Bronze  
p73



INGRID  
Graphite  
p178



JANNIK LED  
Dark Grey  
p131, 181



KASPER  
Graphite  
p184



KENDAL  
Old Bronze  
p126



KENT  
Black  
p128



KERRY  
Black  
p149



KERRY  
Black  
p149



KINSALE  
Black  
p150





KINSALE  
Black  
p150



KLAMPENBORG  
Black or Silver  
p171



KOLNE  
Stainless Steel  
p175



LAMBETH PALACE  
Aged Brass  
p156



LAMBETH PALACE  
Verdi  
p156



LEDGBURY  
Black  
p130



LIGHTHOUSE  
Brushed Steel  
p47



LIGHTHOUSE  
Brushed Steel  
p47



LINA  
Graphite  
p184



LIVINGSTON  
Imperial Bronze  
p141



LONDONTOWNE  
Weathered Chestnut  
p142-143



LUNA  
Satin Black or Titanium  
p177



LUNA  
Satin Black or Titanium  
p176-177



LUVERNE  
Oil Rubbed Bronze  
p96



LYNDON  
Architectural Bronze  
p41



LYNDON  
Brushed Aluminium  
p42



MAGNUS  
Dark Grey  
p131, 182



MALVERN  
Black  
p131



MANHATTAN  
Oil Rubbed Bronze  
p55



MANSION HOUSE  
Aged Brass, PN or Verdi  
p152



MANSION HOUSE  
Aged Brass, PN or Verdi  
p153



MARBLEHEAD  
Palladian Bronze  
p140



MARINA  
Silver  
p51



MARINE  
Western Bronze  
p43



MATLOCK  
Old Bronze  
p127



MEDSTEAD  
Black  
p130, 132



MERRILL  
Heritage Bronze  
p60



MINERS  
Old Bronze  
p127



MONTAUK  
Sienna  
p165



MONTREAL  
Aged Iron  
p78-79



NEW ENGLAND  
Weathered Bronze  
p103



NEWBURY (QZ)  
Polished Brass  
p71



NEWBURY (QZ)  
Aged Copper  
p69



NEWBURY (EL)  
Black  
p130



NORFOLK  
Black  
p108, 132



NORFOLK  
Black  
p109



OAKMONT  
Patina Bronze  
p68



OLD BAILEY  
Aged Brass  
p155



PARISH  
Black  
p118-119



PARISH  
Black  
p119



PEDIMENT  
Dark Aged Copper  
p126



PHILADELPHIA  
Old Bronze  
p100-102



POLRUAN  
Black  
p124



POOLE  
316 Stainless Steel & Teak  
p167



PROVINCE  
Mystic Black  
p124



QUINCY  
Oil Rubbed Bronze  
p52-53



RANDOLPH  
Autumn  
p129



RAVINE  
Western Bronze  
p38-39



REDDING STATION  
Restoration Bronze  
p61



REEF  
Hematite  
p48-49





REEF  
Victorian Bronze  
p48-49



REGENT COURT  
Walnut  
p97



REGENTS PARK  
Aged Brass  
p156



REGENTS PARK  
Verdi  
p156



RIVERWOOD  
Weathered Zinc  
p34-35



ROSCOE  
Textured Black  
p146



ROYAL MARINE  
Distressed Black  
p32-33



SANDOWN  
Black  
p128



SECURITY LANTERNS  
Various  
p132-133



SHANNON  
Black  
p151



SHELDON  
Aged Brass  
p158



SHELDON  
Antique Nickel  
p158



SHELDON  
Verdi  
p158



SHEPHERD  
Dark Weathered Zinc  
p144-145



SHIPSTON  
Black  
p128



SIGMUND  
Graphite  
p133, 183



SOMERTON  
Aged Brass  
p160



SOMERTON  
Verdi  
p160



SOREL  
Architectural Bronze  
p180-181



SOUTH HOPE  
Oil Rubbed Bronze  
p31, 54



ST. JAMES  
Aged Brass  
p157



ST. JAMES  
Verdi  
p157



ST. LOUIS  
Weathered Bronze  
p103



ST. MARTINS  
Aged Brass  
p154



ST. MARTINS  
Antique Nickel  
p154



ST. MARTINS  
Verde  
p154



STOW  
Old Bronze  
p126



SVEN  
Graphite  
p186



SVEN  
Graphite  
p186



TANGIER  
Olde Bronze  
P65



TORSTEN  
Graphite  
p182



TOURNAI  
Londonderry  
p84-87



TRELLIS  
Regency Bronze  
p63-64



UP/DOWN WALL LIGHTS  
Various  
p131



VANDALIA  
Textured Black  
P40



VENETIAN RAIN  
Brushed Bronze  
p74-75



VENETIAN RAIN  
Brushed Bronze  
p75



VICTORIA  
Aged Brass or Verde  
p156



WABASH  
Mocha  
p129



WALKER  
Buckeye Bronze  
p56-57



WELLFLEET  
Aged Bronze  
p143



WEXFORD  
Black/Silver  
p110-111, 132



WEXFORD  
Black/Silver  
p110



WESTMINSTER  
Aged Brass or Antique Nickel  
p155



WILMSLOW  
Black  
p120



WINCHCOMBE  
Black/Silver  
p128



WINCHESTER  
Black  
p113



WINCHESTER  
Black  
p113



YORK  
Black  
p112



YORK  
Black  
p112





ASHLANDBAY  
Weathered Zinc  
p29, 44



ASHLANDBAY  
Weathered Zinc  
p29, 45



BALTIMORE  
Weathered Bronze  
p98-99



BATON ROUGE  
Walnut  
p95



BEDFORD  
Mystic Black  
p147



BOYNTON  
Brushed Steel  
p139



BRIDGE POINT  
Weathered Zinc  
p46



BRIGHTON  
Sienna  
p164



CANTERBURY  
Black  
p115



CAPE COD  
Sienna Bronze  
p166



CARSON  
Vintage Iron  
p24-25



CHELSEA HARBOR  
Storm Cloud  
p50



CHICAGO  
Rusty Bronze Patina  
p104



COTSWOLD LANE  
Black  
p82-83



EDINBURGH  
Black  
p114



ENGLISH BRIDLE  
Black  
p89-90



ENGLISH BRIDLE  
British Bronze  
p91-93



ENZO  
Autumn  
p76



GLENBEIGH  
Black  
p148



GOLDENROD  
Western Bronze  
p37



HALLERON  
Londonderry  
p27, 66-67



HEREFORD  
Black  
p122



HEREFORD  
Black  
p123



KERRY  
Black  
p149



KINSALE  
Black  
p150



KLAMPENBORG  
Black  
p171



KLAMPENBORG  
Silver  
p170-171



LIGHTHOUSE  
Brushed Steel  
p47



LUVERNE  
Oil Rubbed Bronze  
p96



LYNDON  
Architectural Bronze  
p28-29, 41



LYNDON  
Brushed Aluminium  
p42



MANHATTAN  
Oil Rubbed Bronze  
p55



MANSION HOUSE  
Aged Brass or Pol. Nickel  
p152



MARINE  
Western Bronze  
p43



MERRILL  
Heritage Bronze  
p60



MINERS  
Old Bronze  
p127



MONTAUK  
Sienna  
p165



MONTREAL  
Aged Iron  
p79



NEWBURY (QZ)  
Polished Brass  
p70-71



NEWBURY (QZ)  
Aged Copper  
p69



NORFOLK  
Black  
p108



OAKMONT  
Patina Bronze  
p68



PHILADELPHIA  
Old Bronze  
p102



QUINCY  
Oil Rubbed Bronze  
p53



RAVINE  
Western Bronze  
p39



REDDING STATION  
Restoration Bronze  
p61



REEF  
Hematite or Victorian Bronze  
p48



RIVERWOOD  
Weathered Zinc  
p35



SHANNON  
Black  
p151



SHELDON  
3 finishes  
p159





SHEPHERD  
Dark Weathered Zinc  
p145



SOMERTON  
Aged Brass or Verdi  
p160



SOUTH HOPE  
Oil Rubbed Bronze  
p54



TANGIER  
Olde Bronze  
p65



TOURNAI  
Londonderry  
p84-87



VANDALIA  
Textured Black  
p26-27, 40



VENETIAN RAIN  
Brushed Bronze  
p75



WEXFORD  
Black/Silver  
p110



WINCHESTER  
Black  
p113



YORK  
Black  
p112

VISUAL INDEX - OUTDOOR CEILING



ASHLANDBAY  
Weathered Zinc  
p44



BATON ROUGE  
Walnut  
p95



CAPE COD  
Sienna Bronze  
p166



CHAPEL  
Black  
p117



CHELSEA HARBOR  
Storm Cloud  
p50



CORTLAND  
Imperial Bronze  
p124



COTSWOLD LANE  
Black  
p81



FAIRFORD  
Old Bronze  
p128



FEDERAL  
Gilded Bronze  
p143



FRANCEASI  
Olde Bronze  
p77



FRIDA  
Graphite  
p185



GLENBEIGH  
Black  
p148



HALLERON  
Londonderry  
p67



HEREFORD  
Black  
p122



HEREFORD  
Black  
p123



INGLENOOK  
Valiant Bronze  
p73



INGRID  
Graphite  
p178



KERRY  
Black  
p149



KINSALE  
Black  
p150



LIGHTHOUSE  
Brushed Steel  
p47



MARBLEHEAD  
Palladian Bronze  
p140



MARINA  
Silver  
p51



MERRILL  
Heritage Bronze  
p60



NEWBURY (QZ)  
Aged Copper  
p69



NEWBURY (QZ)  
Polished Brass  
p70



NEW ENGLAND  
Weathered Bronze  
p103



PARISH  
Black  
p118



REGENT COURT  
Walnut  
p97



SHEPHERD  
Dark Weathered Zinc  
p145



TOURNAI  
Londonderry  
p86



VENETIAN RAIN  
Brushed Bronze  
p75



WINCHESTER  
Black  
p113



YORK  
Black  
p112



ASHLAND BAY  
Weathered Zinc  
p45



BALTIMORE  
Weathered Bronze  
p98-99



BATON ROUGE  
Walnut  
p94



BEDFORD  
Mystic Black  
p147



BINGHAM  
Sienna  
p163



BRIGHTON  
Sienna  
p164



CANTERBURY  
Black  
p115



CHAPEL  
Black  
p117



CHICAGO  
Rusty Bronze Patina  
p104



COTSWOLD LANE  
Black  
p82-83



EDINBURGH  
Black  
p114



ENGLISH BRIDLE  
Black or British Bronze  
p89-93



ENZO  
Autumn  
p76



GLENBEIGH  
Black  
p148



GRAMPIAN  
Black  
p121



HALLERON  
Londonderry  
p67



HELSINGOR  
Black  
p173



HELSINGOR  
Silver  
p172



HEREFORD  
Black  
p122



HORNBAEK  
Black  
p174



KERRY  
Black  
p149



KINSALE  
Black  
p150



LEDBURY  
Black  
p130



LUVERNE  
Oil Rubbed Bronze  
p96



MANHATTAN  
Oil Rubbed Bronze  
p55





MERRILL  
Heritage Bronze  
p60



MINERS  
Old Bronze  
p127



MONTREAL  
Aged Iron  
p79



NEWBURY  
Polished Brass  
p70



NORFOLK  
Black  
p109



OAKMONT  
Patina Bronze  
p68



PARISH  
Black  
p118-119



POOLE  
316 Stainless Steel & Teak  
p167



PHILADELPHIA  
Old Bronze  
p102



QUINCY  
Oil Rubbed Bronze  
p53



RAVINE  
Western Bronze  
p39



REEF  
Hematite or Victorian Bronze  
p49



REGENT COURT  
Walnut  
p97



RIVERWOOD  
Weathered Zinc  
p35



ROYAL MARINE  
Distressed Black  
p32-33



SANDBANKS  
316 Stainless Steel  
p167



SHANNON  
Black  
p151



SOUTH HOPE  
Oil Rubbed Bronze  
p54



TANGIER  
Olde Bronze  
p65



TOURNAI  
Londonderry  
p86



TRELLIS  
Regency Bronze  
p64



WEXFORD  
Black/Silver  
p110



WILMSLOW  
Black  
p120



WINCHESTER  
Black  
p113



YORK  
Black  
p112



BRONZE In-ground  
Aged Bronze  
p192



BRONZE In-ground  
Verdigris  
p192



BRONZE Spotlight  
Aged Bronze  
p190-191



BRONZE Spotlight  
Verdigris  
p191



BRONZE Floodlight  
Aged Bronze  
p193



BRONZE Floodlight  
Verdigris  
p193




BRONZE Pagoda  
Aged Bronze  
p192



BRONZE Pagoda  
Verdigris  
p192



BRONZE Wall Light  
Aged Bronze, Verdigris  
p194-195



BRONZE Eyelid Light  
Aged Bronze, Verdigris  
p195



ELITE Wall Spotlight  
A. Aluminium or N. Brass  
p202-204



ELITE Spotlight  
A. Aluminium or N. Brass  
p205-207




ELITE Wall Fitting  
A. Aluminium or N. Brass  
p200-201



FUSION  
Stainless Steel  
p197-199



FUSION  
Natural Brass  
p197-199



GARDEN ZONE  
Accessories  
p208-209



LED LAMPS  
10 types  
p210-211



BALTIMORE  
Weathered Bronze  
p98



BATON ROUGE  
Walnut  
p94



CHAPEL  
Black  
p117



CHICAGO  
Rusty Bronze Patina  
p104



COTSWOLD LANE  
Black  
p82



ENGLISH BRIDLE  
Black  
p90



ENGLISH BRIDLE  
British Bronze  
p91



GLENBEIGH  
Black  
p148



HELSINKI  
Stainless Steel  
p175



HELSINGOR  
Black  
p173



HELSINGOR  
Silver  
p172



KERRY  
Black  
p149



KINSALE  
Black  
p150



NORFOLK  
Black  
p109



PARISH  
Black  
p118-119



PHILADELPHIA  
Old Bronze  
p102



POOLE  
Stainless Steel & Teak  
p167



SANDBANKS  
316 Stainless Steel  
p167



SHANNON  
Black  
p151



TOURNAI  
Londonderry  
p87



WEXFORD  
Black/Silver  
p111





BALTIMORE  
Weathered Bronze  
p99



BATON ROUGE  
Walnut  
p94



CHAPEL  
Black  
p116



CHAPEL  
Black  
p116



CHICAGO  
Rusty Bronze Patina  
p105



COTSWOLD LANE  
Black  
p83



ENGLISH BRIDLE  
Black  
p89



ENGLISH BRIDLE  
British Bronze  
p93



GLENBEIGH  
Black  
p148



GRAMPIEN  
Black  
p121



KERRY  
Black  
p149



KINSALE  
Black  
p150



LEADBURY  
Black  
p130



NORFOLK  
Black  
p109



PARISH  
Black  
p119



PARISH  
Black  
p119



PHILADELPHIA  
Old Bronze  
p102



TOURNAI  
Londonderry  
p85



WEXFORD  
Black/Silver  
p111



WILMSLOW  
Black  
p120

# OUTDOOR LIVING

It has become a popular trend to extend home living areas into gardens, patios and verandas. Elstead have a number of more decorative IP44-based solutions that help to bring the inside outdoors. Either by using chandeliers or nesting multiple pendants over tables or seating areas, great style can be brought to these outdoor leisure areas.



**HALLERON**

KL/HALLERON/8M  
*page 27*



**LYNDON**

KL/LYNDON/5P  
*page 29*



**CARSON**

KL/CARSON/3P  
*page 25*





Model shown: KL/ASHLANDBAY/5P (see page 29)





Models shown: HK/CARSON/5P & HK/CARSON1





HK/CARSON/5P



HK/CARSON1



HK/CARSON/3P

| Code         | Description            | Height | Width | Min. Drop | Max. Drop | Projection | Finish       | Max. Wattage | IP Rating |
|--------------|------------------------|--------|-------|-----------|-----------|------------|--------------|--------------|-----------|
| HK/CARSON/3P | 3lt Outdoor Chandelier | 476mm  | 470mm | 703mm     | 1316mm*   | -          | Vintage Iron | 3 x 40W E14  | IP44      |
| HK/CARSON/5P | 5lt Outdoor Chandelier | 667mm  | 673mm | 893mm     | 1506mm*   | -          | Vintage Iron | 5 x 40W E14  | IP44      |
| HK/CARSON1   | Small Wall Lantern     | 267mm  | 255mm | -         | -         | 310mm      | Vintage Iron | 1 x 60W E27  | IP44      |

\* Supplied with 1 x 150mm and 2 x 300mm rods.



Model shown: KL/VANDALIA8/M



These outdoor pendants take traditional inspiration, updated with on-trend orb styles. They are ideally suited to create dramatic clusters over a table or seating area. Vandalia comes in Textured Black and Halleron in a grey painted Londonderry finish. They all come with mouth-blown, clear seeded glass.

HALLERON  
& VANDALIA



KL/VANDALIA8/L



KL/HALLERON/8M



KL/VANDALIA8/M

See the full Halleron  
collection on p67

See the full Vandalia  
collection on p40

| Code           | Description       | Height | Width | Min. Drop | Max. Drop | Finish         | Max. Wattage | IP Rating |
|----------------|-------------------|--------|-------|-----------|-----------|----------------|--------------|-----------|
| KL/HALLERON/8M | 3lt Chain Lantern | 476mm  | 305mm | 565mm     | 2362mm*   | Londonderry    | 3 x 60W E14  | IP44      |
| KL/VANDALIA8/L | 3lt Chain Lantern | 480mm  | 356mm | 583mm     | 2442mm*   | Textured Black | 3 x 60W E14  | IP44      |
| KL/VANDALIA8/M | 1lt Chain Lantern | 391mm  | 279mm | 494mm     | 2315mm*   | Textured Black | 1 x 60W E27  | IP44      |

\* Supplied with 1829mm of chain.



Model shown: KL/LYNDON/5P



There is a traditional colonial vibe to both the Lyndon and Ashland Bay families. A stylish statement can be made using the chandeliers, or single pendants in a cluster. Both ranges feature mouth-blown, clear seeded glass.

LYNDON &  
ASHLAND BAY



ASHLAND BAY  
KL/ASHLANDBAY/5P

See the full Ashland Bay  
collection on p44



ASHLAND BAY  
KL/ASHLANDBAY/8/S



LYNDON  
KL/LYNDON/8/S

See the full Lyndon  
collection on p41



LYNDON  
KL/LYNDON/5P

| Code              | Description            | Height | Width | Min. Drop | Max. Drop            | Finish               | Max. Wattage | IP Rating |
|-------------------|------------------------|--------|-------|-----------|----------------------|----------------------|--------------|-----------|
| KL/ASHLANDBAY/5P  | 5lt Outdoor Chandelier | 508mm  | 663mm | 624mm     | 1473mm* <sup>1</sup> | Weathered Zinc       | 5 x 60W E27  | IP44      |
| KL/ASHLANDBAY/8/S | Chain Lantern          | 327mm  | 154mm | 432mm     | 2306mm* <sup>2</sup> | Weathered Zinc       | 1 x 60W E27  | IP44      |
| KL/LYNDON/5P      | 5lt Outdoor Chandelier | 248mm  | 610mm | 305mm     | 1219mm* <sup>1</sup> | Architectural Bronze | 5 x 75W E27  | IP44      |
| KL/LYNDON/8/S     | Small Chain Lantern    | 246mm  | 128mm | 330mm     | 1327mm* <sup>3</sup> | Architectural Bronze | 1 x 75W E27  | IP44      |

\*<sup>1</sup> Supplied with 2 x 152mm & 2 x 305mm rods. \*<sup>2</sup> Supplied with 1829mm of chain. \*<sup>3</sup> Supplied with 965mm of chain.



# TRANSITIONAL

Transitional describes designs that derive from classic styles but have been conceived with a contemporary edge. Transitional lanterns are less ornate than their classic counterparts, but aren't as streamlined or minimalist as modern styles. They combine the best of both worlds for a clean, comfortable look wherever they are placed.



**ROYAL MARINE**

KL/ROYALMARIN2/M  
*page 33*



**BYRON**

QZ/BYRON/M  
*page 58*



**BENNIE**

FE/BENNIE/S PBS  
*page 36*





Models shown: KL/SOUTH HOPE3/L & KL/SOUTH HOPE/M (see page 54)





Models shown: KL/ROYALMARIN3/M & KLROYALMARIN2/M





KL/ROYALMARIN2/M



KL/ROYALMARIN2/S



KL/ROYALMARIN3/M

| Code             | Description         | Height | Width | Projection | Finish           | Max. Wattage | IP Rating |
|------------------|---------------------|--------|-------|------------|------------------|--------------|-----------|
| KL/ROYALMARIN2/S | Small Wall Lantern  | 337mm  | 178mm | 230mm      | Distressed Black | 1 x 60W E27  | IP44      |
| KL/ROYALMARIN2/M | Medium Wall Lantern | 462mm  | 241mm | 304mm      | Distressed Black | 1 x 60W E27  | IP44      |
| KL/ROYALMARIN3/M | Medium Pedestal     | 529mm  | 241mm | -          | Distressed Black | 1 x 60W E27  | IP44      |

RIVERWOOD

Riverwood's modern take on a vintage-style lantern gives outdoor spaces a rustic seaside vibe. Bringing together touches of nautical style and industrial charm.

KICHLER

3 YEAR\*  
GUARANTEE



LIGHT BOX™  
COLLECTION

KL/RIVERWOOD2/XL

| Code             | Description     | Height | Width | Projection | Finish         | Max. Wattage | IP Rating |
|------------------|-----------------|--------|-------|------------|----------------|--------------|-----------|
| KL/RIVERWOOD2/XL | XL Wall Lantern | 497mm  | 279mm | 309mm      | Weathered Zinc | 1 x 100W E27 | IP44      |





KL/RIVERWOOD8/M



KL/RIVERWOOD2/L



KL/RIVERWOOD2/M



KL/RIVERWOOD2/S



KL/RIVERWOOD3/M

LIGHT BOX™  
COLLECTION

| Code            | Description         | Height | Width | Min. Drop | Max. Drop            | Projection | Finish         | Max. Wattage              | IP Rating |
|-----------------|---------------------|--------|-------|-----------|----------------------|------------|----------------|---------------------------|-----------|
| KL/RIVERWOOD2/S | Small Wall Lantern  | 317mm  | 172mm | -         | -                    | 194mm      | Weathered Zinc | 1 x 60W E27* <sup>1</sup> | IP44      |
| KL/RIVERWOOD2/M | Medium Wall Lantern | 362mm  | 203mm | -         | -                    | 225mm      | Weathered Zinc | 1 x 100W E27              | IP44      |
| KL/RIVERWOOD2/L | Large Wall Lantern  | 429mm  | 241mm | -         | -                    | 267mm      | Weathered Zinc | 1 x 100W E27              | IP44      |
| KL/RIVERWOOD3/M | Pedestal            | 440mm  | 203mm | -         | -                    | -          | Weathered Zinc | 1 x 100W E27              | IP44      |
| KL/RIVERWOOD8/M | Chain Lantern       | 301mm  | 203mm | 400mm     | 1980mm* <sup>2</sup> | -          | Weathered Zinc | 1 x 100W E27              | IP44      |

\*<sup>1</sup>Golf ball size lamp only. \*<sup>2</sup> Supplied with 1620mm of chain.

# BENNIE




The Bennie collection of contemporary outdoor wall lights boasts an integrated LED module tucked into the crown of the fixture, shining light downward through a Clear Water glass shade. Available in either a warm Antique Bronze or a more modern Painted Brushed Steel finish. Cast aluminium construction ensures durability.

**FEISS**

EST. 1955

**3 YEAR\***  
GUARANTEE




FE/BENNIE/L ANBZ



FE/BENNIE/S ANBZ



FE/BENNIE/S PBS



FE/BENNIE/L PBS

| Code             | Description          | Height | Width | Projection | Finish                | Max. Wattage        | IP Rating |
|------------------|----------------------|--------|-------|------------|-----------------------|---------------------|-----------|
| FE/BENNIE/S ANBZ | Small LED Wall Light | 203mm  | 159mm | 106mm      | Antique Bronze        | 14W Integrated LED* | IP44      |
| FE/BENNIE/S PBS  | Small LED Wall Light | 203mm  | 159mm | 106mm      | Painted Brushed Steel | 14W Integrated LED* | IP44      |
| FE/BENNIE/L ANBZ | Large LED Wall Light | 304mm  | 159mm | 106mm      | Antique Bronze        | 14W Integrated LED* | IP44      |
| FE/BENNIE/L PBS  | Large LED Wall Light | 304mm  | 159mm | 106mm      | Painted Brushed Steel | 14W Integrated LED* | IP44      |

\* LED information: 1000Lm, 3000k, not dimmable



# QUOIZEL

**3 YEAR\***  
GUARANTEE

Mid-century for today's home, the Goldenrod outdoor series is intriguing yet classic. The rich Western Bronze finish of the base is accented with stripes of metal painted a lustrous Gold. The bevelled clear glass panels are in keeping with the overall design. Please note that the gold rods can be removed to simplify the design, or recoloured by the end user to create alternative looks.

# GOLDENROD



QZ/GOLDENROD2/L



QZ/GOLDENROD8/M



QZ/GOLDENROD2/M



QZ/GOLDENROD2/S

| Code            | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish         | Max. Wattage | IP Rating |
|-----------------|---------------------|--------|-------|-----------|-----------|------------|----------------|--------------|-----------|
| QZ/GOLDENROD2/L | Large Wall Lantern  | 508mm  | 254mm | -         | -         | 273mm      | Western Bronze | 1 x 100W E27 | IP44      |
| QZ/GOLDENROD2/M | Medium Wall Lantern | 413mm  | 210mm |           |           | 222mm      | Western Bronze | 1 x 100W E27 | IP44      |
| QZ/GOLDENROD2/S | Small Wall Lantern  | 324mm  | 159mm |           |           | 171mm      | Western Bronze | 1 x 100W E27 | IP44      |
| QZ/GOLDENROD8/M | Chain Lantern       | 413mm  | 210mm | 513mm     | 2951mm*   | -          | Western Bronze | 1 x 100W E27 | IP44      |

\* Supplied with 2438mm of chain.

RAVINE

The Ravine outdoor collection achieves sophisticated style in a minimal way. The rich Western Bronze on the base showcases the clear bevelled glass panels on the sides and top of the fixture.

QUOIZEL

2 YEAR\*  
GUARANTEE

LIGHT BOX™  
COLLECTION



QZ/RAVINE2/L

| Code         | Description        | Height | Width | Projection | Finish         | Max. Wattage | IP Rating |
|--------------|--------------------|--------|-------|------------|----------------|--------------|-----------|
| QZ/RAVINE2/L | Large Wall Lantern | 508mm  | 254mm | 292mm      | Western Bronze | 1 x 100W E27 | IP44      |



# QUOIZEL

2 YEAR\*  
GUARANTEE

LIGHT BOX™  
COLLECTION



QZ/RAVINE8/L



QZ/RAVINE8/M



QZ/RAVINE2/S



QZ/RAVINE2/M



QZ/RAVINE3/M

| Code         | Description          | Height | Width | Min. Drop | Max. Drop | Projection | Finish         | Max. Wattage | IP Rating |
|--------------|----------------------|--------|-------|-----------|-----------|------------|----------------|--------------|-----------|
| QZ/RAVINE2/S | Small Wall Lantern   | 318mm  | 152mm | -         | -         | 184mm      | Western Bronze | 1 x 100W E27 | IP44      |
| QZ/RAVINE2/M | Medium Wall Lantern  | 413mm  | 203mm | -         | -         | 235mm      | Western Bronze | 1 x 100W E27 | IP44      |
| QZ/RAVINE8/M | Medium Chain Lantern | 413mm  | 203mm | 475mm     | 2791mm*   | -          | Western Bronze | 1 x 100W E27 | IP44      |
| QZ/RAVINE3/M | Medium Pedestal      | 510mm  | 203mm | -         | -         | -          | Western Bronze | 1 x 100W E27 | IP44      |
| QZ/RAVINE8/L | Large Chain Lantern  | 508mm  | 254mm | 570mm     | 3006mm*   | -          | Western Bronze | 1 x 100W E27 | IP44      |

\* Supplied with 2438mm of chain.

# VANDALIA

On-trend orb styles step outdoors with the Vandalia collection's globe design. Marrying carriage lantern details with a round silhouette, the result is an updated take on a traditional piece.

KICHLER

3 YEAR\*  
GUARANTEE



KL/VANDALIA8/L



KL/VANDALIA2/S



KL/VANDALIA8/M

| Code           | Description       | Height | Width | Min. Drop | Max. Drop | Projection | Finish         | Max. Wattage | IP Rating |
|----------------|-------------------|--------|-------|-----------|-----------|------------|----------------|--------------|-----------|
| KL/VANDALIA2/S | 1lt Wall Lantern  | 307mm  | 229mm | -         | -         | 250mm      | Textured Black | 1 x 60W E27  | IP44      |
| KL/VANDALIA8/L | 3lt Chain Lantern | 480mm  | 356mm | 583mm     | 2442mm*   | -          | Textured Black | 3 x 60W E14  | IP44      |
| KL/VANDALIA8/M | 1lt Chain Lantern | 391mm  | 279mm | 494mm     | 2315mm*   | -          | Textured Black | 1 x 60W E27  | IP44      |

\* Supplied with 1829mm of chain.





KL/LYNDON/5P



KL/LYNDON8/S



KL/LYNDON2/S



KL/LYNDON2/M

| Code         | Description         | Height | Width | Min. Drop | Max. Drop            | Projection | Finish               | Max. Wattage | IP Rating |
|--------------|---------------------|--------|-------|-----------|----------------------|------------|----------------------|--------------|-----------|
| KL/LYNDON/5P | Outdoor Chandelier  | 248mm  | 610mm | 305mm     | 1219mm* <sup>1</sup> | -          | Architectural Bronze | 5 x 75W E27  | IP44      |
| KL/LYNDON2/M | Medium Wall Lantern | 381mm  | 153mm | -         | -                    | 203mm      | Architectural Bronze | 1 x 100W E27 | IP44      |
| KL/LYNDON2/S | Small Wall Lantern  | 288mm  | 128mm | -         | -                    | 191mm      | Architectural Bronze | 1 x 75W E27  | IP44      |
| KL/LYNDON8/S | Small Chain Lantern | 246mm  | 128mm | 330mm     | 1327mm* <sup>2</sup> | -          | Architectural Bronze | 1 x 75W E27  | IP44      |

\*<sup>1</sup> Supplied with 2 x 152mm & 2 x 305mm rods. \*<sup>2</sup> Supplied with 965mm of chain.

# CLEARPOINT & LYNDON

BRUSHED ALUMINUM

The Lyndon collection combines a simple streamlined design with an emphasis on traditional details. The wall and pendant lights are now available in Brushed Aluminum with clear seedy glass as part of the Light Box Collection. The Clearpoint outdoor wall light features classic porthole styling with a warm inviting glow behind wire-mesh inside frosted glass. It can be mounted on walls and ceilings.

KICHLER

3 YEAR\*  
GUARANTEE



LYNDON  
KL/LYNDON2/M BA



CLEARPOINT  
KL/CLEARPOINT



LYNDON  
KL/LYNDON8/S BA

LIGHT BOX™  
COLLECTION



LYNDON  
KL/LYNDON2/S BA

| Code            | Description          | Height | Width | Min. Drop | Max. Drop | Projection | Finish           | Max. Wattage | IP Rating |
|-----------------|----------------------|--------|-------|-----------|-----------|------------|------------------|--------------|-----------|
| KL/CLEARPOINT   | Wall/Ceiling Fitting | 311mm  | 280mm | -         | -         | 133mm      | Brushed Aluminum | 1 x 75W E27  | IP44      |
| KL/LYNDON2/M BA | Medium Wall Lantern  | 381mm  | 153mm | -         | -         | 204mm      | Brushed Aluminum | 1 x 100W E27 | IP44      |
| KL/LYNDON2/S BA | Small Wall Lantern   | 288mm  | 128mm | -         | -         | 191mm      | Brushed Aluminum | 1 x 75W E27  | IP44      |
| KL/LYNDON8/S BA | Small Chain Lantern  | 246mm  | 128mm | 330mm     | 1327mm*   | -          | Brushed Aluminum | 1 x 75W E27  | IP44      |

\* Supplied with 965mm of chain.



QZ/MARINE8 L



QZ/MARINE/S



QZ/MARINE/M



QZ/MARINE8 S



QZ/MARINE/L

| Code         | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish         | Max. Wattage | IP Rating |
|--------------|---------------------|--------|-------|-----------|-----------|------------|----------------|--------------|-----------|
| QZ/MARINE/S  | Small Wall Lantern  | 292mm  | 152mm | -         | -         | 165mm      | Western Bronze | 1 x 60W E27  | IP44      |
| QZ/MARINE/M  | Medium Wall Lantern | 381mm  | 203mm | -         | -         | 216mm      | Western Bronze | 1 x 60W E27  | IP44      |
| QZ/MARINE/L  | Large Wall Lantern  | 445mm  | 241mm | -         | -         | 254mm      | Western Bronze | 1 x 60W E27  | IP44      |
| QZ/MARINE8 S | Small Chain Lantern | 380mm  | 152mm | 450mm     | 2890mm*   | -          | Western Bronze | 1 x 60W E27  | IP23      |
| QZ/MARINE8 L | Large Chain Lantern | 550mm  | 241mm | 620mm     | 3060mm*   | -          | Western Bronze | 1 x 60W E27  | IP23      |

\*Supplied with 2440mm of chain.





KL/ASHLANDBAY/F



KL/ASHLANDBAY/5P

| Code             | Description               | Height | Width | Min. Drop | Max. Drop | Finish         | Max. Wattage | IP Rating |
|------------------|---------------------------|--------|-------|-----------|-----------|----------------|--------------|-----------|
| KL/ASHLANDBAY/5P | 5lt Outdoor Chandelier    | 508mm  | 663mm | 624mm     | 1473mm*   | Weathered Zinc | 5 x 60W E27  | IP44      |
| KL/ASHLANDBAY/F  | 2lt Outdoor Ceiling Flush | 152mm  | 305mm | -         | -         | Weathered Zinc | 2 x 60W E27  | IP44      |

\* Supplied with 2 x 152mm & 2 x 305mm rods.



KL/ASHLANDBAY8/S



KL/ASHLANDBAY2/L



KL/ASHLANDBAY2/S



KL/ASHLANDBAY2/M



KL/ASHLANDBAY3/M

| Code             | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish         | Max. Wattage | IP Rating |
|------------------|---------------------|--------|-------|-----------|-----------|------------|----------------|--------------|-----------|
| KL/ASHLANDBAY2/L | Large Wall Lantern  | 404mm  | 224mm | -         | -         | 244mm      | Weathered Zinc | 1 x 60W E27  | IP44      |
| KL/ASHLANDBAY2/M | Medium Wall Lantern | 346mm  | 193mm | -         | -         | 213mm      | Weathered Zinc | 1 x 60W E27  | IP44      |
| KL/ASHLANDBAY2/S | Small Wall Lantern  | 278mm  | 154mm | -         | -         | 173mm      | Weathered Zinc | 1 x 60W E27  | IP44      |
| KL/ASHLANDBAY3/M | Pedestal Lantern    | 471mm  | 193mm | -         | -         | -          | Weathered Zinc | 1 x 60W E27  | IP44      |
| KL/ASHLANDBAY8/S | Chain Lantern       | 327mm  | 154mm | 432mm     | 2306mm    | -          | Weathered Zinc | 1 x 60W E27  | IP44      |

\* Supplied with 1829mm of chain

# BRIDGE POINT

The Bridge Point outdoor collection embodies the classic styling of nautical and railway lighting. It features a Weathered Zinc finish surrounding clear seeded glass.

KICHLER

3 YEAR\*  
GUARANTEE



KL/BRIDGEPOINT/L



KL/BRIDGEPOINT8S



KL/BRIDGEPOINT/M



KL/BRIDGEPOINT/S

| Code             | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish         | Max. Wattage | IP Rating |
|------------------|---------------------|--------|-------|-----------|-----------|------------|----------------|--------------|-----------|
| KL/BRIDGEPOINT8S | Small Chain Lantern | 272mm  | 178mm | 372mm     | 2237mm*   | -          | Weathered Zinc | 1 x 60W E27  | IP44      |
| KL/BRIDGEPOINT/L | Large Wall Lantern  | 510mm  | 280mm | -         | -         | 310mm      | Weathered Zinc | 1 x 60W E27  | IP44      |
| KL/BRIDGEPOINT/M | Medium Wall Lantern | 405mm  | 228mm | -         | -         | 258mm      | Weathered Zinc | 1 x 60W E27  | IP44      |
| KL/BRIDGEPOINT/S | Small Wall Lantern  | 334mm  | 178mm | -         | -         | 207mm      | Weathered Zinc | 1 x 60W E27  | IP44      |

\* Supplied with 1828mm of chain



The Lighthouse outdoor lighting collection by Feiss is versatile with a nautical feel and meticulously crafted from die-cast zinc with a solid brass cage. Triple plated and powder coated lacquer assures its weather resistance and lasting beauty.

## LIGHTHOUSE



FE/LIGHTHOUSE2/M



FE/LIGHTHOUSE/F



FE/LIGHTHOUSE2/S



FE/LIGHTHOUSE/7



FE/LIGHTHOUSE8/S

| Code             | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish        | Max. Wattage | IP Rating |
|------------------|---------------------|--------|-------|-----------|-----------|------------|---------------|--------------|-----------|
| FE/LIGHTHOUSE/7  | Half Wall Lantern   | 288mm  | 178mm | -         | -         | 114mm      | Brushed Steel | 1 x 60W E27  | IP44      |
| FE/LIGHTHOUSE/F  | Outdoor Flush Mount | 145mm  | 254mm | -         | -         | -          | Brushed Steel | 2 x 40W E27  | IP44      |
| FE/LIGHTHOUSE2/M | Medium Wall Lantern | 352mm  | 181mm | -         | -         | 230mm      | Brushed Steel | 1 x 60W E27  | IP44      |
| FE/LIGHTHOUSE2/S | Small Wall Lantern  | 292mm  | 120mm | -         | -         | 160mm      | Brushed Steel | 1 x 60W E27  | IP44      |
| FE/LIGHTHOUSE8/S | Small Chain Lantern | 196mm  | 134mm | 391mm     | 1861mm*   |            | Brushed Steel | 1 x 60W E27  | IP44      |

\* Supplied with 1524mm of chain.

REEF

Reef's contemporary nautical shape features a sleek capsule of inside etched glass captured by bold rings of cast aluminium. Available in Hematite or Victorian Bronze finishes.

HINKLEY  
LIGHTING  
  
3 YEAR\*  
GUARANTEE



HK/REEF8 VZ



HK/REEF8 HE

| Code        | Description   | Height | Width | Min. Drop | Max. Drop | Finish           | Max. Wattage | IP Rating |
|-------------|---------------|--------|-------|-----------|-----------|------------------|--------------|-----------|
| HK/REEF8 HE | Chain Lantern | 320mm  | 140mm | 405mm     | 1930mm    | Hematite         | 1 x 60W E27  | IP23      |
| HK/REEF8 VZ | Chain Lantern | 320mm  | 140mm | 405mm     | 1930mm    | Victorian Bronze | 1 x 60W E27  | IP23      |



HK/REEF/MINI VZ



HK/REEF/SM VZ



HK/REEF3 VZ



HK/REEF3 HE



HK/REEF/SM HE



HK/REEF/MINI HE

| Code            | Description        | Height | Width | Projection | Finish           | Max. Wattage | IP Rating |
|-----------------|--------------------|--------|-------|------------|------------------|--------------|-----------|
| HK/REEF/MINI HE | Mini Wall Lantern  | 203mm  | 140mm | 165mm      | Hematite         | 1 x 60W E27  | IP44      |
| HK/REEF/MINI VZ | Mini Wall Lantern  | 203mm  | 140mm | 165mm      | Victorian Bronze | 1 x 60W E27  | IP44      |
| HK/REEF/SM HE   | Small Wall Lantern | 273mm  | 197mm | 222mm      | Hematite         | 1 x 60W E27  | IP44      |
| HK/REEF/SM VZ   | Small Wall Lantern | 273mm  | 197mm | 222mm      | Victorian Bronze | 1 x 60W E27  | IP44      |
| HK/REEF3 HE     | Pedestal           | 463mm  | 228mm | -          | Hematite         | 1 x 100W E27 | IP44      |
| HK/REEF3 VZ     | Pedestal           | 463mm  | 228mm | -          | Victorian Bronze | 1 x 100W E27 | IP44      |



# CHELSEA HARBOR

These traditional, industrial coastal looking fittings are made to look like the work lanterns seen harbourside in the 1940's and 1950's. Hand made from aluminium material and painted in a Storm Cloud grey with black speckle finish, these attractive lanterns feature a mouth-blown, seedy glass to add to their authentic look.

FEISS®  
EST. 1955

3 YEAR\*  
GUARANTEE



FE/CHELSEAHBR8



FE/CHELSEAHBR/F



FE/CHELSEAHBR2

| Code            | Description   | Height | Width | Min. Drop | Max. Drop | Projection | Finish      | Max. Wattage | IP Rating |
|-----------------|---------------|--------|-------|-----------|-----------|------------|-------------|--------------|-----------|
| FE/CHELSEAHBR/F | Flush Mount   | 149mm  | 279mm | -         | -         | -          | Storm Cloud | 2 x 60W E27  | IP44      |
| FE/CHELSEAHBR2  | Wall Lantern  | 411mm  | 121mm | -         | -         | 179mm      | Storm Cloud | 1 x 60W E27  | IP44      |
| FE/CHELSEAHBR8  | Chain Lantern | 520mm  | 146mm | 590mm     | 2114mm    | -          | Storm Cloud | 1 x 100W E27 | IP23      |



HK/MARINA/F



HK/MARINA2/M



HK/MARINA2/S

| Code         | Description         | Height | Width | Projection | Finish | Max. Wattage | IP Rating |
|--------------|---------------------|--------|-------|------------|--------|--------------|-----------|
| HK/MARINA2/M | Medium Wall Lantern | 365mm  | 256mm | 267mm      | Silver | 1 x 100W E27 | IP44      |
| HK/MARINA2/S | Small Wall Lantern  | 296mm  | 206mm | 215mm      | Silver | 1 x 100W E27 | IP44      |
| HK/MARINA/F  | Flush Mount         | 131mm  | 256mm | -          | Silver | 2 x 60W E27  | IP44      |





Model shown: HK/QUINCY/M





HK/QUINCY8/M



HK/QUINCY/M



HK/QUINCY/S



HK/QUINCY3/M

| Code         | Description        | Height | Width | Min. Drop | Max. Drop | Projection | Finish            | Max. Wattage | IP Rating |
|--------------|--------------------|--------|-------|-----------|-----------|------------|-------------------|--------------|-----------|
| HK/QUINCY/S  | Small Wall Lantern | 343mm  | 171mm | -         | -         | 210mm      | Oil Rubbed Bronze | 1 x 100W E27 | IP44      |
| HK/QUINCY/M  | Med. Wall Lantern  | 425mm  | 235mm | -         | -         | 273mm      | Oil Rubbed Bronze | 1 x 100W E27 | IP44      |
| HK/QUINCY3/M | Pedestal           | 525mm  | 235mm | -         | -         | -          | Oil Rubbed Bronze | 1 x 100W E27 | IP44      |
| HK/QUINCY8/M | Chain Lantern      | 394mm  | 235mm | 490mm     | 1420mm*   | -          | Oil Rubbed Bronze | 1 x 100W E27 | IP23      |

\* Supplied with 1000mm of chain.

# SOUTH HOPE

The South Hope collection softens its sturdy rectangular design with satin etched cased opal glass for an expertly understated grace and welcoming light. An Oil Rubbed Bronze finish completes the overall look with a touch of casual style. Open and clean, this design can complement any porch or walkway.

KICHLER

3 YEAR\*  
GUARANTEE



KL/SOUTH HOPE8/S



KL/SOUTH HOPE/M



KL/SOUTH HOPE/S



KL/SOUTH HOPE3/L

| Code             | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish            | Max. Wattage | IP Rating |
|------------------|---------------------|--------|-------|-----------|-----------|------------|-------------------|--------------|-----------|
| KL/SOUTH HOPE3/L | Large Pedestal      | 592mm  | 228mm | -         | -         | -          | Oil Rubbed Bronze | 1 x 100W E27 | IP44      |
| KL/SOUTH HOPE8/S | Small Chain Lantern | 300mm  | 140mm | 370mm     | 2100mm*   | -          | Oil Rubbed Bronze | 1 x 60W E14  | IP44      |
| KL/SOUTH HOPE/M  | Medium Wall Lantern | 451mm  | 178mm | -         | -         | 196mm      | Oil Rubbed Bronze | 1 x 60W E27  | IP44      |
| KL/SOUTH HOPE/S  | Small Wall Lantern  | 300mm  | 140mm | -         | -         | 158mm      | Oil Rubbed Bronze | 1 x 60W E14  | IP44      |

\* Supplied with 1800mm of chain

Manhattan is a classic update to the traditional train station lantern. The hand-painted Oil Rubbed Bronze finish complements the clean lines of its durable die-cast construction.

## MANHATTAN



HK/MANHATTAN2/S



HK/MANHATTAN2/M



HK/MANHATTAN2/L



HK/MANHATTAN8/S



HK/MANHATTAN3/M

| Code            | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish            | Max. Wattage | IP Rating |
|-----------------|---------------------|--------|-------|-----------|-----------|------------|-------------------|--------------|-----------|
| HK/MANHATTAN2/S | Small Wall Lantern  | 298mm  | 184mm | -         | -         | 203mm      | Oil Rubbed Bronze | 1 x 100W E27 | IP44      |
| HK/MANHATTAN2/M | Medium Wall Lantern | 381mm  | 235mm | -         | -         | 260mm      | Oil Rubbed Bronze | 1 x 100W E27 | IP44      |
| HK/MANHATTAN2/L | Large Wall Lantern  | 470mm  | 286mm | -         | -         | 318mm      | Oil Rubbed Bronze | 1 x 100W E27 | IP44      |
| HK/MANHATTAN3/M | Pedestal            | 490mm  | 235mm | -         | -         | -          | Oil Rubbed Bronze | 1 x 100W E27 | IP44      |
| HK/MANHATTAN8/S | Chain Lantern       | 305mm  | 184mm | 355mm     | 1340mm*   | -          | Oil Rubbed Bronze | 1 x 100W E27 | IP23      |

\* Supplied with 1000mm of chain.





Model shown: HK/WALKER2/L



Walker has roots in the American West with its large scale, strong angular lines and no-nonsense style. The sturdy aluminium and brass construction features a two-tone finish of bold Buckeye Bronze and Heritage Brass. A welded outer form frames an inner clear, bound glass shade.



HK/WALKER2/L



HK/WALKER2/M



HK/WALKER2/S

| Code         | Description         | Height | Width | Projection | Finish         | Max. Wattage | IP Rating |
|--------------|---------------------|--------|-------|------------|----------------|--------------|-----------|
| HK/WALKER2/L | Large Wall Lantern  | 381mm  | 236mm | 261mm      | Buckeye Bronze | 2 x 60W E14  | IP44      |
| HK/WALKER2/M | Medium Wall Lantern | 312mm  | 216mm | 233mm      | Buckeye Bronze | 1 x 100W E27 | IP44      |
| HK/WALKER2/S | Small Wall Lantern  | 241mm  | 190mm | 209mm      | Buckeye Bronze | 1 x 100W E27 | IP44      |

BYRON

This fixture gives the exterior of your home both beauty and an exclusive sense of style. Use a vintage LED bulb for a historic look and is enhanced by the copper-hued plate directly behind it. The clear bevelled glass and the Imperial Bronze finish complete the look.

QUOIZEL

3 YEAR\*  
GUARANTEE



QZ/BYRON/S



QZ/BYRON/M



QZ/BYRON/L

| Code       | Description         | Height | Width | Projection | Finish          | Max. Wattage | IP Rating |
|------------|---------------------|--------|-------|------------|-----------------|--------------|-----------|
| QZ/BYRON/S | Small Wall Lantern  | 305mm  | 165mm | 152mm      | Imperial Bronze | 1 x 100W E27 | IP44      |
| QZ/BYRON/M | Medium Wall Lantern | 368mm  | 203mm | 178mm      | Imperial Bronze | 1 x 100W E27 | IP44      |
| QZ/BYRON/L | Large Wall Lantern  | 457mm  | 254mm | 216mm      | Imperial Bronze | 1 x 100W E27 | IP44      |



Bromley's handsome silhouette features an updated traditional design that combines elegant and stately details. These dignified die-casted aluminum fixtures convey sophistication in an Oil Rubbed Bronze finish that complements any facade. Specialty touches such as a "Shepard's Hook" decorative scrolled arm and detailed top finial highlight Bromley's homage to tradition and quality.



HK/BROMLEY2/S



HK/BROMLEY2/M



HK/BROMLEY2/L

| Code          | Description         | Height | Width | Projection | Finish            | Max. Wattage | IP Rating |
|---------------|---------------------|--------|-------|------------|-------------------|--------------|-----------|
| HK/BROMLEY2/L | Large Wall Lantern  | 631mm  | 254mm | 298mm      | Oil Rubbed Bronze | 3 x 60W E14  | IP44      |
| HK/BROMLEY2/M | Medium Wall Lantern | 388mm  | 203mm | 233mm      | Oil Rubbed Bronze | 2 x 60W E14  | IP44      |
| HK/BROMLEY2/S | Small Wall Lantern  | 299mm  | 203mm | 233mm      | Oil Rubbed Bronze | 1 x 60W E27  | IP44      |

MERRILL

Modern geometric forms and a soft Heritage Bronze finish with cream etched glass create a versatile look; at home both in modern or traditional architectural styles.

FEISS®  
EST. 1955

3 YEAR\*  
GUARANTEE



FE/MERRILL/F



FE/MERRILL8/S



FE/MERRILL1/M



FE/MERRILL3/S



FE/MERRILL1/S

| Code          | Description         | Height | Width | Max. Drop | Projection | Finish          | Max. Wattage | IP Rating |
|---------------|---------------------|--------|-------|-----------|------------|-----------------|--------------|-----------|
| FE/MERRILL3/S | Small Pedestal      | 600mm  | 194mm | -         | -          | Heritage Bronze | 1 x 60W E27  | IP44      |
| FE/MERRILL8/S | Small Chain Lantern | 410mm  | 194mm | 1450mm*   | -          | Heritage Bronze | 1 x 60W E27  | IP23      |
| FE/MERRILL/F  | Flush Mount         | 162mm  | 330mm | -         | -          | Heritage Bronze | 2 x 60W E27  | IP44      |
| FE/MERRILL1/M | Medium Wall Lantern | 514mm  | 244mm | -         | 295mm      | Heritage Bronze | 1 x 100W E27 | IP44      |
| FE/MERRILL1/S | Small Wall Lantern  | 387mm  | 194mm | -         | 241mm      | Heritage Bronze | 1 x 60W E27  | IP44      |

\* Supplied with 1000mm of chain.

Reminiscent of old railroad lighting, the Redding Station outdoor lighting collection warmly illuminates its surroundings no matter the residential architecture. The aluminium shades are designed to withstand the elements and feature prismatic diffusers that convey the vintage styling which has become so popular.

## REDDING STATION



FE/REDDING8/M RB



FE/REDDING2/M RB



FE/REDDING2/S RB



FE/REDDING2/L RB

| Code             | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish             | Max. Wattage | IP Rating |
|------------------|---------------------|--------|-------|-----------|-----------|------------|--------------------|--------------|-----------|
| FE/REDDING8/M RB | Med. Chain Lantern  | 276mm  | 305mm | 403mm     | 1500mm*   | -          | Restoration Bronze | 1 x 100W E27 | IP23      |
| FE/REDDING2/S RB | Small Wall Lantern  | 246mm  | 229mm | -         | -         | 264mm      | Restoration Bronze | 1 x 100W E27 | IP44      |
| FE/REDDING2/M RB | Medium Wall Lantern | 318mm  | 305mm | -         | -         | 341mm      | Restoration Bronze | 1 x 100W E27 | IP44      |
| FE/REDDING2/L RB | Large Wall Lantern  | 397mm  | 381mm | -         | -         | 422mm      | Restoration Bronze | 1 x 100W E27 | IP44      |

\* Supplied with 1200mm of chain.



# AMERICAN TRADITIONAL

Typically larger in scale and more detailed in design, the lanterns in this collection are almost entirely designed in North America, originally for the typical American style home. These fittings, often influenced by original European styles, bring more presence to where they are used, suiting both residential and hospitality situations.



**LUVERNE**

KL/LUVERNE2/M  
*page 96*



**OAKMONT**

FE/OAKMONT3/M  
*page 68*



**NEWBURY**

QZ/NEWBURY/F AC  
*page 69*





Model shown: HK/TRELLIS2/L (see page 64)



# TRELLIS

Trellis is a traditional hanging wall lantern design in a Regency Bronze finish with dense clear seeded glass. The large scroll arm detail, cast loop finial and true rivet detail create a refined elegance.

**HINKLEY**  
LIGHTING  
**3 YEAR\***  
GUARANTEE



HK/TRELLIS2/S



HK/TRELLIS2/M



HK/TRELLIS3/L



HK/TRELLIS2/L

| Code          | Description         | Height | Width | Projection | Finish         | Max. Wattage | IP Rating |
|---------------|---------------------|--------|-------|------------|----------------|--------------|-----------|
| HK/TRELLIS2/S | Small Wall Lantern  | 387mm  | 178mm | 286mm      | Regency Bronze | 1 x 100W E27 | IP44      |
| HK/TRELLIS2/M | Medium Wall Lantern | 502mm  | 229mm | 368mm      | Regency Bronze | 3 x 60W E14  | IP44      |
| HK/TRELLIS2/L | Large Wall Lantern  | 565mm  | 279mm | 419mm      | Regency Bronze | 4 x 60W E14  | IP44      |
| HK/TRELLIS3/L | Pedestal            | 584mm  | 279mm | -          | Regency Bronze | 3 x 60W E14  | IP44      |



LIGHT BOX™  
COLLECTION



KL/TANGIER2/L



KL/TANGIER2/M



KL/TANGIER8/M



KL/TANGIER2/S



KL/TANGIER3/M

| Code          | Description          | Height | Width | Min. Drop | Max. Drop | Projection | Finish      | Max. Wattage | IP Rating |
|---------------|----------------------|--------|-------|-----------|-----------|------------|-------------|--------------|-----------|
| KL/TANGIER2/S | Small Wall Lantern   | 265mm  | 146mm | -         | -         | 169mm      | Olde Bronze | 1 x 60W E27  | IP44      |
| KL/TANGIER2/M | Medium Wall Lantern  | 343mm  | 191mm | -         | -         | 217mm      | Olde Bronze | 1 x 60W E27  | IP44      |
| KL/TANGIER2/L | Large Wall Lantern   | 432mm  | 242mm | -         | -         | 267mm      | Olde Bronze | 1 x 60W E27  | IP44      |
| KL/TANGIER3/M | Medium Pedestal      | 457mm  | 191mm | -         | -         | -          | Olde Bronze | 1 x 60W E27  | IP44      |
| KL/TANGIER8/M | Medium Chain Lantern | 365mm  | 191mm | 447mm     | 2040mm*   | -          | Olde Bronze | 1 x 60W E27  | IP44      |

\* Supplied with 1620mm of chain.





Model shown: KL/HALLERON/8M





KL/HALLERON/8M



KL/HALLERON/2M



KL/HALLERON/2S



KL/HALLERON/F



KL/HALLERON/3M

| Code           | Description          | Height | Width | Projection | Min. Drop | Max. Drop | Finish      | Max. Wattage | IP Rating |
|----------------|----------------------|--------|-------|------------|-----------|-----------|-------------|--------------|-----------|
| KL/HALLERON/2S | 2lt Wall Lantern     | 489mm  | 254mm | 318mm      | -         | -         | Londonderry | 2 x 60W E14  | IP44      |
| KL/HALLERON/2M | 3lt Wall Lantern     | 578mm  | 305mm | 375mm      | -         | -         | Londonderry | 3 x 60W E14  | IP44      |
| KL/HALLERON/F  | 3lt Ceiling Flush    | 229mm  | 305mm | -          | -         | -         | Londonderry | 3 x 40W E14  | IP44      |
| KL/HALLERON/8M | 3lt Chain Lantern    | 476mm  | 305mm | -          | 565mm     | 2362mm*   | Londonderry | 3 x 60W E14  | IP44      |
| KL/HALLERON/3M | 3lt Pedestal Lantern | 696mm  | 305mm | -          | -         | -         | Londonderry | 3 x 60W E14  | IP44      |

\* Supplied with 1829mm of chain.



# OAKMONT

The Oakmont outdoor collection boasts incredible details, from the steeply pitched roofline and softly curved glass panels to an angular backplate, lovely curved arm extension and classic finials. A Patina Bronze finish paired with clear seeded glass give this stately collection old world charm. Cast aluminum construction ensures durability.

**FEISS**

EST. 1955

**3 YEAR\***  
GUARANTEE



FE/OAKMONT2/S



FE/OAKMONT2/M



FE/OAKMONT8/M



FE/OAKMONT2/L



FE/OAKMONT3/M

| Code          | Description          | Height | Width | Min. Drop | Max. Drop | Projection | Finish        | Max. Wattage | IP Rating |
|---------------|----------------------|--------|-------|-----------|-----------|------------|---------------|--------------|-----------|
| FE/OAKMONT2/S | Small Wall Lantern   | 278mm  | 165mm | -         | -         | 205mm      | Patina Bronze | 1 × 60W E27  | IP44      |
| FE/OAKMONT2/M | Medium Wall Lantern  | 673mm  | 254mm | -         | -         | 313mm      | Patina Bronze | 2 × 60W E14  | IP44      |
| FE/OAKMONT2/L | Large Wall Lantern   | 859mm  | 305mm | -         | -         | 375mm      | Patina Bronze | 3 × 60W E14  | IP44      |
| FE/OAKMONT3/M | Medium Post Lantern  | 743mm  | 254mm | -         | -         | -          | Patina Bronze | 2 × 60W E14  | IP44      |
| FE/OAKMONT8/M | Medium Chain Lantern | 555mm  | 254mm | 655mm     | 2139mm*   | -          | Patina Bronze | 2 × 60W E14  | IP44      |

\* Supplied with 1524mm of chain.

# QUOIZEL

**2 YEAR\***  
GUARANTEE

When it comes to curb appeal, outdoor lighting plays a large part in creating a special ambiance. The classic design of the Newbury gives the outside of your home a rich elegance without looking over embellished. It's a versatile look that coordinates with most any architectural style. The Aged Copper finish, with clear bevelled glass, will age naturally over time.

# NEWBURY

AGED COPPER



QZ/NEWBURY8/L AC



QZ/NEWBURY8/M AC



QZ/NEWBURY/F AC



QZ/NEWBURY2/S AC



QZ/NEWBURY2/M AC



QZ/NEWBURY2/L AC

| Code             | Description          | Height | Width | Min. Drop | Max. Drop | Projection | Finish      | Max. Wattage | IP Rating |
|------------------|----------------------|--------|-------|-----------|-----------|------------|-------------|--------------|-----------|
| QZ/NEWBURY2/S AC | Small Wall Lantern   | 310mm  | 178mm | -         | -         | 171mm      | Aged Copper | 1 x 60W E27  | IP44      |
| QZ/NEWBURY2/M AC | Medium Wall Lantern  | 356mm  | 203mm | -         | -         | 198mm      | Aged Copper | 1 x 100W E27 | IP44      |
| QZ/NEWBURY2/L AC | Large Wall Lantern   | 520mm  | 265mm | -         | -         | 240mm      | Aged Copper | 2 x 60W E14  | IP44      |
| QZ/NEWBURY8/M AC | Medium Chain Lantern | 326mm  | 203mm | 401mm     | 1601mm*   | -          | Aged Copper | 1 x 100W E27 | IP44      |
| QZ/NEWBURY8/L AC | Large Chain Lantern  | 490mm  | 265mm | 565mm     | 1765mm*   | -          | Aged Copper | 2 x 60W E14  | IP44      |
| QZ/NEWBURY/F AC  | Flush Mount          | 190mm  | 365mm | -         | -         | -          | Aged Copper | 3 x 40W E14  | IP44      |

\* Supplied with 1200mm of chain.

NEWBURY  
POLISHED BRASS

When it comes to curb appeal, outdoor lighting plays a large part in creating a special ambiance. The classic design and bevelled glass, along with the Newbury's polished brass manufacture, gives the outside of your home a rich elegance. It is a versatile look that coordinates with almost any architectural style. The polished finish will age over time if not maintained.

QUOIZEL

2 YEAR\*  
GUARANTEE

B

Handmade in  
Solid Brass



QZ/NEWBURY/F



QZ/NEWBURY8/L



QZ/NEWBURY3/L

| Code          | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish         | Max. Wattage | IP Rating |
|---------------|---------------------|--------|-------|-----------|-----------|------------|----------------|--------------|-----------|
| QZ/NEWBURY/F  | Flush Mount         | 190mm  | 365mm | -         | -         | -          | Polished Brass | 3 x 40W E14  | IP44      |
| QZ/NEWBURY3/L | Pedestal            | 570mm  | 265mm | -         | -         | -          | Polished Brass | 2 x 60W E14  | IP44      |
| QZ/NEWBURY8/L | Large Chain Lantern | 490mm  | 265mm | 565mm     | 1765mm*   | -          | Polished Brass | 2 x 60W E14  | IP44      |

\* Supplied with 1200mm of chain.



QUOIZEL

2 YEAR\*  
GUARANTEE

B

Handmade in  
Solid Brass



QZ/NEWBURY8/M



QZ/NEWBURY2/S



QZ/NEWBURY2/M



QZ/NEWBURY2/L

| Code          | Description          | Height | Width | Min. Drop | Max. Drop | Projection | Finish         | Max. Wattage | IP Rating |
|---------------|----------------------|--------|-------|-----------|-----------|------------|----------------|--------------|-----------|
| QZ/NEWBURY2/S | Small Wall Lantern   | 310mm  | 178mm | -         | -         | 171mm      | Polished Brass | 1 x 60W E27  | IP44      |
| QZ/NEWBURY2/M | Medium Wall Lantern  | 356mm  | 203mm | -         | -         | 198mm      | Polished Brass | 1 x 100W E27 | IP44      |
| QZ/NEWBURY2/L | Large Wall Lantern   | 520mm  | 265mm | -         | -         | 240mm      | Polished Brass | 2 x 60W E14  | IP44      |
| QZ/NEWBURY8/M | Medium Chain Lantern | 326mm  | 203mm | 401mm     | 1601mm*   | -          | Polished Brass | 1 x 100W E27 | IP44      |

\* Supplied with 1200mm of chain.

# BAY SHORE

The Bay Shore Collection takes the classic lines of outdoor lanterns and dresses it up in style. Each piece in the Bay Shore Collection features Kichler's exclusive LifeBrite Polished Solid Brass, which is guaranteed for 5 years to look fantastic while being capable of withstanding the harshest elements\*. Clear bevelled glass panels complete the Bay Shore outdoor lanterns' timeless profile.

KICHLER

5 YEAR\*  
GUARANTEE



KL/BAY SHORE1/M



KL/BAY SHORE2/S

| Code            | Description               | Height | Width | Projection | Finish         | Max. Wattage | IP Rating |
|-----------------|---------------------------|--------|-------|------------|----------------|--------------|-----------|
| KL/BAY SHORE1/M | Medium Outdoor Wall Light | 393mm  | 178mm | 197mm      | Polished Brass | 1 x 60W E27  | IP44      |
| KL/BAY SHORE2/S | Small Outdoor Wall Light  | 263mm  | 147mm | 170mm      | Polished Brass | 1 x 60W E27  | IP44      |

\* Excludes use within 5 miles of any coast.

QUOIZEL

3 YEAR\*  
GUARANTEE

A classic geometric Arts & Crafts piece with handcrafted art glass in shades of sapphire blue, warm honey amber and cream. Arts and Crafts is an enduring style that honours the tradition of fine craftsmanship and attention to detail.

INGLENOOK  
EXTERIOR



QZ/INGLENOOK/F



QZ/INGLENOOK2/M



QZ/INGLENOOK2/S

| Code            | Description         | Height | Width | Projection | Finish         | Max. Wattage | IP Rating |
|-----------------|---------------------|--------|-------|------------|----------------|--------------|-----------|
| QZ/INGLENOOK/F  | Outdoor Flush Mount | 154mm  | 280mm | -          | Valiant Bronze | 2 x 60W E27  | IP44      |
| QZ/INGLENOOK2/M | Medium Wall Lantern | 314mm  | 215mm | 261mm      | Valiant Bronze | 1 x 60W E27  | IP44      |
| QZ/INGLENOOK2/S | Small Wall Lantern  | 278mm  | 178mm | 226mm      | Valiant Bronze | 1 x 60W E27  | IP44      |





Model shown: KL/VENETIAN2/L



A traditional outdoor option, the Venetian Rain collection draws upon the rich legacy of the Renaissance. Ornate decoration and lavish curves reflect the history of fine Italian craftsmanship. Showcased with a Brushed Bronze finish, this design will create depth and drama in any space.

VENETIAN  
RAIN



KL/VENETIAN8/M



KL/VENETIAN2/M



KL/VENETIAN2/L



KL/VENETIAN7/S



KL/VENETIAN/F

| Code           | Description         | Height | Width | Max. Drop | Projection | Finish         | Max. Wattage | IP Rating |
|----------------|---------------------|--------|-------|-----------|------------|----------------|--------------|-----------|
| KL/VENETIAN2/L | Large Wall Lantern  | 787mm  | 235mm | -         | 343mm      | Brushed Bronze | 3 x 60W E14  | IP44      |
| KL/VENETIAN2/M | Medium Wall Lantern | 641mm  | 184mm | -         | 267mm      | Brushed Bronze | 2 x 60W E14  | IP44      |
| KL/VENETIAN8/M | Chain Lantern       | 629mm  | 184mm | 1900mm*   | -          | Brushed Bronze | 2 x 60W E14  | IP23      |
| KL/VENETIAN7/S | Half Wall Lantern   | 298mm  | 171mm | -         | 95mm       | Brushed Bronze | 1 x 60W E14  | IP44      |
| KL/VENETIAN/F  | Flush Mount         | 140mm  | 235mm | -         | -          | Brushed Bronze | 2 x 40W E14  | IP44      |

\* Supplied with 1200mm of chain.

# ENZO

Enzo is inspired by a romantic lantern design. Blending beauty and durability, the intricately die-cast aluminum construction features graceful scrolls with Old World allure while the rich Autumn finish and clear seedy glass meld timeless elegance.

**HINKLEY**  
LIGHTING

**3 YEAR\***  
GUARANTEE



HK/ENZO8/S



HK/ENZO2/S



HK/ENZO3/S



HK/ENZO2/M

| Code       | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|------------|---------------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| HK/ENZO2/M | Medium Wall Lantern | 448mm  | 254mm | -         | -         | 285mm      | Autumn | 1 x 100W E27 | IP44      |
| HK/ENZO2/S | Small Wall Lantern  | 358mm  | 203mm | -         | -         | 241mm      | Autumn | 1 x 100W E27 | IP44      |
| HK/ENZO3/S | Small Pedestal      | 495mm  | 203mm | -         | -         | -          | Autumn | 1 x 100W E27 | IP44      |
| HK/ENZO8/S | Small Chain Lantern | 328mm  | 203mm | 390mm     | 1400mm*   | -          | Autumn | 1 x 100W E27 | IP44      |

\* Supplied with 960mm of chain.



Castle windows throughout Europe were designed with a wide variety of tracery, mullions and stonework elements. The Olde Bronze panels of the Franceasi lighting family were created with these wonderful windows in mind. The intricate details create delightful shadow patterns on adjoining wall surfaces and walkways, and include soft amber tinted glass panels.



KL/FRANCEASI/F



KL/FRANCEASI/M



KL/FRANCEASI/S

| Code           | Description         | Height | Width | Projection | Finish      | Max. Wattage | IP Rating |
|----------------|---------------------|--------|-------|------------|-------------|--------------|-----------|
| KL/FRANCEASI/F | Flush Mount         | 165mm  | 279mm | -          | Olde Bronze | 2 x 60W E27  | IP44      |
| KL/FRANCEASI/M | Medium Wall Lantern | 457mm  | 178mm | 229mm      | Olde Bronze | 1 x 100W E27 | IP44      |
| KL/FRANCEASI/S | Small Wall Lantern  | 368mm  | 140mm | 184mm      | Olde Bronze | 1 x 100W E27 | IP44      |

# MONTREAL

Montreal’s traditional old world styling features ornate cast aluminium construction in an Aged Iron finish with stunning inside etched amber optic glass.

HINKLEY  
LIGHTING  
**3 YEAR\***  
GUARANTEE



HK/MONTREAL/L

| Code          | Description        | Height | Width | Min. Drop | Max. Drop | Projection | Finish    | Max. Wattage | IP Rating |
|---------------|--------------------|--------|-------|-----------|-----------|------------|-----------|--------------|-----------|
| HK/MONTREAL/L | Large Wall Lantern | 813mm  | 280mm | -         | -         | 406mm      | Aged Iron | 3 x 60W E14  | IP44      |



HK/MONTREAL/M



HK/MONTREAL8



HK/MONTREAL3



HK/MONTREAL/S

| Code          | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish    | Max. Wattage | IP Rating |
|---------------|---------------------|--------|-------|-----------|-----------|------------|-----------|--------------|-----------|
| HK/MONTREAL/S | Small Wall Lantern  | 521mm  | 178mm | -         | -         | 267mm      | Aged Iron | 1 x 100W E27 | IP44      |
| HK/MONTREAL/M | Medium Wall Lantern | 641mm  | 222mm | -         | -         | 318mm      | Aged Iron | 1 x 100W E27 | IP44      |
| HK/MONTREAL3  | Pedestal            | 750mm  | 280mm | -         | -         | -          | Aged Iron | 3 x 60W E14  | IP44      |
| HK/MONTREAL8  | Chain Lantern       | 750mm  | 280mm | 800mm     | 2325mm    | -          | Aged Iron | 3 x 60W E14  | IP23      |





Model shown: FE/COTSLN2/M BK



# FEISS®

EST. 1955

**3 YEAR\***  
GUARANTEE

The classic styling of the Cotswold Lane collection features the look of architectural moulding at the top of each pane of clear bevelled glass. This adds to the more formal, traditional aesthetic of this antique gas lantern-inspired collection.

## COTSWOLD LANE BLACK



FE/COTSLN2/S BK



FE/COTSLN/F BK



FE/COTSLN7 BK

| Code            | Description         | Height | Width | Projection | Finish | Max. Wattage | IP Rating |
|-----------------|---------------------|--------|-------|------------|--------|--------------|-----------|
| FE/COTSLN2/S BK | Small Wall Lantern  | 292mm  | 165mm | 197mm      | Black  | 1 x 100W E27 | IP44      |
| FE/COTSLN7 BK   | Half Wall Lantern   | 406mm  | 241mm | 152mm      | Black  | 2 x 60W E14  | IP44      |
| FE/COTSLN/F BK  | Flush Ceiling Mount | 168mm  | 292mm | -          | Black  | 2 x 60W E27  | IP44      |

# COTSWOLD LANE

BLACK (continued)

FEISS®  
EST. 1955

3 YEAR\*  
GUARANTEE



FE/COTSLN2/M BK



FE/COTSLN8/M BK



FE/COTSLN3/M BK



FE/COTSLN4/M BK

| Code            | Description          | Height | Width | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|-----------------|----------------------|--------|-------|-----------|------------|--------|--------------|-----------|
| FE/COTSLN2/M BK | Medium Wall Lantern  | 521mm  | 229mm | -         | 295mm      | Black  | 2 × 60W E14  | IP44      |
| FE/COTSLN3/M BK | Medium Pedestal      | 544mm  | 229mm | -         | -          | Black  | 2 × 60W E14  | IP44      |
| FE/COTSLN4/M BK | Medium Pillar        | 1100mm | 229mm | -         | -          | Black  | 2 × 60W E14  | IP44      |
| FE/COTSLN8/M BK | Medium Chain Lantern | 464mm  | 229mm | 1550mm*   | -          | Black  | 2 × 60W E14  | IP23      |

\* Supplied with 1000mm of chain.





FE/COTSLN2/L BK



FE/COTSLN8/L BK



FE/COTSLN3/L BK



FE/COTSLN5/L BK

| Code            | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|-----------------|---------------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| FE/COTSLN2/L BK | Large Wall Lantern  | 762mm  | 305mm | -         | -         | 413mm      | Black  | 3 x 60W E14  | IP44      |
| FE/COTSLN3/L BK | Large Pedestal      | 780mm  | 305mm | -         | -         | -          | Black  | 3 x 60W E14  | IP44      |
| FE/COTSLN8/L BK | Large Chain Lantern | 673mm  | 305mm | 697mm     | 2000mm*   | -          | Black  | 3 x 60W E14  | IP23      |
| FE/COTSLN5/L BK | Large Post          | 2570mm | 305mm | -         | -         | -          | Black  | 3 x 60W E14  | IP44      |

\* Supplied with 1200mm of chain.

# TOURNAI

With its heavy textures, dark tones, and fine attention to detail, the Tournai collection stands out from other outdoor lighting fixtures. Each lantern is hand-made from cast aluminium, offering quality construction that is sure to withstand even the harshest of weather conditions. Our exclusive Londonderry finish and clear seeded glass panels give the light its unique aged look.

KICHLER

3 YEAR\*  
GUARANTEE



KL/TOURNAI1G/XL



KL/TOURNAI8G/XL

Extra large fittings:  
please check dimensions  
carefully when ordering

| Code            | Description            | Height | Width | Max. Drop | Projection | Finish      | Max. Wattage | IP Rating |
|-----------------|------------------------|--------|-------|-----------|------------|-------------|--------------|-----------|
| KL/TOURNAI1G/XL | Grand XL Wall Lantern  | 1168mm | 432mm | -         | 635mm      | Londonderry | 4 x 100W E27 | IP44      |
| KL/TOURNAI8G/XL | Grand XL Chain Lantern | 850mm  | 432mm | 4000mm*   | -          | Londonderry | 4 x 100W E27 | IP44      |

\* Supplied with 3000mm of chain.



KL/TOURNAI1G/L



KL/TOURNAI8/XL



KL/TOURNAI2/XL



KL/TOURNAI5/XL

Extra large fittings:  
please check dimensions  
carefully when ordering

| Code           | Description           | Height | Width | Max. Drop | Projection | Finish      | Max. Wattage | IP Rating |
|----------------|-----------------------|--------|-------|-----------|------------|-------------|--------------|-----------|
| KL/TOURNAI1G/L | Grand Wall Lantern    | 959mm  | 356mm | -         | 527mm      | Londonderry | 4 x 60W E14  | IP44      |
| KL/TOURNAI5/XL | X-Large Lampost       | 2950mm | 305mm | -         | -          | Londonderry | 3 x 60W E14  | IP44      |
| KL/TOURNAI2/XL | X-Large Wall Lantern  | 737mm  | 305mm | -         | 451mm      | Londonderry | 3 x 60W E14  | IP44      |
| KL/TOURNAI8/XL | X-Large Chain Lantern | 630mm  | 305mm | 3000mm*   | -          | Londonderry | 3 x 60W E14  | IP44      |

\* Supplied with 2000mm of chain.



# TOURNAI

(continued)

KICHLER

3 YEAR\*  
GUARANTEE



KL/TOURNAI/F



KL/TOURNAI3/L



KL/TOURNAI2/L

| Code          | Description        | Height | Width | Max. Drop | Projection | Finish      | Max. Wattage | IP Rating |
|---------------|--------------------|--------|-------|-----------|------------|-------------|--------------|-----------|
| KL/TOURNAI/F  | Flush Mount        | 191mm  | 305mm | -         | -          | Londonderry | 2 x 60W E14  | IP44      |
| KL/TOURNAI2/L | Large Wall Lantern | 610mm  | 254mm | -         | 375mm      | Londonderry | 2 x 60W E14  | IP44      |
| KL/TOURNAI3/L | Large Pedestal     | 670mm  | 245mm | -         | -          | Londonderry | 2 x 60W E14  | IP44      |

3 YEAR\*  
GUARANTEE



KL/TOURNAI2/M



KL/TOURNAI8/M



KL/TOURNAI2/S



KL/TOURNAI4/M

| Code          | Description          | Height | Width | Max. Drop | Projection | Finish      | Max. Wattage | IP Rating |
|---------------|----------------------|--------|-------|-----------|------------|-------------|--------------|-----------|
| KL/TOURNAI4/M | Medium Pillar        | 1100mm | 191mm | -         | -          | Londonderry | 1 x 100W E27 | IP44      |
| KL/TOURNAI2/M | Medium Wall Lantern  | 457mm  | 191mm | -         | 286mm      | Londonderry | 1 x 100W E27 | IP44      |
| KL/TOURNAI2/S | Small Wall Lantern   | 267mm  | 152mm | -         | 197mm      | Londonderry | 1 x 100W E27 | IP44      |
| KL/TOURNAI8/M | Medium Chain Lantern | 400mm  | 191mm | 1400mm*   | -          | Londonderry | 1 x 100W E27 | IP23      |

\* Supplied with 1000mm of chain.





FE/EB2/XL BLK

Model shown: FE/EB2/XL BLK



# FEISS®

EST. 1955

**3 YEAR\***  
GUARANTEE

This collection of lanterns reflects the English countryside charm combined with the graces of a stately manor. Clear seeded glass combines a clean look with old-world charm. English Bridle is available in British Bronze or Black.

## ENGLISH BRIDLE

BLACK



FE/EB2/L BLK



FE/EB8/L BLK



FE/EB3/L BLK



FE/EB5/L BLK

| Code          | Description          | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|---------------|----------------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| FE/EB2/L BLK  | Large Wall Lantern   | 622mm  | 267mm | -         | -         | 325mm      | Black  | 3 × 60W E14  | IP44      |
| FE/EB2/XL BLK | X Large Wall Lantern | 737mm  | 318mm | -         | -         | 394mm      | Black  | 4 × 60W E14  | IP44      |
| FE/EB3/L BLK  | Large Pedestal       | 638mm  | 267mm | -         | -         | -          | Black  | 3 × 60W E14  | IP44      |
| FE/EB5/L BLK  | Large Lamp Post      | 2426mm | 267mm | -         | -         | -          | Black  | 3 × 60W E14  | IP44      |
| FE/EB8/L BLK  | Large Chain Lantern  | 620mm  | 267mm | 680mm     | 2205mm    | -          | Black  | 3 × 60W E14  | IP23      |

\*Guarantee details on p212.

ELSTEADLIGHTING.COM

AMERICAN TRADITIONAL

89

ENGLISH BRIDLE  
BLACK

FEISS®  
EST. 1955

3 YEAR\*  
GUARANTEE



FE/EB4/M BLK



FE/EB2/S BLK



FE/EB2/M BLK



FE/EB3/M BLK



FE/EB8/M BLK

| Code         | Description          | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|--------------|----------------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| FE/EB2/S BLK | Small Wall Lantern   | 320mm  | 165mm | -         | -         | 190mm      | Black  | 1 × 60W E27  | IP44      |
| FE/EB2/M BLK | Medium Wall Lantern  | 500mm  | 216mm | -         | -         | 267mm      | Black  | 3 × 60W E14  | IP44      |
| FE/EB3/M BLK | Medium Pedestal      | 552mm  | 216mm | -         | -         | -          | Black  | 3 × 60W E14  | IP44      |
| FE/EB4/M BLK | Medium Bollard       | 1180mm | 216mm | -         | -         | -          | Black  | 3 × 60W E14  | IP44      |
| FE/EB8/M BLK | Medium Chain Lantern | 470mm  | 216mm | 580mm     | 2105mm    | -          | Black  | 3 × 60W E14  | IP23      |



FE/EB2/M BRB



FE/EB8/M BRB



FE/EB4/M BRB



FE/EB2/S BRB



FE/EB3/M BRB

| Code         | Description          | Height | Width | Min. Drop | Max. Drop | Projection | Finish         | Max. Wattage | IP Rating |
|--------------|----------------------|--------|-------|-----------|-----------|------------|----------------|--------------|-----------|
| FE/EB2/S BRB | Small Wall Lantern   | 320mm  | 165mm | -         | -         | 190mm      | British Bronze | 1 x 60W E27  | IP44      |
| FE/EB2/M BRB | Medium Wall Lantern  | 500mm  | 216mm | -         | -         | 267mm      | British Bronze | 3 x 60W E14  | IP44      |
| FE/EB3/M BRB | Medium Pedestal      | 552mm  | 216mm | -         | -         | -          | British Bronze | 3 x 60W E14  | IP44      |
| FE/EB4/M BRB | Medium Bollard       | 1180mm | 216mm | -         | -         | -          | British Bronze | 3 x 60W E14  | IP44      |
| FE/EB8/M BRB | Medium Chain Lantern | 470mm  | 216mm | 580mm     | 2105mm    | -          | British Bronze | 3 x 60W E14  | IP23      |





FE/EB2/XL BRB

Model shown: FE/EB2/XL BRB



FE/EB8/L BRB



FE/EB2/L BRB



FE/EB3/L BRB



FE/EB5/L BRB

| Code          | Description          | Height | Width | Min. Drop | Max. Drop | Projection | Finish         | Max. Wattage | IP Rating |
|---------------|----------------------|--------|-------|-----------|-----------|------------|----------------|--------------|-----------|
| FE/EB2/L BRB  | Large Wall Lantern   | 622mm  | 267mm | -         | -         | 325mm      | British Bronze | 3 x 60W E14  | IP44      |
| FE/EB2/XL BRB | X Large Wall Lantern | 737mm  | 318mm | -         | -         | 394mm      | British Bronze | 4 x 60W E14  | IP44      |
| FE/EB3/L BRB  | Large Pedestal       | 638mm  | 267mm | -         | -         | -          | British Bronze | 3 x 60W E14  | IP44      |
| FE/EB5/L BRB  | Large Lamp Post      | 2426mm | 267mm | -         | -         | -          | British Bronze | 3 x 60W E14  | IP44      |
| FE/EB8/L BRB  | Large Chain Lantern  | 620mm  | 267mm | 680mm     | 2205mm    | -          | British Bronze | 3 x 60W E14  | IP23      |



# BATON ROUGE

Every home can use a little extra curb appeal – that’s where this ornate lantern collection comes in. Gold lustre tinted glass and a warm Walnut finish enhance the intricate detailing beautifully. Each piece has a curvaceous form and perfect silhouette so it looks as dazzling in the daytime as it will when lit at night.

FEISS®  
EST. 1955

3 YEAR\*  
GUARANTEE



FE/BATONRG3



FE/BATONRG/S



FE/BATONRG4



FE/BATONRG5

| Code         | Description        | Height | Width | Projection | Finish | Max. Wattage | IP Rating |
|--------------|--------------------|--------|-------|------------|--------|--------------|-----------|
| FE/BATONRG/S | Small Wall Lantern | 381mm  | 191mm | 229mm      | Walnut | 1 x 100W E27 | IP44      |
| FE/BATONRG3  | Pedestal Lantern   | 610mm  | 241mm | -          | Walnut | 3 x 60W E14  | IP44      |
| FE/BATONRG4  | Pillar             | 1317mm | 241mm | -          | Walnut | 3 x 60W E14  | IP44      |
| FE/BATONRG5  | Lamp Post          | 2580mm | 330mm | -          | Walnut | 4 x 60W E14  | IP44      |





FE/BATONRG/M



FE/BATONRG/L



FE/BATONRG8



FE/BATONRG8  
shown as semi-flush

| Code         | Description             | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|--------------|-------------------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| FE/BATONRG/M | Medium Wall Lantern     | 578mm  | 241mm | -         | -         | 356mm      | Walnut | 3 x 60W E14  | IP44      |
| FE/BATONRG/L | Large Wall Lantern      | 762mm  | 305mm | -         | -         | 457mm      | Walnut | 4 x 60W E14  | IP44      |
| FE/BATONRG8  | Duo-Mount Chain Lantern | 715mm  | 330mm | 785mm     | 2309mm    | -          | Walnut | 4 x 60W E14  | IP44      |

# LUVERNE

The Luverne collection features an Oil Rubbed Bronze finish that embellishes the nuanced bead patterns, medallions and scrollwork of these attractive outdoor lights. The tight pattern on the clear ribbed glass offers just the right light.

KICHLER

3 YEAR\*  
GUARANTEE



KL/LUVERNE2/S



KL/LUVERNE2/M



KL/LUVERNE3/M



KL/LUVERNE8/M

| Code          | Description         | Height | Width | Max. Drop | Projection | Finish            | Max. Wattage | IP Rating |
|---------------|---------------------|--------|-------|-----------|------------|-------------------|--------------|-----------|
| KL/LUVERNE2/S | Small Wall Lantern  | 337mm  | 178mm | -         | 197mm      | Oil Rubbed Bronze | 1 x 100W E27 | IP44      |
| KL/LUVERNE2/M | Medium Wall Lantern | 457mm  | 229mm | -         | 279mm      | Oil Rubbed Bronze | 1 x 100W E27 | IP44      |
| KL/LUVERNE3/M | Pedestal            | 500mm  | 229mm | -         | -          | Oil Rubbed Bronze | 1 x 150W E27 | IP44      |
| KL/LUVERNE8/M | Chain Lantern       | 440mm  | 229mm | 1680mm*   | -          | Oil Rubbed Bronze | 1 x 150W E27 | IP23      |

\* Supplied with 1200mm of chain.



FE/REGENTCT/F



FE/REGENTCT/S



FE/REGENTCT3



FE/REGENTCT/M

| Code          | Description         | Height | Width | Projection | Finish | Max. Wattage | IP Rating |
|---------------|---------------------|--------|-------|------------|--------|--------------|-----------|
| FE/REGENTCT3  | Pedestal Lantern    | 505mm  | 216mm | -          | Walnut | 2 x 60W E14  | IP44      |
| FE/REGENTCT/F | Flush Mount         | 178mm  | 267mm | -          | Walnut | 2 x E14 40W  | IP44      |
| FE/REGENTCT/M | Medium Wall Lantern | 445mm  | 216mm | 279mm      | Walnut | 2 x E14 60W  | IP44      |
| FE/REGENTCT/S | Small Wall Lantern  | 343mm  | 165mm | 203mm      | Walnut | 1 x E27 100W | IP44      |



# BALTIMORE

A family of “period style” medium and large size lanterns with fine leaf finial details. This range covers pedestal, lamp-post, wall and suspended applications. Each product is offered with amber tinted blown glass and is hand finished in a Weathered Bronze Patina.



BT1/M



BT4/M



BT8/M



BT3/M

| Code  | Description          | Height | Width | Min. Drop | Max. Drop | Projection | Finish           | Max. Wattage | IP Rating |
|-------|----------------------|--------|-------|-----------|-----------|------------|------------------|--------------|-----------|
| BT1/M | Medium Wall Lantern  | 550mm  | 225mm | -         | -         | 220mm      | Weathered Bronze | 1 x 100W E27 | IP44      |
| BT3/M | Medium Pedestal      | 560mm  | 225mm | -         | -         | -          | Weathered Bronze | 1 x 100W E27 | IP44      |
| BT4/M | Medium Pillar        | 1170mm | 225mm | -         | -         | -          | Weathered Bronze | 1 x 100W E27 | IP44      |
| BT8/M | Medium Chain Lantern | 500mm  | 225mm | 575mm     | 2120mm    | -          | Weathered Bronze | 1 x 100W E27 | IP23      |



BT1/L



BT8/L



BT3/L



BT5/L

| Code  | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish           | Max. Wattage | IP Rating |
|-------|---------------------|--------|-------|-----------|-----------|------------|------------------|--------------|-----------|
| BT1/L | Large Wall Lantern  | 690mm  | 300mm | -         | -         | 350mm      | Weathered Bronze | 1 x 150W E27 | IP44      |
| BT3/L | Large Pedestal      | 680mm  | 300mm | -         | -         | -          | Weathered Bronze | 1 x 150W E27 | IP44      |
| BT5/L | Large Lamp Post     | 2390mm | 300mm | -         | -         | -          | Weathered Bronze | 1 x 150W E27 | IP44      |
| BT8/L | Large Chain Lantern | 575mm  | 300mm | 650mm     | 2255mm    | -          | Weathered Bronze | 1 x 100W E27 | IP23      |





Model shown: PH2/M OB



Distinctive details feature in this complete series of “period” lanterns available in three sizes; small, medium and large. Ideal for pedestal, post top, wall and suspended applications including an attractive lamp-post. The range has amber blown glass and an Old Bronze Patina finish.

## PHILADELPHIA

OLD BRONZE



PH1/L OB



PH2/L OB



PH1/M OB



PH2/M OB

| Code     | Description         | Height | Width | Projection | Finish     | Max. Wattage | IP Rating |
|----------|---------------------|--------|-------|------------|------------|--------------|-----------|
| PH1/L OB | Large Wall Lantern  | 640mm  | 260mm | 310mm      | Old Bronze | 3 x 60W E14  | IP44      |
| PH2/L OB | Large Wall Lantern  | 640mm  | 260mm | 310mm      | Old Bronze | 3 x 60W E14  | IP44      |
| PH1/M OB | Medium Wall Lantern | 525mm  | 190mm | 265mm      | Old Bronze | 1 x 100W E27 | IP44      |
| PH2/M OB | Medium Wall Lantern | 520mm  | 190mm | 265mm      | Old Bronze | 1 x 100W E27 | IP44      |

# PHILADELPHIA

OLD BRONZE (continued)

**Elstead**  
LIGHTING

**3 YEAR\***  
GUARANTEE



PH1/S OB



PH2/S OB



PH5/L OB



PH3/M OB



PH8/M OB



PH4/M OB

| Code     | Description          | Height | Width | Min. Drop | Max. Drop | Projection | Finish     | Max. Wattage | IP Rating |
|----------|----------------------|--------|-------|-----------|-----------|------------|------------|--------------|-----------|
| PH1/S OB | Small Wall Lantern   | 430mm  | 170mm | -         | -         | 240mm      | Old Bronze | 1 x 100W E27 | IP44      |
| PH2/S OB | Small Wall Lantern   | 430mm  | 170mm | -         | -         | 240mm      | Old Bronze | 1 x 100W E27 | IP44      |
| PH3/M OB | Medium Pedestal      | 540mm  | 190mm | -         | -         | -          | Old Bronze | 1 x 100W E27 | IP44      |
| PH4/M OB | Medium Pillar        | 1165mm | 190mm | -         | -         | -          | Old Bronze | 1 x 100W E27 | IP44      |
| PH5/L OB | Large Lamp Post      | 2370mm | 265mm | -         | -         | -          | Old Bronze | 3 x 60W E14  | IP44      |
| PH8/M OB | Medium Chain Lantern | 470mm  | 190mm | 540mm     | 1540mm    | -          | Old Bronze | 1 x 100W E27 | IP44      |

The New England and St. Louis fittings take their influences from different periods dating back to pre and post 1900s. Available in a Weathered Bronze finish, these fittings use hand-blown glass and great attention to detail in their designs resulting in products that will add style to any situation.

## NEW ENGLAND & ST. LOUIS



ST. LOUIS  
STL2/M WB



ST. LOUIS  
STL2/S WB



NEW ENGLAND  
NE8/M



NEW ENGLAND  
NE1/S

| Code      | Description         | Height | Width | Projection | Finish           | Max. Wattage | IP Rating |
|-----------|---------------------|--------|-------|------------|------------------|--------------|-----------|
| STL2/S WB | Small Wall Lantern  | 325mm  | 170mm | 215mm      | Weathered Bronze | 1 x 100W E27 | IP44      |
| STL2/M WB | Medium Wall Lantern | 400mm  | 185mm | 230mm      | Weathered Bronze | 1 x 100W E27 | IP44      |
| NE1/S     | Small Wall Lantern  | 350mm  | 165mm | 195mm      | Weathered Bronze | 1 x 100W E27 | IP44      |
| NE8/M     | Flush Mount         | 200mm  | 360mm | -          | Weathered Bronze | 2 x 60W E27  | IP44      |



# CHICAGO

A comprehensive range of classic lanterns in “turn of the century” style, available in three size options, small, medium and very large. The range covers pedestal, pillar, wall, lamp-post and suspended versions and each product is offered with clear textured blown glass and a hand finished Rusty Bronze Patina.

**Elstead**  
LIGHTING

**3 YEAR\***  
GUARANTEE



CC2/S



CC8/S



CC3/S

Extra large fittings:  
please check dimensions  
carefully when ordering



CC4/S

| Code  | Description       | Height | Width | Min. Drop | Max. Drop | Projection | Finish              | Max. Wattage | IP Rating |
|-------|-------------------|--------|-------|-----------|-----------|------------|---------------------|--------------|-----------|
| CC2/S | 1lt Wall Lantern  | 470mm  | 235mm | -         | -         | 280mm      | Rusty Bronze Patina | 1 x 100W E27 | IP44      |
| CC3/S | 1lt Pedestal      | 510mm  | 235mm | -         | -         | -          | Rusty Bronze Patina | 1 x 100W E27 | IP44      |
| CC4/S | 1lt Pillar        | 1150mm | 235mm | -         | -         | -          | Rusty Bronze Patina | 1 x 100W E27 | IP44      |
| CC8/S | 1lt Chain Lantern | 435mm  | 235mm | 510mm     | 1510mm    | -          | Rusty Bronze Patina | 1 x 100W E27 | IP44      |



Extra large fittings:  
please check dimensions  
carefully when ordering



CC2/M



CC5/M

| Code  | Description             | Height | Width | Projection | Finish              | Max. Wattage | IP Rating |
|-------|-------------------------|--------|-------|------------|---------------------|--------------|-----------|
| CC2/L | 4lt Large Wall Lantern  | 700mm  | 355mm | 430mm      | Rusty Bronze Patina | 4 x 60W E14  | IP44      |
| CC2/M | 1lt Medium Wall Lantern | 560mm  | 280mm | 340mm      | Rusty Bronze Patina | 1 x 100W E27 | IP44      |
| CC5/M | Medium Lamp-post        | 2465mm | 280mm | -          | Rusty Bronze Patina | 1 x 100W E27 | IP44      |

# COUNTRY TRADITIONAL

This collection features styles influenced from period British and European lanterns from the last century. Although some of these are modern updates made of cast aluminium, others are still hand-made in iron to keep the authenticity. These lanterns are typically smaller in scale to suit picturesque cottages and small town houses.



WEXFORD

WX2  
*page 111*



CANTERBURY

BL50M  
*page 115*



MINERS

MINERS CHN  
*page 127*





West  
Cottage

Model shown: Hereford - BL21 (see page 123)





NR1/PIR

PIR detectors are  
guaranteed for 2 years



NR9



NR1



Corner brackets  
available - see details  
in table below



NR2

| Code     | Description      | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|----------|------------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| NR1*     | Wall Lantern     | 450mm  | 184mm | -         | -         | 260mm      | Black  | 1 x 100W E27 | IP43      |
| NR1/PIR* | PIR Wall Lantern | 470mm  | 184mm | -         | -         | 295mm      | Black  | 1 x 100W E27 | IP43      |
| NR2*     | Wall Lantern     | 450mm  | 184mm | -         | -         | 215mm      | Black  | 1 x 100W E27 | IP43      |
| NR9      | Chain Lantern    | 395mm  | 184mm | 515mm     | 600mm     | -          | Black  | 1 x 100W E27 | IP43      |

\* For corner bracket order C/BKT5



NR3



NR7/2



NR4



NR8

| Code  | Description      | Height | Width | Projection | Finish | Max. Wattage | IP Rating |
|-------|------------------|--------|-------|------------|--------|--------------|-----------|
| NR3   | Pedestal         | 488mm  | 184mm | -          | Black  | 1 x 100W E27 | IP43      |
| NR4   | Pillar           | 1090mm | 184mm | -          | Black  | 1 x 100W E27 | IP43      |
| NR7/2 | Half Lantern     | 359mm  | 257mm | 125mm      | Black  | 1 x 100W E27 | IP43      |
| NR8   | Triple Lamp Post | 2270mm | 600mm | -          | Black  | 3 x 100W E27 | IP43      |



# WEXFORD

A range of substantial leaded lanterns, the Wexford offers attractive traditional styling for larger applications. Each lantern panel features five separate pieces of glass, hand-leaded together. All versions are backed by a 3 year anti-corrosion guarantee\*. Available in Black/Silver finish.

**Elstead**  
LIGHTING

**3 YEAR\***  
GUARANTEE



WX7



WX9



WX1/PIR

PIR detectors are  
guaranteed for 2 years



WX3

| Code     | Description      | Height | Width | Min. Drop | Max. Drop | Projection | Finish       | Max. Wattage | IP Rating |
|----------|------------------|--------|-------|-----------|-----------|------------|--------------|--------------|-----------|
| WX1/PIR* | PIR Wall Lantern | 532mm  | 159mm | -         | -         | 278mm      | Black/Silver | 1 x 100W E27 | IP43      |
| WX3      | Pedestal         | 523mm  | 159mm | -         | -         | -          | Black/Silver | 1 x 100W E27 | IP43      |
| WX9      | Chain Lantern    | 340mm  | 159mm | 460mm     | 900mm     | -          | Black/Silver | 1 x 100W E27 | IP43      |
| WX7      | Half Lantern     | 338mm  | 221mm | -         | -         | 86mm       | Black/Silver | 2 x 60W E27  | IP43      |

\* For corner bracket order C/BKT5



WX8



Corner brackets  
available - see details  
in table below



WX4



WX1



WX2

| Code | Description    | Height | Width | Projection | Finish       | Max. Wattage | IP Rating |
|------|----------------|--------|-------|------------|--------------|--------------|-----------|
| WX1  | Wall Lantern   | 535mm  | 159mm | 285mm      | Black/Silver | 1 x 100W E27 | IP43      |
| WX2  | Wall Lantern   | 370mm  | 159mm | 286mm      | Black/Silver | 1 x 100W E27 | IP43      |
| WX4  | Pillar         | 1235mm | 159mm | -          | Black/Silver | 1 x 100W E27 | IP43      |
| WX8  | Twin Lamp Post | 2285mm | 570mm | -          | Black/Silver | 2 x 100W E27 | IP43      |

\* For corner bracket order C/BKT5

# YORK

The York standard lantern range originates from the typically Old English coach lanterns of long ago and are manufactured completely from die-cast aluminium. These lanterns come with a 5 year anti-corrosion guarantee\* and are available in a Black finish.

**Elstead**  
LIGHTING

**5 YEAR\***  
GUARANTEE



BL6A



BL5



BL6B



Corner brackets  
available - see details  
in table below



BL15



BL2



BL7

| Code | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|------|---------------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| BL2* | Wall Lantern        | 310mm  | 185mm | -         | -         | 225mm      | Black  | 1 x 100W E27 | IP43      |
| BL5* | Wall Lantern        | 435mm  | 185mm | -         | -         | 230mm      | Black  | 1 x 100W E27 | IP43      |
| BL6A | Porch Lantern       | 245mm  | 185mm | -         | -         | -          | Black  | 1 x 100W E27 | IP23      |
| BL6B | Porch Chain Lantern | 285mm  | 185mm | 400mm     | 500mm     | -          | Black  | 1 x 100W E27 | IP43      |
| BL7  | Pedestal            | 315mm  | 185mm | -         | -         | -          | Black  | 1 x 100W E27 | IP43      |
| BL15 | Half Lantern        | 280mm  | 210mm | -         | -         | 140mm      | Black  | 1 x 100W E27 | IP23      |

\* For corner bracket order C/BKT5



The attractive Winchester lantern range reproduces the feel of lanterns used hundreds of years ago. Fully manufactured from die-cast aluminium, these typically English style lanterns come with a 5 year anti-corrosion guarantee\* and are available in a Black finish.

## WINCHESTER



BL18A



BL18B



BL18



Corner brackets  
available - see details  
in table below



BL17



BL25



BL19

| Code               | Description   | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|--------------------|---------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| BL17* <sup>1</sup> | Wall Lantern  | 385mm  | 185mm | -         | -         | 246mm      | Black  | 1 x 100W E27 | IP44      |
| BL18* <sup>1</sup> | Wall Lantern  | 335mm  | 185mm | -         | -         | 237mm      | Black  | 1 x 100W E27 | IP43      |
| BL18A              | Porch Lantern | 280mm  | 185mm | -         | -         | -          | Black  | 1 x 100W E27 | IP43      |
| BL18B              | Chain Lantern | 285mm  | 185mm | 400mm     | 525mm     | -          | Black  | 1 x 100W E27 | IP43      |
| BL19* <sup>2</sup> | Wall Lantern  | 400mm  | 185mm | -         | -         | 310mm      | Black  | 1 x 100W E27 | IP43      |
| BL25               | Pedestal      | 410mm  | 185mm | -         | -         | -          | Black  | 1 x 100W E27 | IP43      |

\*<sup>1</sup> For corner bracket order C/BKT5 \*<sup>2</sup> For corner bracket order C/BKT2

# EDINBURGH

These large distinctive lanterns, with their traditional windowed styling are ideal for larger applications. Fully manufactured in die-cast aluminium, these lanterns come with a 5 year anti-corrosion guarantee\* and are available in a Black finish.

**Elstead**  
LIGHTING

**5 YEAR\***  
GUARANTEE



BL33



BL38



Corner brackets  
available - see details  
in table below



BL36



BL37

| Code  | Description   | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|-------|---------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| BL33  | Pedestal      | 545mm  | 305mm | -         | -         | -          | Black  | 1 x 150W E27 | IP43      |
| BL36* | Wall Lantern  | 505mm  | 305mm | -         | -         | 365mm      | Black  | 1 x 100W E27 | IP43      |
| BL37* | Wall Lantern  | 575mm  | 305mm | -         | -         | 365mm      | Black  | 1 x 150W E27 | IP43      |
| BL38  | Chain Lantern | 410mm  | 305mm | 475mm     | 640mm     | -          | Black  | 1 x 100W E27 | IP20      |

\* For corner bracket order C/BKT2



BL52M



BL50M



Corner brackets  
available - see details  
in table below



BL46M



BL48M

| Code                | Description   | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|---------------------|---------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| BL46M* <sup>1</sup> | Wall Lantern  | 440mm  | 215mm | -         | -         | 250mm      | Black  | 1 x 100W E27 | IP43      |
| BL48M               | Chain Lantern | 330mm  | 215mm | 450mm     | 545mm     | -          | Black  | 1 x 100W E27 | IP43      |
| BL50M               | Pedestal      | 380mm  | 215mm | -         | -         | -          | Black  | 1 x 100W E27 | IP43      |
| BL52M* <sup>2</sup> | Wall Lantern  | 405mm  | 215mm | -         | -         | 330mm      | Black  | 1 x 100W E27 | IP43      |

\*<sup>1</sup> For corner bracket order C/BKT5 \*<sup>2</sup> For corner bracket order C/BKT2



# CHAPEL & CHAPEL MINI

Simple yet classic lines are the trademark of the Chapel and Chapel Mini range. Manufactured from die-cast aluminium these fittings are offered in a Black finish and come supplied with clear glass panels (except models CP7, CP7/2 & CP12). All are Class 1 and backed by a 10 year anti-corrosion guarantee\*. (Special order available: Black/Gold, Verdi and Black/Copper.)

**Elstead**  
LIGHTING

**10 YEAR\***  
GUARANTEE



CP7



CPM1



CPM2



Corner brackets  
available - see details  
in table below



CP6

CP8

| Code  | Description            | Height | Width | Projection | Finish | Max. Wattage | IP Rating |
|-------|------------------------|--------|-------|------------|--------|--------------|-----------|
| CPM1* | Mini Up Wall Lantern   | 380mm  | 170mm | 240mm      | Black  | 1 x 100W E27 | IP44      |
| CPM2* | Mini Down Wall Lantern | 380mm  | 170mm | 240mm      | Black  | 1 x 100W E27 | IP44      |
| CP6   | Midi Lamp Post         | 1790mm | 205mm | -          | Black  | 1 x 100W E27 | IP44      |
| CP7   | Half Lantern           | 380mm  | 190mm | 120mm      | Black  | 1 x 100W E27 | IP44      |
| CP8   | Twin Lamp Post         | 2270mm | 600mm | -          | Black  | 2 x 100W E27 | IP44      |

\* For corner bracket order C/BKT3



CP7/2



CP1



CP2



CP12



CPM5



CP4



CPM4



CP5

| Code  | Description              | Height | Width | Projection | Finish | Max. Wattage | IP Rating |
|-------|--------------------------|--------|-------|------------|--------|--------------|-----------|
| CP1*  | Up Wall Lantern          | 480mm  | 205mm | 297mm      | Black  | 1 x 100W E27 | IP44      |
| CP2*  | Down Wall Lantern        | 440mm  | 205mm | 297mm      | Black  | 1 x 100W E27 | IP44      |
| CP4   | Pedestal                 | 500mm  | 205mm | -          | Black  | 1 x 100W E27 | IP44      |
| CP5   | Pillar                   | 1000mm | 205mm | -          | Black  | 1 x 100W E27 | IP44      |
| CP7/2 | Half Lantern             | 410mm  | 220mm | 140mm      | Black  | 1 x 100W E27 | IP44      |
| CP12  | Ceiling/Wall Flush Mount | 165mm  | 300mm | -          | Black  | 1 x 100W E27 | IP44      |
| CPM4  | Mini Pedestal            | 440mm  | 170mm | -          | Black  | 1 x 100W E27 | IP44      |
| CPM5  | Mini Pillar              | 940mm  | 170mm | -          | Black  | 1 x 100W E27 | IP44      |

\* For corner bracket order C/BKT3



# PARISH & PARISH MINI

The Parish and Parish Mini offer a blend of minimal, elegant styling with fine attention to detail and quality. Manufactured from die-cast aluminium these lanterns are supplied with clear glass panels (except PR12) and are offered in a Black finish. (Special order available: Black/Gold, Verdi or Black/Copper finish.) All are Class 1 and have a 10 year anti-corrosion guarantee\*.

**Elstead**  
LIGHTING

**10 YEAR\***  
GUARANTEE



PRM2



PRM4



PR1



PRM1



PR12



PRM5

| Code  | Description            | Height | Width | Projection | Finish | Max. Wattage | IP Rating |
|-------|------------------------|--------|-------|------------|--------|--------------|-----------|
| PRM1* | Mini Up Wall Lantern   | 390mm  | 180mm | 250mm      | Black  | 1 x 100W E27 | IP44      |
| PRM2* | Mini Down Wall Lantern | 390mm  | 180mm | 250mm      | Black  | 1 x 100W E27 | IP44      |
| PRM4  | Mini Pedestal          | 450mm  | 180mm | -          | Black  | 1 x 100W E27 | IP44      |
| PRM5  | Mini Pillar            | 950mm  | 180mm | -          | Black  | 1 x 100W E27 | IP44      |
| PR1*  | Up Wall Lantern        | 520mm  | 230mm | 300mm      | Black  | 1 x 100W E27 | IP44      |
| PR12  | Flush Mount            | 165mm  | 300mm | -          | Black  | 1 x 100W E27 | IP44      |

\* For corner bracket order C/BKT3





Corner brackets  
available - see details  
in table below



PR8



PR6



PR7



PR5



PR2



PR4

| Code | Description       | Height | Width | Projection | Finish | Max. Wattage | IP Rating |
|------|-------------------|--------|-------|------------|--------|--------------|-----------|
| PR2* | Down Wall Lantern | 480mm  | 230mm | 300mm      | Black  | 1 x 100W E27 | IP44      |
| PR4  | Pedestal          | 520mm  | 230mm | -          | Black  | 1 x 100W E27 | IP44      |
| PR5  | Pillar            | 1040mm | 230mm | -          | Black  | 1 x 100W E27 | IP44      |
| PR6  | Lamp Post         | 1800mm | 230mm | -          | Black  | 1 x 100W E27 | IP44      |
| PR7  | Half Lantern      | 420mm  | 200mm | 137mm      | Black  | 1 x 100W E27 | IP44      |
| PR8  | Twin Lamp Post    | 2290mm | 650mm | -          | Black  | 2 x 100W E27 | IP44      |

\* For corner bracket order C/BKT3

An elegant Victorian style lamp range suitable for both domestic and commercial environments. The lamp-post has an access door to assist wiring installation and, as with all the range, is made predominantly of cast aluminium. All products are Class 1 and IP23 rated. Optional root fixing available: order WSLP1 ROOT ONLY. Supplied in Black finish with clear glass panels.



WSLB1



Corner brackets  
available - see details  
in table below



WSLN1



WSLL1



WSLP1

| Code   | Description     | Height | Width | Projection             | Finish | Max. Wattage | IP Rating |
|--------|-----------------|--------|-------|------------------------|--------|--------------|-----------|
| WSLB1* | Wall Lantern    | 1145mm | 385mm | 675mm                  | Black  | 1 x 100W E27 | IP23      |
| WSLL1  | Head Only       | 825mm  | 385mm | Includes 80mm i/D Frog | Black  | 1 x 100W E27 | IP23      |
| WSLN1  | Pedestal        | 1060mm | 385mm | -                      | Black  | 1 x 100W E27 | IP23      |
| WSLP1  | Large Lamp Post | 3300mm | 585mm | -                      | Black  | 1 x 100W E27 | IP23      |

\* For corner bracket order C/BKT4



A distinctive range of Victorian style lanterns ideally suited to the traditional or period property. The lamp-post has an access door to assist wiring installation and, as with all the range, is made predominantly of cast aluminium. All products are Class 1 and IP23 rated. Optional root fixing available: order GP1 ROOT ONLY. Supplied in Black finish with clear glass panels.

## GRAMPIAN



GP1



GN1



Corner brackets  
available - see details  
in table below



GL1



GB1

| Code | Description     | Height | Width | Projection             | Finish | Max. Wattage | IP Rating |
|------|-----------------|--------|-------|------------------------|--------|--------------|-----------|
| GB1* | Wall Lantern    | 800mm  | 305mm | 480mm                  | Black  | 1 x 100W E27 | IP23      |
| GL1  | Head Only       | 660mm  | 305mm | Includes 50mm i/D Frog | Black  | 1 x 100W E27 | IP23      |
| GN1  | Pedestal        | 860mm  | 305mm | -                      | Black  | 1 x 100W E27 | IP23      |
| GP1  | Large Lamp Post | 2700mm | 410mm | -                      | Black  | 1 x 100W E27 | IP23      |

\* For corner bracket order C/BKT4



# HEREFORD

Typically English in appearance, these unique round lanterns offer decorative elegance yet functional appeal. Fully crafted in die-cast aluminium, these lanterns come with a 5 year anti-corrosion guarantee\* and are available in Black finish only.

**Elstead**  
LIGHTING

**5 YEAR\***  
GUARANTEE



BL8



Corner brackets  
available - see details  
in table below



BL13B



BL10



BL13A



BL12

| Code  | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|-------|---------------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| BL8*  | Wall Lantern        | 310mm  | 150mm | -         | -         | 210mm      | Black  | 1 x 100W E27 | IP23      |
| BL10* | Wall Lantern        | 420mm  | 150mm | -         | -         | 215mm      | Black  | 1 x 100W E27 | IP23      |
| BL12  | Pedestal            | 340mm  | 150mm | -         | -         | 215mm      | Black  | 1 x 100W E27 | IP23      |
| BL13A | Porch Lantern       | 260mm  | 150mm | -         | -         | -          | Black  | 1 x 100W E27 | IP23      |
| BL13B | Porch Chain Lantern | 285mm  | 150mm | 405mm     | 500mm     | -          | Black  | 1 x 100W E27 | IP23      |

\* For corner bracket order C/BKT5



BL21



BL22/G



BL21/G



BL21B



BL21A

| Code    | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|---------|---------------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| BL21*   | Wall Lantern        | 294mm  | 150mm | -         | -         | 221mm      | Black  | 1 x 100W E27 | IP43      |
| BL21A   | Porch Lantern       | 235mm  | 150mm | -         | -         | -          | Black  | 1 x 100W E27 | IP43      |
| BL21B   | Porch Chain Lantern | 260mm  | 150mm | 380mm     | 475mm     | -          | Black  | 1 x 100W E27 | IP43      |
| BL21/G* | Wall Lantern        | 345mm  | 200mm | -         | -         | 240mm      | Black  | 1 x 100W E27 | IP43      |
| BL22/G* | Wall Lantern        | 360mm  | 200mm | -         | -         | 240mm      | Black  | 1 x 100W E27 | IP43      |

\* For corner bracket order C/BKT5

# TRADITIONAL LANTERNS

These designs take inspiration from lanterns of times gone by and come in various finishes including Bronze, Black and a textured Weathered Zinc. Several come with hinged doors to make changing lamps easier, inspired by the days when they would have been lit by candles, gas or oil.



CORTLAND  
QZ/CORTLAND/F



CORTLAND  
QZ/CORTLAND/S



CHEDWORTH  
GZH/CHW2



PROVINCE  
QZ/PROVINCE2/S



POLRUAN

| Code           | Description         | Height | Width | Projection | Finish          | Max. Wattage | IP Rating | Guarantee* |
|----------------|---------------------|--------|-------|------------|-----------------|--------------|-----------|------------|
| QZ/CORTLAND/F  | Outdoor Flush Mount | 156mm  | 305mm | -          | Imperial Bronze | 2 x 60W E27  | IP44      | 3 years    |
| QZ/CORTLAND/S  | Small Wall Lantern  | 305mm  | 171mm | 131mm      | Imperial Bronze | 1 x 60W E27  | IP44      | 3 years    |
| GZH/CHW2       | Wall Lantern        | 260mm  | 120mm | 160mm      | Old Bronze      | 1 x 60W E27  | IP44      | 3 years    |
| QZ/PROVINCE2/S | Small Wall Lantern  | 382mm  | 171mm | 197mm      | Mystic Black    | 1 x 60W E27  | IP44      | 3 years    |
| POLRUAN        | Wall Lantern        | 340mm  | 179mm | 204mm      | Black           | 1 x 100W E27 | IP44      | 2 years    |





ARGYLE  
KL/ARGYLE2/S



ARGYLE  
KL/ARGYLE2/M



EUSTON

| Code         | Description               | Height | Width | Projection | Finish         | Max. Wattage | IP Rating | Guarantee* |
|--------------|---------------------------|--------|-------|------------|----------------|--------------|-----------|------------|
| EUSTON       | Wall Lantern              | 220mm  | 212mm | 233mm      | Old Bronze     | 1 x 60W E27  | IP43      | 2 years    |
| KL/ARGYLE2/S | Small Outdoor Wall Light  | 261mm  | 166mm | 194mm      | Weathered Zinc | 1 x 75W E27  | IP44      | 3 years    |
| KL/ARGYLE2/M | Medium Outdoor Wall Light | 322mm  | 204mm | 234mm      | Weathered Zinc | 1 x 100W E27 | IP44      | 3 years    |

# TRADITIONAL LANTERNS

(continued)



PEDIMENT  
FE/PEDIMENT/M



PEDIMENT  
FE/PEDIMENT/S



BALMORAL



KENDAL



STOW

| Code          | Description         | Height | Width | Projection | Finish           | Max. Wattage | IP Rating | Guarantee* |
|---------------|---------------------|--------|-------|------------|------------------|--------------|-----------|------------|
| FE/PEDIMENT/M | Medium Wall Lantern | 460mm  | 178mm | 155mm      | Dark Aged Copper | 2 x 60W E14  | IP44      | 3 years    |
| FE/PEDIMENT/S | Small Wall Lantern  | 318mm  | 170mm | 155mm      | Dark Aged Copper | 2 x 60W E14  | IP44      | 3 years    |
| BALMORAL      | Large Wall Lantern  | 615mm  | 277mm | 170mm      | Old Bronze       | 3 x 60W E14  | IP44      | 2 years    |
| KENDAL        | Wall Lantern        | 460mm  | 230mm | 110mm      | Old Bronze       | 2 x 60W E14  | IP44      | 2 years    |
| STOW          | Wall Lantern        | 450mm  | 112mm | 110mm      | Old Bronze       | 1 x 60W E14  | IP44      | 2 years    |





HYTHE



MATLOCK



MINERS CHN



MINERS WALL



MINERS PED

| Code        | Description      | Height | Width | Min. Drop | Max. Drop | Projection | Finish     | Max. Wattage | IP Rating |
|-------------|------------------|--------|-------|-----------|-----------|------------|------------|--------------|-----------|
| HYTHE       | Wall Lantern     | 390mm  | 120mm | -         | -         | 190mm      | Old Bronze | 1 x 60W E14  | IP43      |
| MATLOCK     | Wall Lantern     | 320mm  | 125mm | -         | -         | 110mm      | Old Bronze | 1 x 60W E14  | IP43      |
| MINERS CHN  | Chain Lantern    | 380mm  | 200mm | 455mm     | 1560mm    | -          | Old Bronze | 1 x 60W E14  | IP44      |
| MINERS PED  | Pedestal Lantern | 360mm  | 200mm | -         | -         | -          | Old Bronze | 1 x 60W E14  | IP44      |
| MINERS WALL | Wall Lantern     | 420mm  | 200mm | -         | -         | 150mm      | Old Bronze | 1 x 60W E14  | IP44      |



# TRADITIONAL LANTERNS

(continued)

**3 YEAR\***  
GUARANTEE



FAIRFORD  
GZH/FF12



KENT



BURFORD  
GZH/BF2



SHIPSTON  
GZH/SHIP2



SANDOWN  
GZH/SDN2



WINCHCOMBE  
GZH/WC2

| Code      | Description           | Height | Width | Projection | Finish       | Max. Wattage | IP Rating |
|-----------|-----------------------|--------|-------|------------|--------------|--------------|-----------|
| GZH/BF2   | Wall Lantern          | 253mm  | 168mm | 199mm      | Black        | 1 x 60W E27  | IP44      |
| KENT      | Wall Lantern          | 328mm  | 165mm | 230mm      | Black        | 1 x 60W E27  | IP44      |
| GZH/FF12  | Flush Ceiling Lantern | 160mm  | 260mm | 160mm      | Old Bronze   | 2 x 40W E27  | IP44      |
| GZH/SDN2  | Wall Lantern          | 255mm  | 177mm | 200mm      | Black        | 1 x 60W E27  | IP44      |
| GZH/SHIP2 | Wall Lantern          | 268mm  | 215mm | 242mm      | Black        | 1 x 60W E27  | IP44      |
| GZH/WC2   | Wall Lantern          | 262mm  | 150mm | 190mm      | Black/Silver | 1 x 60W E27  | IP44      |



HIGHNAM  
GZH/HN1



CRICKLADE  
GZH/CKL7



WABASH  
HK/WABASH2/M



WABASH  
HK/WABASH2/S



RANDOLPH  
HK/RANDOLPH2/S

| Code           | Description         | Height | Width | Projection | Finish           | Max. Wattage | IP Rating |
|----------------|---------------------|--------|-------|------------|------------------|--------------|-----------|
| GZH/CKL7       | Half Wall Lantern   | 350mm  | 198mm | 112mm      | Black/Gold       | 1 x 60W E27  | IP44      |
| GZH/HN1        | Wall Lantern        | 260mm  | 135mm | 150mm      | Weathered Bronze | 1 x 60W E27  | IP44      |
| HK/RANDOLPH2/S | Small Wall Lantern  | 274mm  | 152mm | 174mm      | Autumn           | 1 x 75W E27  | IP44      |
| HK/WABASH2/M   | Medium Wall Lantern | 349mm  | 207mm | 258mm      | Mocha            | 2 x 40W E14  | IP44      |
| HK/WABASH2/S   | Small Wall Lantern  | 265mm  | 157mm | 195mm      | Mocha            | 1 x 60W E27  | IP44      |

# TRADITIONAL LANTERNS

(continued)



LEDBURY  
GZH/LB5



NEWBURY  
GZH/NB7



MEDSTEAD  
MD7



LEDBURY  
GZH/LB1



LEDBURY  
GZH/LB3

| Code    | Description       | Height | Width | Projection | Finish | Max. Wattage | IP Rating | Guarantee |
|---------|-------------------|--------|-------|------------|--------|--------------|-----------|-----------|
| GZH/LB1 | Wall Lantern      | 427mm  | 173mm | 220mm      | Black  | 1 x 100W E27 | IP44      | 3 years   |
| GZH/LB3 | Pedestal Lantern  | 475mm  | 173mm | -          | Black  | 1 x 100W E27 | IP44      | 3 years   |
| GZH/LB5 | Lamp Post         | 1924mm | 225mm | -          | Black  | 1 x 100W E27 | IP44      | 3 years   |
| GZH/NB7 | Half Wall Lantern | 330mm  | 172mm | 122mm      | Black  | 1 x 60W E27  | IP44      | 3 years   |
| MD7     | Half Wall Lantern | 445mm  | 260mm | 140mm      | Black  | 1 x 100W E27 | IP43      | 5 years   |



This eclectic mix brings together all of Elstead's up/down wall lights, with styles ranging from modern to traditional. The unique nature of an up/down wall light brings attention to the architecture of a building, while also providing useful ambient lighting. It is an alternative design sure to make a strong statement. Many models are supplied with LED light sources.

## UP/DOWN WALL LIGHTS



**JANNIK**  
JANNIK LED2



**ELITE**  
GZ/ELITE2



**MAGNUS**  
MAGNUS 2



**ELITE**  
GZ/ELITE1



**MALVERN**  
GZH/MALV



**DUNGARVAN**  
DUNGARVAN BLK

| Code          | Description        | Height | Width | Projection | Finish              | Max. Wattage     | IP Rating | Guarantee |
|---------------|--------------------|--------|-------|------------|---------------------|------------------|-----------|-----------|
| DUNGARVAN BLK | Up/Down Wall Light | 300mm  | 190mm | 150mm      | Black               | 2 x 60W E27      | IP44      | 20 years  |
| GZ/ELITE1     | Up/Down Wall Light | 130mm  | 75mm  | 100mm      | Anodised Aluminium  | 3 x 1W LED x 2*  | IP54      | 5 years   |
| GZ/ELITE2     | Up/Down Wall Light | 130mm  | 75mm  | 100mm      | Solid Natural Brass | 3 x 1W LED x 2*  | IP54      | 5 years   |
| GZH/MALV      | Up/Down Wall Light | 230mm  | 92mm  | 129mm      | Black               | 2 x 7W LED GU10* | IP44      | 3 years   |
| JANNIK LED2   | LED Wall Fitting   | 235mm  | 110mm | 102mm      | Dark Grey           | 7.6W LED*        | IP44      | 5 years   |
| MAGNUS 2      | Up/DownWall Light  | 188mm  | 100mm | 128mm      | Dark Grey           | 2 x 9W GX53*     | IP44      | 5 years   |

\* Lamps included

# SECURITY & PIR LANTERNS

This collection of outdoor fittings has a focus on security and convenience. All come with a passive infrared sensor (PIR) guaranteed against fault for two years. Use of a PIR sensor on an outdoor lantern minimises energy use without sacrificing the security gained from outdoor lighting. The efficient LED Sigmund further reduces the energy used.



MEDSTEAD  
MD7 PIR



WEXFORD  
WX1/PIR



NORFOLK  
NR1/PIR

## PIR Technical Information for Square Sensors (2 Year Guarantee)

150 watt switching capacity

PIR range: min. 1m to 8m max.

Time adjustment: 5 sec to 7mins

Detection width: 120°

| Code    | Description               | Height | Width | Projection | Finish       | Max. Wattage | IP Rating | Guarantee |
|---------|---------------------------|--------|-------|------------|--------------|--------------|-----------|-----------|
| MD7 PIR | Medstead PIR Half Lantern | 495mm  | 260mm | 140mm      | Black        | 1 x 100W E27 | IP43      | 5 years   |
| NR1/PIR | Up Wall Lantern with PIR  | 470mm  | 184mm | 295mm      | Black        | 1 x 100W E27 | IP43      | 5 years   |
| WX1/PIR | Up Wall Lantern with PIR  | 532mm  | 159mm | 278mm      | Black/Silver | 1 x 100W E27 | IP43      | 3 years   |

**PIR Technical Information for  
Helsingor (2 Year Guarantee)**

**PIR range:** 5m max. Time  
adjustment: 5+ mins Detection  
width: 90°

**Please Note:** The sensor cannot be  
manually overridden. The final PIR  
setting must be set at dusk as the  
PIR does not operate in daylight.



**HELSINGOR**  
HELSINGOR PIR



**HELSINGOR**  
HELSINGOR PIR BK

**PIR Technical Information  
for SIGMUND 3-PIR**

**PIR range:** min. 0m to 12m max.  
**Time adjustment:** 10 secs to 8 mins  
**Detection width:** 150°



**SIGMUND**  
SIGMUND 3-PIR

| Code             | Description             | Height | Width | Projection | Finish   | Max. Wattage    | IP Rating | Guarantee |
|------------------|-------------------------|--------|-------|------------|----------|-----------------|-----------|-----------|
| HELSINGOR PIR    | Wall Lantern with PIR   | 236mm  | 218mm | 260mm      | Silver   | 1 x 60W E27     | IP44      | 15 years  |
| HELSINGOR PIR BK | Wall Lantern with PIR   | 236mm  | 218mm | 260mm      | Black    | 1 x 60W E27     | IP44      | 15 years  |
| SIGMUND 3-PIR    | Wall Spotlight with PIR | 124mm  | 230mm | 230mm      | Graphite | 9W LED (605 LM) | IP54      | 5 years   |



# COASTAL COLLECTION

The harsh nature of coastal environments challenge many product types that are used outdoors, particularly outdoor lighting. To combat the effects of saline and UV damage, we have brought together a wide collection of models, styles and options that fulfil these challenges without compromise to the design. Using premium materials, these ranges have been designed to resist these harshest of conditions whilst bringing great style to the location used.





## COMPOSITE

- Strong and durable material that is robust in appearance and feel.
- All feature hand-made glass lenses.
- Excellent UV, corrosion and rusting resistance properties.
- Suitable for ocean-facing locations and exposure to the harshest conditions.
- Guaranteed for 5 years.\*

*see pages 136-147*



## POLYMER

- Extremely strong yet lightweight material.
- All use impact resistant polycarbonate lenses.
- Embedded colour for enhanced UV, colour and corrosion resistance.
- Suitable for ocean facing locations.
- Guaranteed 20 years.\*

*see pages 148-151*



## BRASS

- Solid high grade brass material used with glass panels.
- Robust yet hand crafted ensuring long life properties.
- Have lacquered finishes that will potentially age in harsh conditions.
- Can withstand ocean-side locations but will age / patina.
- Limited Lifetime warranty.\*

*see pages 152-166*



## MARINE MATERIALS

- Malaysian Teak and 316 stainless steel materials used.
- Robust and weather resistant to the harshest of conditions.
- Natural Teak wood needs maintenance for colour and lifetime protection.
- Non-ferrous supporting components used internally.
- 10 year limited lifetime warranty.\*

*see page 167*





Models shown: FE/HODGES/L



With a soft, updated approach to the Prairie design style, the Hodges outdoor collection by Feiss has a simple yet refined farmhouse look. Great craftsmanship and technique is applied to bend the metal roofline and to create the loop at the crown. An Ash Black finish combined with Clear Seeded glass panels provides a warm welcome. Constructed of a weather resistant composite material for added strength, durability and longevity, the collection offers a 5-year warranty.

HODGES



FE/HODGES/L

LIGHT BOX™  
COLLECTION



FE/HODGES/S

| Code        | Description        | Height | Width | Projection | Finish    | Max. Wattage | IP Rating |
|-------------|--------------------|--------|-------|------------|-----------|--------------|-----------|
| FE/HODGES/S | Small Wall Lantern | 300mm  | 196mm | 180mm      | Ash Black | 1 x 60W E27  | IP44      |
| FE/HODGES/L | Large Wall Lantern | 415mm  | 272mm | 194mm      | Ash Black | 1 x 60W E27  | IP44      |



Models shown: FE/BOYNTON2/L

Taking inspiration from both industrial and nautical design and boasting a new Painted Brushed Steel finish, the Boynton outdoor collection by Feiss makes a style statement that is equally suited for use indoors or out. Constructed of a weather resistant composite material for added strength, durability and longevity, the collection offers a 5-year warranty.



FE/BOYNTON8/S



FE/BOYNTON2/L

**LIGHT BOX™**  
COLLECTION



FE/BOYNTON2/M



FE/BOYNTON2/S

| Code          | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish                | Max. Wattage | IP Rating |
|---------------|---------------------|--------|-------|-----------|-----------|------------|-----------------------|--------------|-----------|
| FE/BOYNTON2/S | Small Wall Lantern  | 273mm  | 229mm | -         | -         | 271mm      | Painted Brushed Steel | 1 x 60W E27  | IP44      |
| FE/BOYNTON2/M | Medium Wall Lantern | 328mm  | 267mm | -         | -         | 311mm      | Painted Brushed Steel | 1 x 60W E27  | IP44      |
| FE/BOYNTON2/L | Large Wall Lantern  | 390mm  | 316mm | -         | -         | 365mm      | Painted Brushed Steel | 1 x 60W E27  | IP44      |
| FE/BOYNTON8/S | Outdoor Pendant     | 279mm  | 229mm | 500mm     | 1414mm*   | -          | Painted Brushed Steel | 1 x 60W E27  | IP44      |

\* Supplied with 3 x 305mm & 1 x 152mm rods.



# MARBLEHEAD

Marblehead is a rich masculine outdoor series. The stately form of the metal arches gives the clear seeded glass a window like appearance. Made from a weather resistant outdoor composite material and featuring a 5 year warranty it is sure to stand the test of time. It is available in Palladian Bronze.

# QUOIZEL

5 YEAR\*  
GUARANTEE



QZ/MARBLEHEAD/F



QZ/MARBLEHEAD2/S



QZ/MARBLEHEAD2/M

| Code             | Description         | Height | Width | Projection | Finish           | Max. Wattage | IP Rating |
|------------------|---------------------|--------|-------|------------|------------------|--------------|-----------|
| QZ/MARBLEHEAD/F  | 2lt Flush Mount     | 127mm  | 330mm | -          | Palladian Bronze | 2 x 60W E27  | IP44      |
| QZ/MARBLEHEAD2/M | Medium Wall Lantern | 367mm  | 229mm | 257mm      | Palladian Bronze | 1 x 75W E27  | IP44      |
| QZ/MARBLEHEAD2/S | Small Wall Lantern  | 281mm  | 178mm | 205mm      | Palladian Bronze | 1 x 75W E27  | IP44      |

# QUOIZEL

5 YEAR\*  
GUARANTEE

Classic yet subtle styling makes the Livingston outdoor series a welcome addition to the Coastal Collection. Clear seeded glass complements the rich Imperial Bronze finish. Made of a unique composite material this outdoor collection is guaranteed to withstand the harshest of elements and features a five year finish warranty.

# LIVINGSTON



QZ/LIVINGSTON2/L



QZ/LIVINGSTON2/S



QZ/LIVINGSTON2/M

| Code             | Description         | Height | Width | Projection | Finish          | Max. Wattage | IP Rating |
|------------------|---------------------|--------|-------|------------|-----------------|--------------|-----------|
| QZ/LIVINGSTON2/L | Large Wall Lantern  | 420mm  | 208mm | 193mm      | Imperial Bronze | 3 x 40W E14  | IP44      |
| QZ/LIVINGSTON2/M | Medium Wall Lantern | 356mm  | 180mm | 169mm      | Imperial Bronze | 2 x 40W E14  | IP44      |
| QZ/LIVINGSTON2/S | Small Wall Lantern  | 283mm  | 143mm | 139mm      | Imperial Bronze | 1 x 60W E27  | IP44      |





Model shown: FE/LONDONTOWNE



These traditional style lanterns are made of a weather resistant composite material which has exceptional durability to withstand the harshest elements. Londontowne and Federal feature seeded glass and Wellfleet features a classic infinity motif detail which nicely complements the cylindrical lantern silhouette.

## LONDONTOWNE FEDERAL & WELLFLEET



LONDONTOWNE  
FE/LONDONTOWNE



FEDERAL  
FE/FEDERAL/F



WELLFLEET  
FE/WELLFLEET/S



FEDERAL  
FE/FEDERAL/S

| Code           | Description           | Height | Width | Projection | Finish             | Max. Wattage | IP Rating |
|----------------|-----------------------|--------|-------|------------|--------------------|--------------|-----------|
| FE/FEDERAL/F   | 2lt Outdoor Flush     | 149mm  | 331mm | -          | Gilded Bronze      | 2 x 60W E27  | IP44      |
| FE/FEDERAL/S   | Small Outdoor Lantern | 359mm  | 172mm | 165mm      | Gilded Bronze      | 2 x 60W E14  | IP44      |
| FE/LONDONTOWNE | Wall Lantern          | 297mm  | 171mm | 206mm      | Weathered Chestnut | 1 x 75W E27  | IP44      |
| FE/WELLFLEET/S | Wall Lantern          | 321mm  | 160mm | 186mm      | Aged Bronze        | 1 x 75W E27  | IP44      |

# SHEPHERD

Inspired by traditional Parisian style lanterns, the Shepherd outdoor lighting collection by Feiss features a decorative shepherd's crook, a latched and hinged front door panel, an inner Case White glass shade, Clear Seeded outer glass to create the visual appearance of vintage gas lanterns. Made of a weather resistant composite material for outstanding durability even in the harshest elements, the collection has a 5-year warranty.

FEISS®  
EST. 1955

5 YEAR\*  
GUARANTEE



FE/SHEPHERD/2XL

| Code            | Description              | Height | Width | Projection | Finish              | Max. Wattage | IP Rating |
|-----------------|--------------------------|--------|-------|------------|---------------------|--------------|-----------|
| FE/SHEPHERD/2XL | Extra Large Wall Lantern | 891mm  | 292mm | 328mm      | Dark Weathered Zinc | 1 x 75W E27  | IP44      |



FE/SHEPHERD/2S



FE/SHEPHERD/2M



FE/SHEPHERD/F



FE/SHEPHERD/2L



FE/SHEPHERD/8L

| Code           | Description         | Height | Width | Projection | Min. Drop | Max. Drop | Finish              | Max. Wattage | IP Rating |
|----------------|---------------------|--------|-------|------------|-----------|-----------|---------------------|--------------|-----------|
| FE/SHEPHERD/2L | Large Wall Lantern  | 650mm  | 216mm | 245mm      | -         | -         | Dark Weathered Zinc | 1 x 75W E27  | IP44      |
| FE/SHEPHERD/2M | Medium Wall Lantern | 487mm  | 190mm | 184mm      | -         | -         | Dark Weathered Zinc | 1 x 75W E27  | IP44      |
| FE/SHEPHERD/2S | Small Wall Lantern  | 419mm  | 178mm | 184mm      | -         | -         | Dark Weathered Zinc | 1 x 75W E27  | IP44      |
| FE/SHEPHERD/8L | Large Chain Lantern | 537mm  | 216mm | -          | 633mm     | 2189mm*   | Dark Weathered Zinc | 1 x 75W E27  | IP44      |
| FE/SHEPHERD/F  | 2lt Flush Mount     | 145mm  | 330mm | -          | -         | -         | Dark Weathered Zinc | 2 x 75W E27  | IP44      |

\* Supplied with 1524mm of chain.



# ROSCOE

The classic, rectangular silhouette of the Roscoe lighting collection from Feiss is a modern take on a vintage coach lantern. Striated details frame the recessed White Opal Glass panel, while the rectangular handle detail on top completes the transitional design. Each lantern is made from a weather resistant composite material with a 5-year warranty for supreme strength, durability, and longevity.

FEISS®  
EST. 1955

5 YEAR\*  
GUARANTEE



FE/ROSCOE/L



FE/ROSCOE/S



FE/ROSCOE/M

| Code        | Description         | Height | Width | Projection | Finish         | Max. Wattage | IP Rating |
|-------------|---------------------|--------|-------|------------|----------------|--------------|-----------|
| FE/ROSCOE/L | Large Wall Lantern  | 461mm  | 214mm | 195mm      | Textured Black | 1 x 75W E27  | IP44      |
| FE/ROSCOE/M | Medium Wall Lantern | 342mm  | 191mm | 178mm      | Textured Black | 1 x 75W E27  | IP44      |
| FE/ROSCOE/S | Small Wall Lantern  | 293mm  | 161mm | 153mm      | Textured Black | 1 x 60W E27  | IP44      |

# QUOIZEL

**5 YEAR\***  
GUARANTEE

The Bedford outdoor series is classic and suitable for any home exterior. The clear seedy glass adds an aged feel and works perfectly with the Mystic Black finish. It is made of a composite material created to handle extreme heat and the brutal cold. It features a 5 year warranty.

# BEDFORD



QZ/BEDFORD8/5



QZ/BEDFORD2/5



QZ/BEDFORD2/M



QZ/BEDFORD2/L



QZ/BEDFORD3/M

| Code          | Description             | Height | Width | Min. Drop | Max. Drop | Projection | Finish       | Max. Wattage | IP Rating |
|---------------|-------------------------|--------|-------|-----------|-----------|------------|--------------|--------------|-----------|
| QZ/BEDFORD2/L | Large Wall Lantern      | 461mm  | 254mm | -         | -         | 279mm      | Mystic Black | 1 x 100W E27 | IP44      |
| QZ/BEDFORD2/M | Medium Wall Lantern     | 391mm  | 216mm | -         | -         | 241mm      | Mystic Black | 1 x 100W E27 | IP44      |
| QZ/BEDFORD2/5 | Small Wall Lantern      | 322mm  | 178mm | -         | -         | 203mm      | Mystic Black | 1 x 60W E27  | IP44      |
| QZ/BEDFORD3/M | Medium Pedestal Lantern | 470mm  | 216mm | -         | -         | -          | Mystic Black | 1 x 100W E27 | IP44      |
| QZ/BEDFORD8/5 | Small Chain Lantern     | 314mm  | 178mm | 479mm     | 2451mm*   | -          | Mystic Black | 1 x 60W E27  | IP44      |

\* Supplied with 1981mm of chain.

# GLENBEIGH

The Glenbeigh globe range is designed to be corrosion proof and impact resistant. The lights are manufactured from Black Polymer with opal polycarbonate diffusers. They are IP44 rated, Class II products, ideal for tough coastal climatic conditions.



GLENBEIGH POST



GLENBEIGH WALL  
Can be mounted as  
up or down light



GLENBEIGH PILLAR



GLENBEIGH CHAIN



GLENBEIGH PED/POR

| Code                  | Description               | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|-----------------------|---------------------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| GLENBEIGH WALL        | Wall Lantern              | 440mm  | 270mm | -         | -         | 320mm      | Black  | 1 x 100W E27 | IP44      |
| GLENBEIGH CHAIN       | Chain Lantern             | 420mm  | 270mm | 535mm     | 730mm     | -          | Black  | 1 x 100W E27 | IP44      |
| GLENBEIGH PED/<br>POR | Pedestal/Porch<br>Lantern | 420mm  | 270mm | -         | -         | -          | Black  | 1 x 100W E27 | IP44      |
| GLENBEIGH PILLAR      | Pillar                    | 1060mm | 270mm | -         | -         | -          | Black  | 1 x 100W E27 | IP44      |
| GLENBEIGH POST        | Lamp Post                 | 1810mm | 270mm | -         | -         | -          | Black  | 1 x 100W E27 | IP44      |





KERRY FLUSH



KERRY WALL  
Can be mounted as  
up or down light



KERRY POST



KERRY CHAIN



KERRY PED/POR  
Can be mounted as  
up or down light



KERRY PILLAR

| Code          | Description            | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|---------------|------------------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| KERRY WALL    | Wall Lantern           | 520mm  | 205mm | -         | -         | 280mm      | Black  | 1 x 100W E27 | IP44      |
| KERRY CHAIN   | Chain Lantern          | 510mm  | 205mm | 625mm     | 730mm     | -          | Black  | 1 x 100W E27 | IP44      |
| KERRY PED/POR | Pedestal/Porch Lantern | 490mm  | 205mm | -         | -         | -          | Black  | 1 x 100W E27 | IP44      |
| KERRY FLUSH   | Flush Wall Mount       | 440mm  | 205mm | -         | -         | 140mm      | Black  | 1 x 100W E27 | IP44      |
| KERRY PILLAR  | Pillar                 | 1160mm | 255mm | -         | -         | -          | Black  | 1 x 100W E27 | IP44      |
| KERRY POST    | Lamp Post              | 1910mm | 255mm | -         | -         | -          | Black  | 1 x 100W E27 | IP44      |

# KINSALE


The Kinsale 6 sided range is designed to be corrosion proof and impact resistant. These lights are manufactured from Black Polymer with transparent polycarbonate diffusers. They are IP44 rated, Class II products, ideal for tough coastal climatic conditions.

**Elstead**  
LIGHTING

**20 YEAR\***  
GUARANTEE



KINSALE POST



KINSALE PILLAR



KINSALE WALL  
Can be mounted as  
up or down light



KINSALE FLUSH



KINSALE PED/POR  
Can be mounted as  
up or down light



KINSALE CHAIN

| Code            | Description            | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|-----------------|------------------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| KINSALE WALL    | Wall Lantern           | 460mm  | 230mm | -         | -         | 270mm      | Black  | 1 x 100W E27 | IP44      |
| KINSALE CHAIN   | Chain Lantern          | 520mm  | 230mm | 635mm     | 730mm     | -          | Black  | 1 x 100W E27 | IP44      |
| KINSALE PED/POR | Pedestal/Porch Lantern | 510mm  | 230mm | -         | -         | -          | Black  | 1 x 100W E27 | IP44      |
| KINSALE FLUSH   | Flush Wall Mount       | 440mm  | 250mm | -         | -         | 127mm      | Black  | 1 x 100W E27 | IP44      |
| KINSALE PILLAR  | Pillar                 | 1180mm | 255mm | -         | -         | -          | Black  | 1 x 100W E27 | IP44      |
| KINSALE POST    | Lamp Post              | 1930mm | 255mm | -         | -         | -          | Black  | 1 x 100W E27 | IP44      |

The Shannon range and Dungarvan up/down lighter have simple and classic designs which are corrosion proof and impact resistant. They are manufactured from Black Polymer, IP44 rated, Class II products, ideal for tough coastal climatic conditions.

## SHANNON & DUNGARVAN



SHANNON PILLAR



SHANNON CHAIN



SHANNON DOWN



SHANNON PED

## DUNGARVAN



DUNGARVAN BLK

| Code           | Description          | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|----------------|----------------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| DUNGARVAN BLK  | Up / Down Wall Light | 300mm  | 190mm | -         | -         | 150mm      | Black  | 2 x 60W E27  | IP44      |
| SHANNON DOWN   | Down Wall Lantern    | 410mm  | 250mm | -         | -         | 320mm      | Black  | 1 x 100W E27 | IP44      |
| SHANNON PED    | Pedestal             | 500mm  | 250mm | -         | -         | -          | Black  | 1 x 100W E27 | IP44      |
| SHANNON CHAIN  | Chain Lantern        | 390mm  | 250mm | 530mm     | 730mm     | -          | Black  | 1 x 100W E27 | IP44      |
| SHANNON PILLAR | Pillar               | 1180mm | 250mm | -         | -         | -          | Black  | 1 x 100W E27 | IP44      |



# BRASS LANTERNS

MANSION HOUSE

These period solid brass lantern designs have been taken from originals dating back to pre-Georgian Britain and will add style and class to town and country homes alike. They are hand crafted and have an Antique Brass finish which is laquered for durability. Models are all IP44 rated. Certain models are also available in a Polished Nickel or Verdigris finish.



MANSIONHS8 BR



MANSIONHS8 PN

B

Handmade in  
Solid Brass



MANSIONHS/WB1 BR



MANSIONHS/WB1 PN

| Code             | Description   | Height | Width | Min. Drop | Max. Drop | Projection | Finish          | Max. Wattage | IP Rating |
|------------------|---------------|--------|-------|-----------|-----------|------------|-----------------|--------------|-----------|
| MANSIONHS/WB1 BR | Wall Lantern  | 478mm  | 220mm | -         | -         | 346mm      | Aged Brass      | 3 x 60W E14  | IP44      |
| MANSIONHS/WB1 PN | Wall Lantern  | 478mm  | 220mm | -         | -         | 346mm      | Polished Nickel | 3 x 60W E14  | IP44      |
| MANSIONHS8 BR    | Chain Lantern | 480mm  | 220mm | 570mm     | 895mm     | -          | Aged Brass      | 3 x 60W E14  | IP44      |
| MANSIONHS8 PN    | Chain Lantern | 480mm  | 220mm | 570mm     | 895mm     | -          | Polished Nickel | 3 x 60W E14  | IP44      |



MANSION HOUSE BR



MANSION HOUSE V

**B**

Handmade in  
Solid Brass



MANSION HOUSE PN



MANSION HS/L BR

| Code             | Description        | Height | Width | Projection | Finish          | Max. Wattage | IP Rating |
|------------------|--------------------|--------|-------|------------|-----------------|--------------|-----------|
| MANSION HOUSE BR | Wall Lantern       | 375mm  | 220mm | 120mm      | Aged Brass      | 1 x 100W E27 | IP44      |
| MANSION HOUSE PN | Wall Lantern       | 375mm  | 220mm | 120mm      | Polished Nickel | 1 x 100W E27 | IP44      |
| MANSION HOUSE V  | Wall Lantern       | 375mm  | 220mm | 120mm      | Verdigris       | 1 x 100W E27 | IP44      |
| MANSION HS/L BR  | Large Wall Lantern | 489mm  | 296mm | 145mm      | Aged Brass      | 2 x 100W E27 | IP44      |

# BRASS LANTERNS

(continued)



LIMITED LIFETIME  
WARRANTY\*



ST MARTINS PN



ST MARTINS BR

B

Handmade in  
Solid Brass



ST MARTINS V



ST MARTINS/L BR

| Code            | Description        | Height | Width | Projection | Finish          | Max. Wattage | IP Rating |
|-----------------|--------------------|--------|-------|------------|-----------------|--------------|-----------|
| ST MARTINS/L BR | Large Wall Lantern | 413mm  | 300mm | 116mm      | Aged Brass      | 2 x 100W E27 | IP44      |
| ST MARTINS BR   | Wall Lantern       | 305mm  | 225mm | 80mm       | Aged Brass      | 1 x 100W E27 | IP44      |
| ST MARTINS PN   | Wall Lantern       | 305mm  | 225mm | 80mm       | Polished Nickel | 1 x 100W E27 | IP44      |
| ST MARTINS V    | Wall Lantern       | 305mm  | 225mm | 80mm       | Verdigris       | 1 x 100W E27 | IP44      |





WESTMINSTER PN



WESTMINSTER BR

**B**

Handmade in  
Solid Brass



OLD BAILEY BR



OLD BAILEY/L BR

| Code            | Description        | Height | Width | Projection | Finish          | Max. Wattage | IP Rating |
|-----------------|--------------------|--------|-------|------------|-----------------|--------------|-----------|
| OLD BAILEY/L BR | Large Wall Lantern | 375mm  | 260mm | 150mm      | Aged Brass      | 2 x 100W E27 | IP44      |
| OLD BAILEY BR   | Wall Lantern       | 280mm  | 210mm | 110mm      | Aged Brass      | 1 x 100W E27 | IP44      |
| WESTMINSTER BR  | Wall Lantern       | 375mm  | 260mm | 120mm      | Aged Brass      | 1 x 100W E27 | IP44      |
| WESTMINSTER PN  | Wall Lantern       | 375mm  | 260mm | 120mm      | Polished Nickel | 1 x 100W E27 | IP44      |

# BRASS LANTERNS

(continued)

**Elstead**  
LIGHTING

LIMITED LIFETIME  
WARRANTY\*

# B

Handmade in  
Solid Brass



REGENTS PARK V



VICTORIA BR



VICTORIA VERDI



LAMBETH PALACE V



REGENTS PARK BR



LAMBETH PALACE BR

| Code              | Description  | Height | Width | Projection | Finish     | Max. Wattage | IP Rating |
|-------------------|--------------|--------|-------|------------|------------|--------------|-----------|
| LAMBETH PALACE BR | Wall Lantern | 270mm  | 180mm | 130mm      | Aged Brass | 1 x 100W E27 | IP44      |
| LAMBETH PALACE V  | Wall Lantern | 270mm  | 180mm | 130mm      | Verdigris  | 1 x 100W E27 | IP44      |
| REGENTS PARK BR   | Wall Lantern | 350mm  | 185mm | 100mm      | Aged Brass | 1 x 100W E27 | IP44      |
| REGENTS PARK V    | Wall Lantern | 350mm  | 185mm | 100mm      | Verdigris  | 1 x 100W E27 | IP44      |
| VICTORIA BR       | Wall Lantern | 260mm  | 175mm | 100mm      | Aged Brass | 1 x 100W E27 | IP44      |
| VICTORIA VERDI    | Wall Lantern | 260mm  | 175mm | 100mm      | Verdigris  | 1 x 100W E27 | IP44      |



ST JAMES BRASS



ST JAMES VERDI



DOWNING STREET BR



DOWNING STREET V



HYDE PARK BR

| Code              | Description  | Height | Width | Projection | Finish     | Max. Wattage | IP Rating |
|-------------------|--------------|--------|-------|------------|------------|--------------|-----------|
| DOWNING STREET BR | Wall Lantern | 600mm  | 175mm | 130mm      | Aged Brass | 1 x 100W E27 | IP44      |
| DOWNING STREET V  | Wall Lantern | 600mm  | 175mm | 130mm      | Verdigris  | 1 x 100W E27 | IP44      |
| HYDE PARK BR      | Wall Lantern | 465mm  | 210mm | 120mm      | Aged Brass | 1 x 100W E27 | IP44      |
| ST JAMES BRASS    | Wall Lantern | 285mm  | 200mm | 115mm      | Aged Brass | 1 x 100W E27 | IP44      |
| ST JAMES VERDI    | Wall Lantern | 285mm  | 200mm | 115mm      | Verdigris  | 1 x 100W E27 | IP44      |



# SHELDON

The Sheldon is influenced by simple barn lamps of the early 1900's, with a slight industrial edge. It is hand made in solid brass and lacquered for durability. The finish will naturally age into a rich patina and can be chosen with or without the vintage glass guard cage.

**Elstead**  
LIGHTING  
**LIMITED LIFETIME WARRANTY\***



SHELDON AN

**B**  
Handmade in  
Solid Brass



SHELDON V



SHELDON BR

| Code       | Description  | Height | Width | Min. Drop | Max. Drop | Projection | Finish         | Max. Wattage | IP Rating |
|------------|--------------|--------|-------|-----------|-----------|------------|----------------|--------------|-----------|
| SHELDON AN | Wall Lantern | 240mm  | 295mm | -         | -         | 390mm      | Antique Nickel | 1 x 100W E27 | IP44      |
| SHELDON BR | Wall Lantern | 240mm  | 295mm | -         | -         | 390mm      | Aged Brass     | 1 x 100W E27 | IP44      |
| SHELDON V  | Wall Lantern | 240mm  | 295mm | -         | -         | 390mm      | Verdigris      | 1 x 100W E27 | IP44      |

**B**

Handmade in  
Solid Brass



SHELDON CH BR  
shown with brass cage



SHELDON CH AN



SHELDON CH V

Cage accessories available for all  
Somerton and Sheldon fittings.  
Available in all 3 finishes.



AN CAGE



BR CAGE



V CAGE

| Code          | Description   | Height | Width | Min. Drop | Max. Drop | Finish         | Max. Wattage | IP Rating |
|---------------|---------------|--------|-------|-----------|-----------|----------------|--------------|-----------|
| SHELDON CH BR | Chain Lantern | 255mm  | 295mm | 330mm     | 950mm     | Aged Brass     | 1 x 100W E27 | IP44      |
| SHELDON CH V  | Chain Lantern | 255mm  | 295mm | 330mm     | 950mm     | Verdigris      | 1 x 100W E27 | IP44      |
| SHELDON CH AN | Chain Lantern | 255mm  | 295mm | 330mm     | 950mm     | Antique Nickel | 1 x 100W E27 | IP44      |

# SOMERTON

Influenced by simple barn lamps of the early 1900's, the classic Somerton lantern is hand made in solid brass and lacquered for durability. The finish will naturally patina into a rich aged colour giving a true period look. Somerton is available with or without the vintage glass guard cage.

**Elstead**  
LIGHTING

**LIMITED LIFETIME  
WARRANTY\***

**B**

Handmade in  
Solid Brass



SOMERTON CH V



SOMERTON CH BR



SOMERTON V



SOMERTON BR  
shown with brass cage

Cage accessories available for all  
Somerton and Sheldon fittings.



BR CAGE



V CAGE

| Code           | Description   | Height | Width | Min. Drop | Max. Drop | Projection | Finish     | Max. Wattage | IP Rating |
|----------------|---------------|--------|-------|-----------|-----------|------------|------------|--------------|-----------|
| SOMERTON BR    | Wall Lantern  | 250mm  | 240mm | -         | -         | 370mm      | Aged Brass | 1 x 100W E27 | IP44      |
| SOMERTON V     | Wall Lantern  | 250mm  | 240mm | -         | -         | 370mm      | Verdigris  | 1 x 100W E27 | IP44      |
| SOMERTON CH BR | Chain Lantern | 255mm  | 240mm | 330mm     | 950mm     | -          | Aged Brass | 1 x 100W E27 | IP44      |
| SOMERTON CH V  | Chain Lantern | 255mm  | 240mm | 330mm     | 950mm     | -          | Verdigris  | 1 x 100W E27 | IP44      |



These elegant reproduction Georgian outdoor lanterns are manufactured entirely by hand from fine solid brass material. Designed to emulate the lanterns seen around London in the early 1900s, the Holborn models are produced in 2 sizes and are available in a choice of Polished Chrome and Dark Bronze finishes.

## HOLBORN



HL7/S DB



HL7/M DB

**B**

Handmade in  
Solid Brass



HL7/S PC



HL7/M PC

| Code     | Description  | Height | Width | Projection | Finish          | Max. Wattage | IP Rating |
|----------|--------------|--------|-------|------------|-----------------|--------------|-----------|
| HL7/S DB | Wall Lantern | 310mm  | 130mm | 110mm      | Dark Bronze     | 1 x 60W E14  | IP44      |
| HL7/S PC | Wall Lantern | 310mm  | 130mm | 110mm      | Polished Chrome | 1 x 60W E14  | IP44      |
| HL7/M DB | Wall Lantern | 310mm  | 255mm | 110mm      | Dark Bronze     | 2 x 60W E14  | IP44      |
| HL7/M PC | Wall Lantern | 310mm  | 255mm | 110mm      | Polished Chrome | 2 x 60W E14  | IP44      |



Model shown: HK/BINGHAM/L



Made of Solid Brass, Bingham's traditional style recalls a turn-of-the-century gas light reproduction. The vintage look is nautical in nature and recognises Hinkley's origins on the shores of Lake Erie. The brass construction features clear seedy glass and a Sienna finish, while candelabra lamping completes the authentic style.



HK/BINGHAM/S



HK/BINGHAM/M



HK/BINGHAM3

# B

Handmade in  
Solid Brass



HK/BINGHAM/L

| Code         | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|--------------|---------------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| HK/BINGHAM/S | Small Wall Lantern  | 318mm  | 121mm | -         | -         | 165mm      | Sienna | 1 x 60W E14  | IP44      |
| HK/BINGHAM/M | Medium Wall Lantern | 406mm  | 152mm | -         | -         | 203mm      | Sienna | 2 x 60W E14  | IP44      |
| HK/BINGHAM/L | Large Wall Lantern  | 533mm  | 203mm | -         | -         | 260mm      | Sienna | 3 x 60W E14  | IP44      |
| HK/BINGHAM3  | Pedestal            | 630mm  | 203mm | -         | -         | -          | Sienna | 3 x 60W E14  | IP44      |



# BRIGHTON

Brighton’s regal design features hand-soldered solid brass construction. The triangular-shaped stamped window pattern with circular medallion accent gives this style a distinguished sophistication.

HINKLEY  
LIGHTING  
LIMITED LIFETIME  
WARRANTY\*

B

Handmade in  
Solid Brass



HK/BRIGHTON2/S



HK/BRIGHTON2/M



HK/BRIGHTON1/L



HK/BRIGHTON8/M



HK/BRIGHTON3/M



HK/BRIGHTON1/XL

| Code            | Description              | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|-----------------|--------------------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| HK/BRIGHTON2/S  | Small Wall Lantern       | 356mm  | 178mm |           |           | 178mm      | Sienna | 1 x 100W E27 | IP44      |
| HK/BRIGHTON2/M  | Medium Wall Lantern      | 394mm  | 229mm |           |           | 222mm      | Sienna | 3 x 60W E14  | IP44      |
| HK/BRIGHTON1/L  | Large Wall Lantern       | 610mm  | 229mm |           |           | 235mm      | Sienna | 3 x 60W E14  | IP44      |
| HK/BRIGHTON1/XL | Extra-Large Wall Lantern | 744mm  | 241mm |           |           | 305mm      | Sienna | 4 x 60W E14  | IP44      |
| HK/BRIGHTON3/M  | Pedestal                 | 550mm  | 229mm |           |           | -          | Sienna | 3 x 60W E14  | IP44      |
| HK/BRIGHTON8/M  | Chain Lantern            | 425mm  | 229mm | 510mm     | 1150mm*   | -          | Sienna | 3 x 60W E14  | IP44      |

\* Supplied with 725mm of chain.

The classic sophistication of the Montauk collection brings together the finest elements of traditional American East Coast style. The entire collection is made from solid brass, complemented by clear seeded glass and candelabra sockets for authentic appeal.

# B

Handmade in  
Solid Brass



HK/MONTAUK CHAIN



HK/MONTAUK M



HK/MONTAUK L

| Code             | Description         | Height | Width | Min. Drop | Max. Drop | Projection | Finish | Max. Wattage | IP Rating |
|------------------|---------------------|--------|-------|-----------|-----------|------------|--------|--------------|-----------|
| HK/MONTAUK CHAIN | Chain Lantern       | 465mm  | 178mm | 535mm     | 2059mm    | -          | Sienna | 2 x 60W E14  | IP44      |
| HK/MONTAUK M     | Medium Wall Lantern | 439mm  | 178mm | -         | -         | 235mm      | Sienna | 2 x 60W E14  | IP44      |
| HK/MONTAUK L     | Large Wall Lantern  | 495mm  | 229mm | -         | -         | 286mm      | Sienna | 4 x 60W E14  | IP44      |

# CAPE COD

Cape Cod's classic onion lantern design conveys classic New England style. The solid brass construction and clear seedy glass add vintage appeal.

HINKLEY  
LIGHTING  
LIMITED LIFETIME  
WARRANTY\*



HK/CAPECOD2/M



HK/CAPECOD2/S



HK/CAPECOD8/L  
shown as chain mount but  
can also be flush mounted



HK/CAPECOD8/S  
shown as flush mount



HK/CAPECOD8/S  
shown as chain mount


**B**  
Handmade in  
Solid Brass

| Code          | Description                    | Height | Width | Min. Drop | Max. Drop | Projection | Finish        | Max. Wattage | IP Rating |
|---------------|--------------------------------|--------|-------|-----------|-----------|------------|---------------|--------------|-----------|
| HK/CAPECOD2/S | Small Wall Lantern             | 356mm  | 184mm | -         | -         | 203mm      | Sienna Bronze | 1 x 60W E27  | IP23      |
| HK/CAPECOD2/M | Medium Wall Lantern            | 457mm  | 222mm | -         | -         | 260mm      | Sienna Bronze | 1 x 100W E27 | IP23      |
| HK/CAPECOD8/S | Duo-Mount Small Chain Lantern  | 229mm  | 178mm | 490mm     | 2014mm    | -          | Sienna Bronze | 1 x 60W E27  | IP23      |
| HK/CAPECOD8/L | Duo-Mount Medium Chain Lantern | 495mm  | 279mm | 570mm     | 2094mm    | -          | Sienna Bronze | 1 x 100W E27 | IP23      |



Poole and Sandbanks use premier quality materials for extended durability. The stainless steel is Marine Grade 316 (as used on ships) and is designed to withstand the most challenging of conditions. The teak used is genuine quality wood from Malaysia and, if oiled seasonally, will keep its natural appearance for many years. We recommend that you use a small diameter LED lamp in these fittings, e.g. LED E27 candle.

## POOLE & SANDBANKS



GZ/SPIKE D  
Material: iron-zinc  
H: 550mm W:136mm



GZ/ROOT A  
Material: iron-zinc  
H:80mm W:136mm



GZ/POOLE W  
316 SS & Teak

### SANDBANKS



GZ/SANDBANKS MB  
316 Stainless Steel



GZ/SANDBANKS B  
316 Stainless Steel



GZ/POOLE B  
316 SS & Teak

### POOLE



GZ/POOLE MB  
316 SS & Teak

| Code            | Description  | Height | Width | Projection | Finish                       | Max. Wattage       | IP Rating |
|-----------------|--------------|--------|-------|------------|------------------------------|--------------------|-----------|
| GZ/POOLE W      | Wall Lantern | 280mm  | 100mm | 140mm      | 316 Stainless Steel And Teak | 1 x 60W E27 Candle | IP44      |
| GZ/POOLE MB     | Mini Bollard | 240mm  | 100mm | -          | 316 Stainless Steel And Teak | 1 x 60W E27 Candle | IP55      |
| GZ/POOLE B      | Bollard      | 670mm  | 100mm | -          | 316 Stainless Steel And Teak | 1 x 60W E27 Candle | IP55      |
| GZ/SANDBANKS B  | Bollard      | 600mm  | 102mm | -          | 316 Stainless Steel          | 1 x 60W E27 Candle | IP44      |
| GZ/SANDBANKS MB | Mini Bollard | 240mm  | 102mm | -          | 316 Stainless Steel          | 1 x 60W E27 Candle | IP44      |

(Stainless steel will teastain if not maintained)

# MODERN

The interpretation of Modern lighting can vary. Designs can be based on anything from updated Scandinavian retro looks, to more clean and straight lined styles inspired by modern architecture. This series includes a mix of both, some incorporating integral LED for low energy consumption. All models suit both residential and commercial applications.



COPENHAGEN

COPENHAGEN BK  
*page 173*



SVEN

SVEN 2W  
*page 186*



LUNA

HK/LUNA/S TT  
*page 177*





12  
Mjølne  
Øvregård



Model shown: INGRID (see page 178)





Model shown: KLAMPENBORG8



KLAMPENBORG8 BK



KLAMPENBORG BK



KLAMPENBORG8



KLAMPENBORG

| Code            | Description   | Height | Width | Projection | Finish | Max. Wattage | IP Rating |
|-----------------|---------------|--------|-------|------------|--------|--------------|-----------|
| KLAMPENBORG     | Wall Lantern  | 255mm  | 275mm | 420mm      | Silver | 1 x 60W E27  | IP44      |
| KLAMPENBORG BK  | Wall Lantern  | 255mm  | 275mm | 420mm      | Black  | 1 x 60W E27  | IP44      |
| KLAMPENBORG8    | Chain Lantern | 260mm  | 275mm | -          | Silver | 1 x 60W E27  | IP44      |
| KLAMPENBORG8 BK | Chain Lantern | 260mm  | 275mm | -          | Black  | 1 x 60W E27  | IP44      |

# HELSINGOR & COPENHAGEN

## SILVER

These Danish inspired lanterns are suitable for installation in coastal regions. They are made of 304 Grade stainless steel and then painted in powder coating to give the metal extra durability. Available in Black or Silver finish.



**15 YEAR\***  
GUARANTEE



COPENHAGEN



HELSINGOR



HELSINGOR PIR



HELSINGOR PED



HELSINGOR BOL SL

| Code             | Description      | Height | Width | Projection | Finish | Max. Wattage | IP Rating |
|------------------|------------------|--------|-------|------------|--------|--------------|-----------|
| COPENHAGEN       | Wall Lantern     | 236mm  | 218mm | 260mm      | Silver | 1 x 60W E27  | IP44      |
| HELSINGOR        | Wall Lantern     | 236mm  | 218mm | 260mm      | Silver | 1 x 60W E27  | IP44      |
| HELSINGOR BOL SL | Bollard Lantern  | 1000mm | 218mm | -          | Silver | 1 x 60W E27  | IP44      |
| HELSINGOR PED    | Pedestal Lantern | 305mm  | 221mm | -          | Silver | 1 x 60W E27  | IP44      |
| HELSINGOR PIR    | PIR Wall Lantern | 236mm  | 218mm | 260mm      | Silver | 1 x 60W E27  | IP44      |





HELSINGOR BOL BK



HELSINGOR BK



COPENHAGEN BK



HELSINGOR PIR BK

HELSINGOR PED BK

| Code             | Description      | Height | Width | Projection | Finish | Max. Wattage | IP Rating |
|------------------|------------------|--------|-------|------------|--------|--------------|-----------|
| COPENHAGEN BK    | Wall Lantern     | 236mm  | 218mm | 260mm      | Black  | 1 x 60W E27  | IP44      |
| HELSINGOR BK     | Wall Lantern     | 236mm  | 218mm | 260mm      | Black  | 1 x 60W E27  | IP44      |
| HELSINGOR BOL BK | Bollard Lantern  | 1000mm | 218mm | -          | Black  | 1 x 60W E27  | IP44      |
| HELSINGOR PED BK | Pedestal Lantern | 305mm  | 221mm | -          | Black  | 1 x 60W E27  | IP44      |
| HELSINGOR PIR BK | PIR Wall Lantern | 236mm  | 218mm | 260mm      | Black  | 1 x 60W E27  | IP44      |

# HORNBAEK

Hornbaek is a simple Scandinavian style family which has a small bollard and two wall light options including a mini torchiere style wall light. The core metal is 304 grade stainless steel and is then painted with black powder coating for durability.



HORNBAEK W2



HORNBAEK W1



HORNBAEK PED

| Code         | Description      | Height | Width | Projection | Finish | Max. Wattage | IP Rating |
|--------------|------------------|--------|-------|------------|--------|--------------|-----------|
| HORNBAEK PED | Pedestal Lantern | 307mm  | 130mm | -          | Black  | 1 x 60W E27  | IP44      |
| HORNBAEK W1  | Wall Lantern     | 245mm  | 90mm  | 150mm      | Black  | 1 x 60W E27  | IP44      |
| HORNBAEK W2  | Wall Lantern     | 391mm  | 90mm  | 200mm      | Black  | 1 x 60W E27  | IP44      |

These modern simple outdoor lights take inspiration from the classic Scandinavian lanterns found in towns off the coast of Finland, Belgium and Germany. Constructed from Grade 304 Stainless steel, they are lacquered but will age if not maintained.

# HELSINKI BRUGES & KOLNE



HELSINKI B



HELSINKI W



BRUGES



KOLNE

| Code       | Description    | Height | Width | Projection | Finish              | Max. Wattage | IP Rating |
|------------|----------------|--------|-------|------------|---------------------|--------------|-----------|
| BRUGES     | Wall Lantern   | 365mm  | 135mm | 165mm      | Stainless Steel 304 | 1 x 60W E27  | IP44      |
| HELSINKI B | Pillar Lantern | 1000mm | 218mm | -          | Stainless Steel 304 | 1 x 60W E27  | IP44      |
| HELSINKI W | Wall Lantern   | 236mm  | 218mm | 260mm      | Stainless Steel 304 | 1 x 60W E27  | IP44      |
| KOLNE      | Wall Lantern   | 344mm  | 182mm | 233mm      | Stainless Steel 304 | 1 x 100W E27 | IP44      |





Model shown: HK/LUNA/S TT

Luna is a modern collection of sleek wall lights made from solid aluminium. These fittings are supplied with retrofit LED lamps in the textured, sloped section as well as a retrofit LED downlighter underneath the product. These models are ideal for a dark sky location, and are available in two finishes; Titanium and Satin Black.



HK/LUNA/S TT



HK/LUNA/S SK



HK/LUNA/M TT



HK/LUNA/M SK


| Code         | Description | Height | Width | Projection | Finish      | Max. Wattage                | IP Rating |
|--------------|-------------|--------|-------|------------|-------------|-----------------------------|-----------|
| HK/LUNA/S TT | Wall Light  | 229mm  | 229mm | 102mm      | Titanium    | 2 x 7W LED E14 (included)*  | IP44      |
| HK/LUNA/S SK | Wall Light  | 229mm  | 229mm | 102mm      | Satin Black | 2 x 7W LED E14 (included)*  | IP44      |
| HK/LUNA/M TT | Wall Light  | 409mm  | 152mm | 89mm       | Titanium    | 2 x 7W LED GU10 (included)* | IP44      |
| HK/LUNA/M SK | Wall Light  | 409mm  | 152mm | 89mm       | Satin Black | 2 x 7W LED GU10 (included)* | IP44      |

\*LED E14 & GU10 lamps are replaceable.



# INGRID & ELVA

Both of these die-cast aluminium fittings can be used on walls or ceilings. The Elva gives a 4 way light spread, can be mounted as a square or diamond fixture and will give a stylish appearance when lit. The Ingrid features a graphite finished band which allows light to spread on the wall behind, creating a unique halo effect. Both products have a 5 year anti-corrosion guarantee\*. The Elva has a dedicated LED light source and a T5 lamp is included with the Ingrid.



ELVA



INGRID

| Code   | Description          | Height | Width | Projection | Finish   | Max. Wattage          | IP Rating | Lumens     |
|--------|----------------------|--------|-------|------------|----------|-----------------------|-----------|------------|
| ELVA   | Wall/Ceiling Fitting | 200mm  | 200mm | 78mm       | Graphite | 11W LED               | IP54      | 4 x 190 LM |
| INGRID | Wall/Ceiling Fitting | 300mm  | 300mm | 87mm       | Graphite | 1 x 22W T5 (included) | IP54      | -          |





The robust cast aluminium Agner offers a 2 way or 4 way directional light version allowing for a stylish look on buildings when lit. Multiple fittings when placed close together can give a dramatic appearance. The products are polyester powder coated in Graphite and have hidden screws to add to their clean lines.

## AGNER



AGNER 4W



AGNER 2W



| Code     | Description  | Height | Width | Projection | Finish   | Max. Wattage | IP Rating | Lumens                    |
|----------|--------------|--------|-------|------------|----------|--------------|-----------|---------------------------|
| AGNER 2W | Wall Fitting | 97mm   | 155mm | 64mm       | Graphite | 6W LED       | IP54      | Wide: 110, Narrow: 114 LM |
| AGNER 4W | Wall Fitting | 165mm  | 181mm | 97mm       | Graphite | 10W LED      | IP54      | Wide: 220, Narrow: 228 LM |



Model shown: KL/SOREL2/M LED



The clean lines and efficient design of the Jannik LED fittings make them suit many applications. They provide a good amount of ambient light yet give a distinct light spread to any wall they are mounted onto, making an attractive lighting design feature. The sharp modern Sorel outdoor LED light features straight lines and sharp corners in a solid Architectural Bronze finish. The clear architectural glass insures great visibility and curb appeal for any contemporary home.

## SOREL & JANNIK LED



SOREL  
KL/SOREL2/M LED

**KICHLER**

**3 YEAR\***  
GUARANTEE



JANNIK  
JANNIK LED2

 **Elstead**  
LIGHTING

**5 YEAR\***  
GUARANTEE



JANNIK  
JANNIK LED1

| Code            | Description          | Height | Width | Projection | Finish               | Max. Wattage     | IP Rating | Lumens     |
|-----------------|----------------------|--------|-------|------------|----------------------|------------------|-----------|------------|
| KL/SOREL2/M LED | 1lt Outdoor Wall LED | 407mm  | 166mm | 143mm      | Architectural Bronze | 1 x 7W GU10 LED* | IP44      | *          |
| JANNIK LED1     | LED Wall Fitting     | 150mm  | 110mm | 102mm      | Dark Grey            | 3.8W LED         | IP44      | 150 LM     |
| JANNIK LED2     | LED Wall Fitting     | 235mm  | 110mm | 102mm      | Dark Grey            | 7.6W LED         | IP44      | 2 x 150 LM |

\* Each supplied 7W GU10 LED lamp = Lumens: 620Lm, Colour Temp.: 3000k



# TORSTEN & MAGNUS

The minimalist Torsten series is manufactured from aluminium and features opaque polycarbonate lenses. Due to their simple, yet stylish appearance, these fittings will be suitable for almost any application. The circular Magnus models are designed to have a softer appeal, being ideal for residential and hospitality situations. The 9W LED GX53 lamps are included with Magnus fittings.



TORSTEN SQ



TORSTEN TALL



MAGNUS 2



MAGNUS 1

| Code         | Description  | Height | Width | Projection | Finish    | Max. Wattage           | IP Rating |
|--------------|--------------|--------|-------|------------|-----------|------------------------|-----------|
| TORSTEN TALL | Wall Fitting | 250mm  | 200mm | 105mm      | Dark Grey | 1 x 60W E27            | IP54      |
| TORSTEN SQ   | Wall Fitting | 165mm  | 165mm | 171mm      | Graphite  | 1 x 60W E27            | IP54      |
| MAGNUS 1     | Wall Fitting | 146mm  | 100mm | 128mm      | Dark Grey | 1 x 9W GX53 (included) | IP44      |
| MAGNUS 2     | Wall Fitting | 188mm  | 100mm | 128mm      | Dark Grey | 2 x 9W GX53 (included) | IP44      |

Sigmund has been designed to exploit the benefits of LED lighting characteristics to their maximum. The Sigmund series features a 3 or 6 light fitting, with each bank of 3 LED modules being rotatable by 320 degrees. The 3 light is also available with a built in PIR sensor. They are constructed from die-cast aluminium and finished in graphite powder coating.



SIGMUND 6W



SIGMUND 3W



SIGMUND 3-PIR



**PIR Technical Information  
for Sigmund PIR**

PIR range: min. 0m to 12m max.  
Time adjustment: 10 secs to 8 mins  
Detection width: 150°

| Code          | Description        | Height | Width | Projection | Finish   | Max. Wattage | IP Rating | Lumens     |
|---------------|--------------------|--------|-------|------------|----------|--------------|-----------|------------|
| SIGMUND 3W    | Wall Spotlight     | 35mm   | 210mm | 160mm      | Graphite | 9W LED       | IP65      | 605 LM     |
| SIGMUND 6W    | Wall Spotlight     | 35mm   | 210mm | 250mm      | Graphite | 18W LED      | IP65      | 2 x 605 LM |
| SIGMUND 3-PIR | Wall PIR Spotlight | 124mm  | 230mm | 230mm      | Graphite | 9W LED       | IP54      | 605 LM     |

# FREYR KASPER & LINA

These stylish yet compact LED fittings are made from die-cast aluminium and finished in a Graphite polyester powder coating, with polycarbonate lenses to protect the lamp housings. Their hooded designs make them ideal for use in dark sky locations, where there is a need to reduce light pollution, as well as provide plentiful ambient light.



**5 YEAR\***  
GUARANTEE



KASPER



FREYR R



LINA



FREYR SQ

| Code     | Description    | Height | Width | Projection | Finish   | Max. Wattage | IP Rating | Lumens |
|----------|----------------|--------|-------|------------|----------|--------------|-----------|--------|
| LINA     | Wall Fitting   | 115mm  | 180mm | 70.5mm     | Graphite | 9W LED       | IP54      | 370 LM |
| KASPER   | Wall Spotlight | 70mm   | 264mm | 134mm      | Graphite | 12W LED      | IP54      | 702 LM |
| FREYR R  | Wall Spotlight | 165mm  | 165mm | 90mm       | Graphite | 6W LED       | IP54      | 260 LM |
| FREYR SQ | Wall Spotlight | 150mm  | 150mm | 72mm       | Graphite | 6W LED       | IP54      | 260 LM |



The Frida collection is characterised by bold bars of die-cast aluminium painted with a Graphite finish, which disguise the light source and cast unique shadows on their surroundings. Each fitting features a polycarbonate lens and comes with a 5 year anti-corrosion warranty\*.



FRIDA/F



FRIDA/S



FRIDA/M

| Code    | Description     | Height | Width | Projection | Finish   | Max. Wattage | IP Rating |
|---------|-----------------|--------|-------|------------|----------|--------------|-----------|
| FRIDA/M | Wall Fitting    | 210mm  | 210mm | 175mm      | Graphite | 1 x 100W E27 | IP54      |
| FRIDA/S | Wall Fitting    | 160mm  | 160mm | 167mm      | Graphite | 1 x 60W E27  | IP54      |
| FRIDA/F | Ceiling Fitting | 280mm  | 280mm | 180mm      | Graphite | 1 x 100W E27 | IP54      |

# SVEN

The Sven collection brings together a series of sleek, modern wall fittings which are die-cast from aluminium and finished in Graphite. The Sven 3-bar fittings are just as well suited as ceiling fixtures as they are on walls, and the polycarbonate lens helps to maintain the minimalist appearance of each fitting. Supplied with a five year anti-corrosion warranty\*.



SVEN 1W



SVEN 1R



SVEN 2W

| Code    | Description          | Height | Width | Projection | Finish   | Max. Wattage | IP Rating |
|---------|----------------------|--------|-------|------------|----------|--------------|-----------|
| SVEN 2W | Wall Lantern         | 346mm  | 191mm | 143mm      | Graphite | 1 x 100W E27 | IP65      |
| SVEN 1R | Wall/Ceiling Lantern | 260mm  | 260mm | 102mm      | Graphite | 1 x 60W E27  | IP54      |
| SVEN 1W | Wall/Ceiling Lantern | 300mm  | 185mm | 90mm       | Graphite | 2 x 60W E27  | IP54      |



These compact size fittings allow for great flexibility in lighting your outdoor environment. Their minimalist design makes them well suited to be used in multiples to light stairs, walkways and building exteriors. Fittings are made from cast aluminium and finished in Graphite. Each come with a 5 year anti-corrosion warranty\* and have GX53 lamps included.



ANO 1W



ANO 2W



EGIL 1W



EGIL 2W

| Code    | Description          | Height | Width | Projection | Finish   | Max. Wattage           | IP Rating |
|---------|----------------------|--------|-------|------------|----------|------------------------|-----------|
| EGIL 2W | Wall/Ceiling Lantern | 140mm  | 140mm | 54mm       | Graphite | 1 x 9W GX53 (included) | IP54      |
| EGIL 1W | Wall/Ceiling Lantern | 140mm  | 140mm | 50mm       | Graphite | 1 x 9W GX53 (included) | IP54      |
| ANO 1W  | Wall/Ceiling Lantern | 140mm  | 140mm | 52mm       | Graphite | 1 x 9W GX53 (included) | IP54      |
| ANO 2W  | Wall/Ceiling Lantern | 140mm  | 140mm | 57mm       | Graphite | 1 x 9W GX53 (included) | IP54      |



# LANDSCAPE LIGHTING

WITH THE

## PROFESSIONAL COLLECTION

The Landscape Professional Collection offers a versatile selection of high quality, easy to install and energy efficient products for all parts of the garden landscape, designed for use by professional gardeners, landscapers and architects.

Using our excellent low voltage plug & go system allows a large number of fittings from these ranges to be connected together over a distance of up to 80 metres. Furthermore, all the fittings within the plug & go series use LED light sources, which have very good light output properties alongside exceptionally low energy consumption. Added to this we offer a complementary range of 220-240V energy efficient models in matching designs as well as range accessories to ensure the widest possible choice.

## PLUG & GO: HOW IT WORKS



Step 1: Choose the areas you want to have lit, then we suggest that you sketch a rough plan view of each area involved.


Step 2: Choose the fittings which will suit the requirements and list them out with the quantity of each where relevant. Be careful to bear in mind the voltage of the fittings chosen. All 220-240V fittings will need mains supply to wherever they are to be installed whereas all plug & go models just need to be connected into the low voltage cable (as shown below).

Step 3: Measure the distance involved for the plug & go models chosen and determine, from the cable set options available which cable set or sets will be needed. Remember, up to 80 metres of cable can be used from 1 LED driver but the wattage loading must not exceed the recommended minimum, maximum (see accessories page 209).

Step 4: Plan where the mains supply will originate from. With the plug & go system you have a choice of placing the LED driver/drivers in an IP rated wall box on an exterior wall. However, depending on how large an area is involved, sometimes more than one mains feed may be needed in different locations. Consultation with an electrician is advisable on this matter.

### Important

Plug & go fittings use a unique single pin, 2 pole plug and as such are not compatible with any other product or system. Currently they are not dimmable but they will work when wired via a timer.











## ***BRONZE COLLECTION***

Our Bronze family is a premium range of products manufactured from heavy cast bronze and chemically treated to give a natural looking Aged Bronze or Verdigris finish. The Bronze family has a large number of options and accessory choices to enhance the finest of gardens. All of these classic designs are supplied with our 12V Plug & Go system using LEDs to be energy efficient, and easy to use and install.

Model shown: GZ/BRONZE5 with optional GZ/BRONZE POLE/A






GZ/BRONZE5



GZ/BRONZE6



### Bronze Spotlight Fitting

|                                     |                                                                                              |                                     |                                                                                                      |
|-------------------------------------|----------------------------------------------------------------------------------------------|-------------------------------------|------------------------------------------------------------------------------------------------------|
| Product Code                        | GZBRONZE5 (Aged Bronze)<br>GZ/BRONZE6 (Verdigris)                                            | Lumens                              | 300Lm                                                                                                |
| Material                            | Heavy Cast Bronze                                                                            | Beam Angle                          | 35°                                                                                                  |
| Finish                              | Aged Bronze or Verdigris                                                                     | Incandescent<br>Equivalency         | 30W                                                                                                  |
| IP Rating                           | IP44                                                                                         | Power Supply<br>Requirement         | 220V-240V                                                                                            |
| Voltage                             | 12V                                                                                          | Dimmable                            | Not Dimmable                                                                                         |
| Light Source                        | 3 x 1W LED                                                                                   | Cabling                             | 1.5m                                                                                                 |
| Colour Temp.                        | 3000k                                                                                        | Notes                               | GZ/SPIKE/C (ground spike) included with each model                                                   |
| Optional<br>Mounting<br>Accessories | For GZ/BRONZE5 (see above)<br>GZ/BRNZE POLE/A - Brass Pole<br>GZ/BRONZE FLG/A - Brass Flange | Optional<br>Mounting<br>Accessories | For GZ/BRONZE6 (see above)<br>GZ/BRNZE POLE/B - Verdigris Pole<br>GZ/BRONZE FLG/B - Verdigris Flange |




GZ/BRONZE18



GZ/BRONZE19



GZ/BRONZE14



GZ/BRONZE15

### Bronze Hex Pagoda Light

|                          |                                                     |
|--------------------------|-----------------------------------------------------|
| Product Code(s)          | GZ/BRONZE18 (Aged Brass)<br>GZ/BRONZE19 (Verdigris) |
| Light Source             | 1 x 1W LED                                          |
| Colour Temp.             | 3000k                                               |
| Lumens                   | 100Lm                                               |
| Beam Angle               | 90°                                                 |
| Voltage                  | 12V                                                 |
| IP Rating                | IP54                                                |
| Power Supply Requirement | 220V-240V                                           |
| Incandescent Equivalency | 6W                                                  |
| Material                 | Heavy Cast Bronze                                   |
| Finish                   | Aged Bronze or Verdigris                            |
| Dimmable                 | Not Dimmable                                        |
| Cabling                  | 1.5m                                                |
| Notes                    | GZ/SPIKE/C (ground spike) included with each model  |

### Bronze In-Ground Tilttable Spotlight


|                          |                                                      |
|--------------------------|------------------------------------------------------|
| Product Code(s)          | GZ/BRONZE14 (Aged Bronze)<br>GZ/BRONZE15 (Verdigris) |
| Light Source             | 3 x 1W LED                                           |
| Colour Temp.             | 3000k                                                |
| Lumens                   | 300Lm                                                |
| Beam Angle               | 35° (beam spread subject to depth set)               |
| Voltage                  | 12V                                                  |
| IP Rating                | IP44                                                 |
| Power Supply Requirement | 220V-240V                                            |
| Incandescent Equivalency | 30W                                                  |
| Material                 | Heavy Cast Bronze                                    |
| Finish                   | Aged Bronze or Verdigris                             |
| Dimmable                 | Not Dimmable                                         |
| Cabling                  | 1.5m                                                 |
| Cutout Hole              | 140mm ø                                              |
| Notes                    | NOT suitable for driving over                        |



GZ/BRONZE12




GZ/BRONZE13



### Bronze Floodlight Fitting

|                        |                                                     |                                 |                                                    |
|------------------------|-----------------------------------------------------|---------------------------------|----------------------------------------------------|
| <b>Product Code(s)</b> | GZBRONZE12 (Aged Bronze)<br>GZ/BRONZE13 (Verdigris) | <b>Lumens</b>                   | 400Lm                                              |
| <b>Material</b>        | Heavy Cast Bronze                                   | <b>Beam Angle</b>               | 35°                                                |
| <b>Finish</b>          | Aged Bronze or Verdigris                            | <b>Incandescent Equivalency</b> | 40W                                                |
| <b>IP Rating</b>       | IP44                                                | <b>Power Supply Requirement</b> | 220V-240V                                          |
| <b>Voltage</b>         | 12V                                                 | <b>Dimmable</b>                 | Not Dimmable                                       |
| <b>Light Source</b>    | 4 x 1W LED                                          | <b>Cabling</b>                  | 1.5m                                               |
| <b>Colour Temp.</b>    | 3000k                                               | <b>Notes</b>                    | GZ/SPIKE/C (ground spike) included with each model |





GZ/BRONZE24




GZ/BRONZE23





GZ/BRONZE21



GZ/BRONZE24



GZ/BRONZE22



### Bronze Round Mini Wall Light

|                          |                                                      |
|--------------------------|------------------------------------------------------|
| Product Code(s)          | GZ/BRONZE23 (Aged Bronze)<br>GZ/BRONZE24 (Verdigris) |
| Light Source             | 1 x 1W LED                                           |
| Colour Temp.             | 3000k                                                |
| Lumens                   | 100Lm                                                |
| Beam Angle               | 35°                                                  |
| Voltage                  | 12V                                                  |
| IP Rating                | IP44                                                 |
| Incandescent Equivalency | 6W                                                   |
| Power Supply Requirement | 220V-240V                                            |
| Material                 | Heavy Cast Bronze                                    |
| Finish                   | Aged Bronze or Verdigris                             |
| Dimmable                 | Not Dimmable                                         |
| Cabling                  | 1.5m                                                 |

### Bronze Round Mini Eyelid Light

|                          |                                                      |
|--------------------------|------------------------------------------------------|
| Product Code(s)          | GZ/BRONZE21 (Aged Bronze)<br>GZ/BRONZE22 (Verdigris) |
| Light Source             | 1 x 1W LED                                           |
| Colour Temp.             | 3000k                                                |
| Lumens                   | 100Lm                                                |
| Beam Angle               | 35°                                                  |
| Voltage                  | 12V                                                  |
| IP Rating                | IP44                                                 |
| Incandescent Equivalency | 6W                                                   |
| Power Supply Requirement | 220V-240V                                            |
| Material                 | Heavy Cast Bronze                                    |
| Finish                   | Aged Bronze or Verdigris                             |
| Dimmable                 | Not Dimmable                                         |
| Cabling                  | 1.5m                                                 |





## ***FUSION COLLECTION***


Our Fusion range is designed for use in decking, soft ground, pathways and walkways to provide a variety of low-level light direction options. All Fusion models come supplied with plastic underground casing, particularly useful when being concreted/tarmacked in place.

Model shown: GZ/FUSION6







GZ/FUSION1



GZ/FUSION2



GZ/FUSION11





### Fusion Plain Ring In-Ground Light

|                                 |                                                                                                                                                                                                              |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product Code(s)</b>          | GZ/FUSION1 (Stainless Steel)<br>GZ/FUSION2 (Brass)                                                                                                                                                           |
| <b>Light Source</b>             | 3 x 1W LED                                                                                                                                                                                                   |
| <b>Colour Temp.</b>             | 3000k                                                                                                                                                                                                        |
| <b>Lumens</b>                   | 300Lm                                                                                                                                                                                                        |
| <b>Beam Angle</b>               | 35°                                                                                                                                                                                                          |
| <b>Voltage</b>                  | 12V                                                                                                                                                                                                          |
| <b>IP Rating</b>                | IP65                                                                                                                                                                                                         |
| <b>Dimmable</b>                 | Not Dimmable                                                                                                                                                                                                 |
| <b>Incandescent Equivalency</b> | 30W                                                                                                                                                                                                          |
| <b>Material</b>                 | 304 Grade Stainless Steel or<br>Solid Natural Brass head<br>Machined aluminium bodies                                                                                                                        |
| <b>Finish</b>                   | Stainless Steel or Brass                                                                                                                                                                                     |
| <b>Cabling</b>                  | 1.5m                                                                                                                                                                                                         |
| <b>Cutout Hole</b>              | 76mm Ø                                                                                                                                                                                                       |
| <b>Notes</b>                    | Come supplied with plastic underground casing<br>suitable for concreting/tarmacking in place.<br>Safe to drive over - maximum load 2500kg<br>Materials are untreated and their finish will age<br>over time. |

### Fusion Plain Push In, In-Ground/Deck Light

|                                 |                                                                                                                         |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>Product Code(s)</b>          | GZ/FUSION11                                                                                                             |
| <b>Light Source</b>             | 1 x 1.2W LED                                                                                                            |
| <b>Colour Temp.</b>             | 3000k                                                                                                                   |
| <b>Lumens</b>                   | 100Lm                                                                                                                   |
| <b>Beam Angle</b>               | 35°                                                                                                                     |
| <b>Voltage</b>                  | 12V                                                                                                                     |
| <b>IP Rating</b>                | IP65                                                                                                                    |
| <b>Dimmable</b>                 | Not Dimmable                                                                                                            |
| <b>Incandescent Equivalency</b> | 6W                                                                                                                      |
| <b>Material</b>                 | Machined aluminium body                                                                                                 |
| <b>Finish</b>                   | Brushed Aluminium                                                                                                       |
| <b>Cabling</b>                  | 1.5m                                                                                                                    |
| <b>Cutout Hole</b>              | 33mm Ø                                                                                                                  |
| <b>Notes</b>                    | Come supplied with plastic underground casing<br>suitable for concreting/tarmacking in place. NOT<br>safe to drive over |



## Fusion 1 Direction Ring In-Ground Light

|                                 |                                                                                                                                                                                                              |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product Code(s)</b>          | GZ/FUSION3 (Stainless Steel)<br>GZ/FUSION4 (Brass)                                                                                                                                                           |
| <b>Light Source</b>             | 3 x 1W LED                                                                                                                                                                                                   |
| <b>Colour Temp.</b>             | 3000k                                                                                                                                                                                                        |
| <b>Lumens</b>                   | 300Lm                                                                                                                                                                                                        |
| <b>Beam Angle</b>               | 35°                                                                                                                                                                                                          |
| <b>Voltage</b>                  | 12V                                                                                                                                                                                                          |
| <b>IP Rating</b>                | IP65                                                                                                                                                                                                         |
| <b>Dimmable</b>                 | Not Dimmable                                                                                                                                                                                                 |
| <b>Incandescent Equivalency</b> | 25W                                                                                                                                                                                                          |
| <b>Material</b>                 | 304 Grade Stainless Steel or<br>Solid Natural Brass head<br>Machined aluminium bodies                                                                                                                        |
| <b>Finish</b>                   | Stainless Steel or Brass                                                                                                                                                                                     |
| <b>Cabling</b>                  | 1.5m                                                                                                                                                                                                         |
| <b>Cutout Hole</b>              | 76mm ø                                                                                                                                                                                                       |
| <b>Notes</b>                    | Come supplied with plastic underground casing<br>suitable for concreting/tarmacking in place.<br>Safe to drive over - maximum load 2500kg<br>Materials are untreated and their finish will age<br>over time. |

## Fusion 2 Direction Ring In-Ground Light

|                                 |                                                                                                                                                                                                              |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product Code(s)</b>          | GZ/FUSION5 (Stainless Steel)<br>GZ/FUSION6 (Brass)                                                                                                                                                           |
| <b>Light Source</b>             | 3 x 1W LED                                                                                                                                                                                                   |
| <b>Colour Temp.</b>             | 3000k                                                                                                                                                                                                        |
| <b>Lumens</b>                   | 300Lm                                                                                                                                                                                                        |
| <b>Beam Angle</b>               | 35°                                                                                                                                                                                                          |
| <b>Voltage</b>                  | 12V                                                                                                                                                                                                          |
| <b>IP Rating</b>                | IP65                                                                                                                                                                                                         |
| <b>Dimmable</b>                 | Not Dimmable                                                                                                                                                                                                 |
| <b>Incandescent Equivalency</b> | 25W                                                                                                                                                                                                          |
| <b>Material</b>                 | 304 Grade Stainless Steel or<br>Solid Natural Brass head<br>Machined aluminium bodies                                                                                                                        |
| <b>Finish</b>                   | Stainless Steel or Brass                                                                                                                                                                                     |
| <b>Cabling</b>                  | 1.5m                                                                                                                                                                                                         |
| <b>Cutout Hole</b>              | 76mm ø                                                                                                                                                                                                       |
| <b>Notes</b>                    | Come supplied with plastic underground casing<br>suitable for concreting/tarmacking in place.<br>Safe to drive over - maximum load 2500kg<br>Materials are untreated and their finish will age<br>over time. |



GZ/FUSION7




GZ/FUSION8



GZ/FUSION9




GZ/FUSION10



## Fusion 3 Direction Ring In-Ground Light

|                                 |                                                                                                                                                                                                        |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product Code(s)</b>          | GZ/FUSION7 (Stainless Steel)<br>GZ/FUSION8 (Brass)                                                                                                                                                     |
| <b>Light Source</b>             | 3 x 1W LED                                                                                                                                                                                             |
| <b>Colour Temp.</b>             | 3000k                                                                                                                                                                                                  |
| <b>Lumens</b>                   | 300Lm                                                                                                                                                                                                  |
| <b>Beam Angle</b>               | 35°                                                                                                                                                                                                    |
| <b>Voltage</b>                  | 12V                                                                                                                                                                                                    |
| <b>IP Rating</b>                | IP65                                                                                                                                                                                                   |
| <b>Dimmable</b>                 | Not Dimmable                                                                                                                                                                                           |
| <b>Incandescent Equivalency</b> | 25W                                                                                                                                                                                                    |
| <b>Material</b>                 | 304 Grade Stainless Steel or<br>Solid Natural Brass head<br>Machined aluminium bodies                                                                                                                  |
| <b>Finish</b>                   | Stainless Steel or Brass                                                                                                                                                                               |
| <b>Cabling</b>                  | 1.5m                                                                                                                                                                                                   |
| <b>Cutout Hole</b>              | 76mm ø                                                                                                                                                                                                 |
| <b>Notes</b>                    | Come supplied with plastic underground casing suitable for concreting/tarmacking in place.<br>Safe to drive over - maximum load 2500kg<br>Materials are untreated and their finish will age over time. |



## Fusion 4 Direction Ring In-Ground Light

|                                 |                                                                                                                                                                                                        |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product Code(s)</b>          | GZ/FUSION9 (Stainless Steel)<br>GZ/FUSION10 (Brass)                                                                                                                                                    |
| <b>Light Source</b>             | 3 x 1W LED                                                                                                                                                                                             |
| <b>Colour Temp.</b>             | 3000k                                                                                                                                                                                                  |
| <b>Lumens</b>                   | 300Lm                                                                                                                                                                                                  |
| <b>Beam Angle</b>               | 35°                                                                                                                                                                                                    |
| <b>Voltage</b>                  | 12V                                                                                                                                                                                                    |
| <b>IP Rating</b>                | IP65                                                                                                                                                                                                   |
| <b>Dimmable</b>                 | Not Dimmable                                                                                                                                                                                           |
| <b>Incandescent Equivalency</b> | 25W                                                                                                                                                                                                    |
| <b>Material</b>                 | 304 Grade Stainless Steel or<br>Solid Natural Brass head<br>Machined aluminium bodies                                                                                                                  |
| <b>Finish</b>                   | Stainless Steel or Brass                                                                                                                                                                               |
| <b>Cabling</b>                  | 1.5m                                                                                                                                                                                                   |
| <b>Cutout Hole</b>              | 76mm ø                                                                                                                                                                                                 |
| <b>Notes</b>                    | Come supplied with plastic underground casing suitable for concreting/tarmacking in place.<br>Safe to drive over - maximum load 2500kg<br>Materials are untreated and their finish will age over time. |





## ***ELITE COLLECTION***

Stylish and versatile; the Elite family is manufactured from either marine grade aluminium, which is then polished and anodised, or from solid natural brass. Designed and hand engineered to the highest standards, the Elite range offers both 240V mains fed and 12V LED plug & go options. (Note: when used near the coast the fittings will tarnish/age quicker without maintenance.)


Model shown: GZ/ELITE2



GZ/ELITE1



GZ/ELITE2



## Elite Up/Down Wall Fitting

|                     |                                                                                                                     |                                     |                                          |
|---------------------|---------------------------------------------------------------------------------------------------------------------|-------------------------------------|------------------------------------------|
| <b>Product Code</b> | GZ/ELITE1 (Anodised Aluminium)<br>GZ/ELITE2 (Solid Natural Brass)                                                   | <b>LED Lumens</b>                   | 2 x 300 Lm                               |
| <b>Material</b>     | Marine Grade Aluminium or<br>Solid Natural Brass (Natural brass is untreated<br>and its finish will age over time.) | <b>Beam Angle</b>                   | 35°                                      |
| <b>Finish</b>       | Anodised Aluminium or Natural Brass                                                                                 | <b>Incandescent<br/>Equivalency</b> | 2 x 30W                                  |
| <b>IP Rating</b>    | IP54                                                                                                                | <b>Power Supply<br/>Requirement</b> | 220V-240V                                |
| <b>Voltage</b>      | 220-240V                                                                                                            | <b>Dimmable</b>                     | Not Dimmable                             |
| <b>Light Source</b> | 3 x 1W LED x 2                                                                                                      | <b>Optional Lens</b>                | Blue, red, amber or green (see page 208) |
| <b>Colour Temp.</b> | 3000k                                                                                                               |                                     |                                          |






GZ/ELITE4





GZ/ELITE3




GZ/ELITE4




### Elite Spotlight Wall Fitting

|                     |                                                                                                                     |                                     |                                          |
|---------------------|---------------------------------------------------------------------------------------------------------------------|-------------------------------------|------------------------------------------|
| <b>Product Code</b> | GZ/ELITE3 (Anodised Aluminium)<br>GZ/ELITE4 (Natural Brass)                                                         | <b>Lumens</b>                       | 300Lm                                    |
| <b>Material</b>     | Marine Grade Aluminium or<br>Solid Natural Brass (Natural brass is untreated<br>and its finish will age over time.) | <b>Beam Angle</b>                   | 35°                                      |
| <b>Finish</b>       | Anodised Aluminium or Natural Brass                                                                                 | <b>Incandescent<br/>Equivalency</b> | 30W                                      |
| <b>IP Rating</b>    | IP54                                                                                                                | <b>Power Supply<br/>Requirement</b> | 220V-240V                                |
| <b>Voltage</b>      | 220-240V                                                                                                            | <b>Dimmable</b>                     | Not Dimmable                             |
| <b>Light Source</b> | 3 x 1W LED                                                                                                          | <b>Optional Lens</b>                | Blue, red, amber or green (see page 208) |
| <b>Colour Temp.</b> | 3000k                                                                                                               |                                     |                                          |



LED




LED

### Elite Large Spotlight Wall Fitting

|                          |                        |
|--------------------------|------------------------|
| Product Code(s)          | GZ/ELITE3/L            |
| Light Source             | 6 x 1W LED             |
| Colour Temp.             | 3000k                  |
| Lumens                   | 600Lm                  |
| Beam Angle               | 35°                    |
| Voltage                  | 240V                   |
| IP Rating                | IP54                   |
| Power Supply Requirement | 220V-240V              |
| Incandescent Equivalency | 60W                    |
| Material                 | Marine Grade Aluminium |
| Finish                   | Anodised Aluminium     |
| Dimmable                 | Not Dimmable           |


### Elite Small Spotlight Wall Fitting

|                          |                        |
|--------------------------|------------------------|
| Product Code(s)          | GZ/ELITE3/S            |
| Light Source             | 1 x 1W LED             |
| Colour Temp.             | 3000k                  |
| Lumens                   | 100Lm                  |
| Beam Angle               | 35°                    |
| Voltage                  | 240V                   |
| IP Rating                | IP54                   |
| Power Supply Requirement | 220V-240V              |
| Incandescent Equivalency | 6W                     |
| Material                 | Marine Grade Aluminium |
| Finish                   | Anodised Aluminium     |
| Dimmable                 | Not Dimmable           |



### Elite Large Spotlight Fitting

|                               |                                                                                          |
|-------------------------------|------------------------------------------------------------------------------------------|
| Product Code(s)               | GZ/ELITE5/L                                                                              |
| Light Source                  | 6 x 1W LED                                                                               |
| Colour Temp.                  | 3000k                                                                                    |
| Lumens                        | 600Lm                                                                                    |
| Beam Angle                    | 35°                                                                                      |
| Voltage                       | 12V                                                                                      |
| IP Rating                     | IP54                                                                                     |
| Power Supply Requirement      | 220V-240V                                                                                |
| Incandescent Equivalency      | 60W                                                                                      |
| Material                      | Marine Grade Aluminium                                                                   |
| Finish                        | Anodised Aluminium                                                                       |
| Dimmable                      | Not Dimmable                                                                             |
| Cabling                       | 1.5m                                                                                     |
| Optional Mounting Accessories | GZ/ELITE POLE/A - Aluminium Pole<br>GZ/ELITE SPIKE - Black Nylon Spike<br>(see page 208) |



### Elite Small Spotlight Fitting

|                               |                                                                                                                         |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Product Code(s)               | GZ/ELITE5/S                                                                                                             |
| Light Source                  | 1 x 1W LED                                                                                                              |
| Colour Temp.                  | 3000k                                                                                                                   |
| Lumens                        | 100Lm                                                                                                                   |
| Beam Angle                    | 35°                                                                                                                     |
| Voltage                       | 12V                                                                                                                     |
| IP Rating                     | IP54                                                                                                                    |
| Power Supply Requirement      | 220V-240V                                                                                                               |
| Incandescent Equivalency      | 6W                                                                                                                      |
| Material                      | Marine Grade Aluminium                                                                                                  |
| Finish                        | Anodised Aluminium                                                                                                      |
| Dimmable                      | Not Dimmable                                                                                                            |
| Cabling                       | 1.5m                                                                                                                    |
| Optional Mounting Accessories | GZ/ELITE POLE/A - Aluminium Pole (see p 208)<br>Comes supplied with own spike (not interchangeable with GZ/ELITE SPIKE) |






GZ/ELITE6 - shown on 2 x optional poles - GZ/ELITE POLE/B



GZ/ELITE5




GZ/ELITE6



## Elite Spotlight Fitting

|                                     |                                                                                                                     |                                     |                                                                                                    |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------|-------------------------------------|----------------------------------------------------------------------------------------------------|
| Product Code                        | GZ/ELITE5 (Anodised Aluminium)<br>GZ/ELITE6 (Natural Brass)                                                         | Lumens                              | 300Lm                                                                                              |
| Material                            | Marine Grade Aluminium or<br>Solid Natural Brass (Natural brass is untreated<br>and its finish will age over time.) | Beam Angle                          | 35°                                                                                                |
| Finish                              | Anodised Aluminium or Natural Brass                                                                                 | Incandescent<br>Equivalency         | 30W                                                                                                |
| IP Rating                           | IP54                                                                                                                | Power Supply<br>Requirement         | 220V-240V                                                                                          |
| Voltage                             | 12V                                                                                                                 | Dimmable                            | Not Dimmable                                                                                       |
| Light Source                        | 3 x 1W LED                                                                                                          | Cabling                             | 1.5m                                                                                               |
| Colour Temp.                        | 3000k                                                                                                               | Optional Lens<br>Accessories        | Blue, red, amber or green (for more details see<br>page 208)                                       |
| Optional<br>Mounting<br>Accessories | For GZ/ELITE5 (see page 208)<br>GZ/ELITE POLE/A - Aluminium Pole<br>GZ/ELITE SPIKE - Black Nylon Spike              | Optional<br>Mounting<br>Accessories | For GZ/ELITE6 (see page 208)<br>GZ/ELITE POLE/B - Brass Pole<br>GZ/ELITE SPIKE - Black Nylon Spike |



| Elite Pole Accessory |                                                                                                                                                 |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Code(s)      | GZ/ELITE POLE/A (Aluminium)<br>GZ/ELITE POLE/B (Brass)                                                                                          |
| Material             | Marine Grade Aluminium or<br>Solid Natural Brass                                                                                                |
| Finish               | Anodised Aluminium or Brass                                                                                                                     |
| Dimensions           | Height: 250mm Diameter: 40mm                                                                                                                    |
| Notes                | A maximum of three poles can be used<br>together per spotlight fitting.<br><br>Natural brass is untreated and its finish will age<br>over time. |



| Elite Spike Accessory |                                                                          |
|-----------------------|--------------------------------------------------------------------------|
| Product Code(s)       | GZ/ELITE SPIKE                                                           |
| Material              | Black Nylon                                                              |
| Dimensions            | Height: 170mm Diameter: 45mm                                             |
| Notes                 | This spike is suitable for models: GZ/ELITE5,<br>GZ/ELITE6 & GZ/ELITE5/L |

Elite fittings can easily have their lenses changed from the standard clear version to blue, green, red or amber. Simply unscrew the lens cap to easily remove and change for different coloured effects to the surroundings.



GZ/ELITE 6  
shown on optional  
spike and poles



blue



red



amber



green

| Coloured Lenses for Elite Fittings |                                                                                                                         |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Product Code(s)                    | GS281 BLUE, GS281 RED, GS281 AMBER,<br>GS281 GREEN                                                                      |
| Material                           | Plastic                                                                                                                 |
| Colour                             | Blue, red, amber or green                                                                                               |
| Dimensions                         | Diameter: 50mm                                                                                                          |
| Notes                              | For medium fittings only, not suitable for Elite<br>S & L models. Check product information for<br>compatible fittings. |



## GZ/CONNECTOR IP68



Connector shown with driver



## GZ/CABLE 3 WAY

1.5 metre extension lead with 3 plug sockets on end



## GZ/CABLE SET-2M

2 metre single plug extension cable



## GZ/CABLE SET-20M

20 metre single plug extension cable



## Guarantee / Life Expectancy

All Garden Zone fittings are guaranteed against structural failure for 5 years and 2 years for the LED units. The LED lamps have a minimum life expectancy at 80% plus efficiency for 20,000 hours. Typically if on 4 hours per day, 365 days per year, than this equates to around 14 years of life. The 2 year Guarantee is only valid when exclusively using Garden Zone cables, fittings and drivers.

## Repair Service

Outside of the 2 year Guarantee we offer a chargeable full maintenance and repair service to fittings. This is conducted in our own workshops and the service includes replacement material parts and wiring repairs.

## GZ/4W PG DRIVER

4W (min. load 2W, max. load 4W)  
106mm L x 25mm W x 20mm D  
IP67



## GZ/11W PG DRIVER

11W (min. load 5W, max. load 11W)  
106mm L x 25mm W x 20mm D  
IP67



## GZ/28W PG DRIVER

28W (min. load 11W, max. load 28W)  
157mm L x 29mm W x 20mm D  
IP67



Drivers are supplied with 30cm of cable.  
Each fitting is supplied with 1.5m of cable.

**IMPORTANT:**  
All fittings should be plugged  
in prior to switching power on.



## GZ/CABLE SET-6M

cable set for plug & go fittings 6 metres long  
with 5 plugs spaced 1 metre apart for up to  
5 fittings

## GZ/CABLE SET-10M

cable set for plug & go fittings 10 metres long  
with 9 plugs spaced 1 metre apart for up to  
9 fittings

## GZ/CABLE SET-16M

cable set for plug & go fittings 16 metres long  
with 15 plugs spaced 1 metre apart for up to  
15 fittings

# LED LAMPS

The Litec range of LED lamps are selected to suit Elstead Lighting products. They all feature a high lumen output, and the filament style bulbs have the added bonus of looking attractive both when switched on and off. Lamps can be ordered either as single units or at lower prices in pack quantities.



AMBER  
GLASS

**EDISON E27 LAMP**  
Pack (x10) Code: LP/LED8W/E27ST6/PQ  
Single Code: LP/LED8W/E27/ST6



**CLASSIC E27 LAMP**  
Pack (x10) Code: LP/LED8W/E27A60/PQ  
Single Code: LP/LED8W/E27/A60

All lamps have an A+ Energy Rating and are guaranteed against failure for 2 years.



**CLEAR GLOBE E27 LAMP**  
Pack (x5) Code: LP/LED8W/E27GLC/PQ  
Single Code: LP/LED8W/E27/GLC



**WHITE GLOBE E27 LAMP**  
Pack (x5) Code: LP/LED8W/E27GLW/PQ  
Single Code: LP/LED8W/E27/GLW

| Code             | Description          | Height | Diameter | Wattage             | Colour temp.       | Expected Life | Lumens | Switch Cycles |
|------------------|----------------------|--------|----------|---------------------|--------------------|---------------|--------|---------------|
| LP/LED8W/E27/A60 | Classic E27 Lamp     | 105mm  | 60mm     | 8W (60W equivalent) | 3000k (warm white) | 25,000 hours  | 800 Lm | 12,500        |
| LP/LED8W/E27/GLC | Clear Globe E27 Lamp | 135mm  | 95mm     | 8W (60W equivalent) | 3000k (warm white) | 25,000 hours  | 800 Lm | 12,500        |
| LP/LED8W/E27/GLW | White Globe E27 Lamp | 135mm  | 95mm     | 8W (60W equivalent) | 3000k (warm white) | 25,000 hours  | 800 Lm | 12,500        |
| LP/LED8W/E27/ST6 | Edison E27 Lamp      | 140mm  | 64mm     | 8W (60W equivalent) | 3000k (warm white) | 25,000 hours  | 800 Lm | 12,500        |

N.B. All lamps are UV free, suitable for 220-240v and are NOT dimmable.



AMBER  
GLASS

**CANDLE E14 LAMP**  
Pack (x10) Code: LPLED4WE14C35/PQ  
Single Code: LP/LED4W/E14/C35



**GOLF BALL E27 LAMP**  
Pack (x10) Code: LPLED4WE27G45/PQ  
Single Code: LP/LED4W/E27/G45



**GOLF BALL E14 LAMP**  
Pack (x10) Code: LPLED4WE14G45/PQ  
Single Code: LP/LED4W/E14/G45



**G9 LAMP**  
Pack (x25) Code: LPLED3.5WG9/PQ  
Single Code: LP/LED3.5W/G9



**GX53 LAMP**  
Pack (x10) Code: LPLED9WX53/PQ  
Single Code: LP/LED9W/GX53



**GU10 LAMP**  
Pack (x10) Code: LPLED7WGU10/PQ  
Single Code: LP/LED7W/GU10

All lamps have an A+  
Energy Rating and are  
guaranteed against failure  
for 2 years.



| Code             | Description        | Height | Diameter | Wattage               | Colour temp.       | Expected Life | Lumens | Switch Cycles |
|------------------|--------------------|--------|----------|-----------------------|--------------------|---------------|--------|---------------|
| LP/LED3.5W/G9    | G9 Lamp            | 50mm   | 15mm     | 3.5W (28W equivalent) | 3000k (warm white) | 25,000 hours  | 320 Lm | 12,500        |
| LP/LED4W/E14/C35 | Candle E14 Lamp    | 98mm   | 35mm     | 4W (35W equivalent)   | 3000k (warm white) | 25,000 hours  | 400 Lm | 12,500        |
| LP/LED4W/E14/G45 | Golf Ball E14 Lamp | 78mm   | 45mm     | 4W (35W equivalent)   | 3000k (warm white) | 25,000 hours  | 400 Lm | 12,500        |
| LP/LED4W/E27/G45 | Golf Ball E27 Lamp | 72mm   | 45mm     | 4W (35W equivalent)   | 3000k (warm white) | 25,000 hours  | 400 Lm | 12,500        |
| LP/LED7W/GU10    | GU10 Lamp          | 58mm   | 50mm     | 7W (50W equivalent)   | 3000k (warm white) | 25,000 hours  | 620 Lm | 12,500        |
| LP/LED9W/GX53    | GX53 Lamp          | 24mm   | 75mm     | 9W (55W equivalent)   | 3000k (warm white) | 25,000 hours  | 720 Lm | 12,500        |

N.B. All lamps are UV free, suitable for 220-240v and are NOT dimmable.



# TECHNICAL ADVICE & INFORMATION

---

## PRODUCT WARRANTIES/GUARANTEES

**GENERAL 2 YEAR GUARANTEE.** All fittings supplied from this catalogue, both interior and exterior, have a manufacturer's minimum guarantee of 2 years. This means that in normal and fair service, (and without incorrect or inappropriate installation or location), any product sold by Elstead Lighting or its partners should have no fault develop within a minimum of 2 years from purchase. Any fault that is found is covered by guarantee to be repaired or replaced at the suppliers cost, within this period.

ALL Elstead warranties/guarantees do not cover out of pocket expenses or consequential costs.

**LIMITED LIFETIME WARRANTY** – This warranty relates to certain ranges/models shown in this catalogue which are produced of materials that have an exceptionally long life expectation, such as solid brass lanterns. These fittings may age over time, but will not deteriorate to an extent where they will no longer function for the purpose intended. The "Limited" element relates to component parts such as rubber seals, lamp-holders etc. which are repairable but are not covered by the Lifetime warranty.

**15 YEAR WARRANTY AGAINST STRUCTURAL FAILURE** – Those models listed as having a 15 year warranty are guaranteed, that from purchase to within 15 years of normal use, the fittings will not deteriorate to any extent where they experience any structural failure. There may be signs of aging, corrosion or paint fading, but the integrity of the construction of these fittings means they will not deteriorate to any extent where they are rendered unusable within a lifetime of 15 years.

**2, 3, 5, AND 10 YEAR ANTI-CORROSION GUARANTEES** – Many outdoor fittings have anti-corrosion guarantees stated on each relevant page. This guarantee relates to the corrosion of paintwork on cast aluminium or steel fittings, and excludes locations within 5 miles of the coastline. Fittings that have been damaged, repainted or cleaned with an aggressive cleaner may be excluded.

Prior to agreeing to replace any fittings, the company reserves the right for the original seller or a representative of the company to inspect the damaged parts and for photographic evidence to be supplied.

**COASTAL COLLECTION 20 YEAR GUARANTEE** – These fittings are designed to be placed in the toughest of conditions including right by the coastline without exclusion. This guarantee covers protection of the finish against corrosion or UV degradation.

**COASTAL COLLECTION 5 YEAR ANTI-CORROSION GUARANTEE** – This guarantee relates to the corrosion of paintwork on composite parts. In the instance that fittings have been damaged, repainted or cleaned with an aggressive cleaner they may be excluded from the entitlement to a replacement. Prior to agreeing to replace any fittings, the company reserves the right for the original seller or a representative of the company to inspect the damaged parts and for photographic evidence to be supplied.

**LED MODULE AND PIR SENSOR GUARANTEES** – Within this catalogue there are a number of products incorporating PIR sensors or LED modules. Whilst the fittings themselves may have varying physical guarantees against corrosion, these electronic parts are covered by a 2 year guarantee against failure. After this period, they are still repairable and serviceable, either by the company or local supplier.

## GENERAL NOTES

**1. FINISHES.** Many of the finishes used on these ranges are hand applied (patinated) and some small variations and irregularities in the finish are to be expected. This is part of the process of manufacture and, far from being a problem, it is an important part of the nature of hand made and hand finished items.

**2. LAMP-HOLDER TYPES.** Most fittings are constructed with either E14 lamp-holders (small Edison screw, sometimes referred to as SES or with E27 lamp-holders (standard Edison screw, sometimes referred to as ES. Appropriate E14 and E27 lamps are widely available in a range of styles, wattages and light sources including incandescent, compact fluorescent and LED. Some of these lamp-holders are now supplied with threaded skirts, together with candle tubes and shade rings. This means that these products can be used either as a fitting with candle tubes and candle lamps, or with glass using the shade ring. Additionally we make certain fittings which use G9 and GX53 lamps. Lamps are usually supplied with these fittings.

**3. WATTAGES.** Most fittings shown in the catalogue are shown with Maximum Wattage recommendations. These recommendations are calculated mainly by heat capability, as there is a correlation between heat and wattage. However, in many countries traditional incandescent lamps, such as 100W GLS are no longer available. There are now many new versions of lamps in the market, lower wattage but similar light performance such as halogen replacement, compact fluorescent and LED. Most fittings wattage capacity and certification has been based on the criteria using an Incandescent lamp and so when choosing lamps, please take care to ensure that wattages specified are of no more than the equivalent original incandescent lamps. In the case of LED, the wattages are far lower, but some of these can still run very hot, not dissimilar to incandescent of much higher power.

**5. FLUSH CONVERT/DUAL MOUNT.** A few of the chain models are constructed so that they can be easily modified from a chain fitting into a semi-flush fitting. Note that once converted to semi-flush it is not then possible to easily convert back to a chain fitting, as some re-wiring is likely to be required.

**6. CUSTOMISATION.** Some of our ranges supplied in matt black can be relatively easily patinated into finishes such as Black/Gold, Black/Copper etc. Equally, for chain suspended fittings that need extra chain and cable, these can also be relatively easily undertaken. Both such modifications may incur longer lead times and will have small additional costs added to the price. (See current Elstead Terms and Conditions.). Beyond this, with appropriate lead time and client budget, more specialised changes can be undertaken such as different colours completely, changes to dimensions and design modifications and even fully bespoke fittings can be considered due to our varied manufacturing resources available.

## EXTERIOR FITTINGS

**1. INSTALLATION CARE AND MAINTENANCE.** When installing all outdoor lights it is recommended to lightly grease all threaded parts and screws / nuts to ensure that fittings can easily be disassembled for cleaning or lamp replacement. When handling certain fittings / finishes such as polished copper they can easily finger mark, so it is recommended that bare hands on these surfaces is kept to a minimum. Please retain receipt and installation instructions for future reference.

**2. FINISH MAINTENANCE.** Many of our fittings are supplied in a natural finish, i.e. Polished Copper un-lacquered and Teak wood. These fittings can naturally age over time or to maintain their original appearance, treatment is needed, such as oil for teak, beeswax for brass and light oil for Copper and Stainless Steel. When handling finishes during maintenance, small marks may show which can be easily polished away if required. The alternative is to allow the material to age and weather naturally, which does no harm to the fitting. Additionally, when installing cast aluminium fittings, a light coating of beeswax or oil can give the finish

extended life, especially when in coastal areas. For all models, we highly recommend that exterior fittings are cleaned once per year with fresh water and oiled or waxed to give longer service. Lenses and glasses also benefit from cleaning but take care with polycarbonate or acrylic as these materials can easily scratch if any abrasive cloth is used.

**3. IP RATINGS.** All exterior fittings have an IP (Ingress Protection) rating which is a declaration of how much protection any product has against the ingress of both water and dust / particles. The minimum rating for an outdoor luminaire exposed to rain should be IP23 and the maximum can be up to IP68 (this can vary in different countries) which means the fitting is submersible. Most of our fittings are IP44 or greater and some of the Landscape models are up to IP67 meaning they can be covered by water up to a depth of 150mm, such as in-ground lights. See table below for full classifications. Typically, the higher the numbers, the higher the performance.

## IP RATINGS

| 1st Digit                                                                    | Short Description<br>(Protection against ingress of solid bodies) | 2nd Digit | Short Description<br>(Protection against ingress of moisture)                                      |
|------------------------------------------------------------------------------|-------------------------------------------------------------------|-----------|----------------------------------------------------------------------------------------------------|
| 0                                                                            | Non-Protected                                                     | 0         | Non-protected                                                                                      |
| 1                                                                            | Protected against solid objects greater than 50mm dia.            | 1         | Protected against dripping water falling vertically greater than 50mm diameter                     |
| 2                                                                            | Protected against solid objects greater than 12mm dia.            | 2         | Protected against dripping water when the Luminaire is tilted up to 15° from its normal position   |
| 3                                                                            | Protected against solid objects greater than 2.5mm dia.           | 3         | Protected against spraying water falling on the Luminaire at any angle up to 60° from the vertical |
| 4                                                                            | Protected against solid objects greater than 1mm dia.             | 4         | Protected against splashing water from any angle                                                   |
| 5                                                                            | Dust-protected                                                    | 5         | Protected against water jets from any direction                                                    |
| 6                                                                            | Dust-tight                                                        | 6         | Protected against powerful water jets                                                              |
|                                                                              |                                                                   | 7         | Protected against immersion in water under defined conditions                                      |
|                                                                              |                                                                   | 8         | Protected against continuous submersion under manufacturers specified conditions                   |
| Example IP65 Dust-tight and protected against water jets from any direction. |                                                                   |           |                                                                                                    |


## COMPLIANCE/APPROVALS

All products within this catalogue conform with the European Union Low Voltage Directive, BS EN 60598-1:2008, the product standard for luminaires recognised across Europe and all fittings are CE marked. Every luminaire is individually tested by Elstead Lighting to ensure that the product is electrically sound and meets the company's quality standards. A unique test / batch number is then applied to the fitting. Please contact us for further details or advise us of your local needs.


We are manufacturing members of the UK Lighting Industry Association and conform to all aspects of the Lighting Industry Association Code of Practice for luminaire production.

## ENERGY RATINGS FOR LUMINAIRES


Please see the relevant energy rating label for the corresponding lamp holder type. Please note that, with the very large number of lamp options available in the market, it is impossible for our luminaires to accurately reflect all choices. But all lamps able to be bought in the market should have their own dedicated energy rating performance clearly stated on their packaging.



All luminaires with replaceable lamps. Incandescent, fluorescent or LED.



Dedicated LED fittings.



Some of our luminaires combine built-in LED with replaceable lamps.

# INDEX

## A

|             |           |
|-------------|-----------|
| Agner       | 179       |
| Ano         | 187       |
| Argyle      | 125       |
| Ashland Bay | 29, 44-45 |

## B

|                |         |
|----------------|---------|
| Balmoral       | 126     |
| Baltimore      | 98-99   |
| Baton Rouge    | 94-95   |
| Bay Shore      | 72      |
| Bedford        | 147     |
| Bennie         | 36      |
| Bingham        | 162-163 |
| Boynton        | 138-139 |
| Brass Lanterns | 152-157 |
| Bridge Point   | 46      |
| Brighton       | 164     |
| Bromley        | 59      |
| Bronze         | 190-195 |
| Bruges         | 175     |
| Burford        | 128     |
| Byron          | 58      |

## C

|                |         |
|----------------|---------|
| Canterbury     | 115     |
| Cape Cod       | 166     |
| Carson         | 24-25   |
| Chapel         | 116-117 |
| Chapel Mini    | 116-117 |
| Chedworth      | 124     |
| Chelsea Harbor | 50      |
| Chicago        | 104-105 |
| Clearpoint     | 42      |
| Copenhagen     |         |
| Black          | 173     |
| Silver         | 172     |
| Cortland       | 124     |
| Cotswold Lane  | 80-83   |
| Cricklade      | 129     |

## D

|                |          |
|----------------|----------|
| Downing Street | 157      |
| Dungarvan      | 131, 151 |

## E

|                   |              |
|-------------------|--------------|
| Edinburgh         | 114          |
| Egil              | 187          |
| Elite             | 131, 200-207 |
| Elite Accessories | 208          |
| Elva              | 178          |
| English Bridle    |              |
| Black             | 88-90        |
| British Bronze    | 91-93        |

|        |     |
|--------|-----|
| Enzo   | 76  |
| Euston | 125 |

## F

|           |         |
|-----------|---------|
| Fairford  | 130     |
| Federal   | 143     |
| Franceasi | 77      |
| Freyr     | 184     |
| Frida     | 185     |
| Fusion    | 196-199 |

## G

|                         |     |
|-------------------------|-----|
| Garden Zone Accessories | 209 |
| Glenbeigh               | 148 |
| Goldenrod               | 37  |
| Grampian                | 121 |

## H

|           |           |
|-----------|-----------|
| Halleron  | 27, 66-67 |
| Helsingor |           |
| Black     | 133, 173  |
| Silver    | 133, 172  |
| Helsinki  | 175       |
| Hereford  | 122-123   |
| Highnam   | 129       |
| Hodges    | 136-137   |
| Holborn   | 161       |
| Hornbaek  | 174       |
| Hyde Park | 157       |
| Hythe     | 127       |

## I

|           |     |
|-----------|-----|
| Inglenook | 73  |
| Ingrid    | 178 |

## J

|            |          |
|------------|----------|
| Jannik LED | 131, 181 |
|------------|----------|

## K

|             |         |
|-------------|---------|
| Kasper      | 184     |
| Kendal      | 126     |
| Kent        | 128     |
| Kerry       | 149     |
| Kinsale     | 150     |
| Klampenborg | 170-171 |
| Kolne       | 175     |

## L

|                |         |
|----------------|---------|
| Lambeth Palace | 156     |
| Ledbury        | 130     |
| LED Lamps      | 210-211 |
| Lighthouse     | 47      |
| Lina           | 184     |
| Livingston     | 141     |

|                      |           |
|----------------------|-----------|
| Londontowne          | 142-143   |
| Luna                 | 176-177   |
| Luverne              | 96        |
| Lyndon               |           |
| Architectural Bronze | 28-29, 41 |
| Brushed Aluminum     | 42        |

## M

|                 |          |
|-----------------|----------|
| Magnus          | 131, 182 |
| Malvern         | 131      |
| Manhattan       | 55       |
| Mansion House   | 152-153  |
| Marblehead      | 140      |
| Marina          | 51       |
| Marine          | 43       |
| Matlock         | 127      |
| Medstead        | 130, 132 |
| Merrill         | 60       |
| Miners Chain    | 127      |
| Miners Pedestal | 127      |
| Miners Wall     | 127      |
| Montauk         | 165      |
| Montreal        | 78-79    |

## N

|                |              |
|----------------|--------------|
| Newbury (EL)   | 130          |
| Newbury (QZ)   |              |
| Aged Copper    | 69           |
| Polished Brass | 70-71        |
| New England    | 103          |
| Norfolk        | 108-109, 132 |

## O

|            |     |
|------------|-----|
| Oakmont    | 68  |
| Old Bailey | 155 |

## P

|              |         |
|--------------|---------|
| Parish       | 118-119 |
| Parish Mini  | 118     |
| Pediment     | 126     |
| Philadelphia | 100-102 |
| Polruan      | 124     |
| Poole        | 167     |
| Province     | 124     |

## Q

|        |       |
|--------|-------|
| Quincy | 52-53 |
|--------|-------|

## R

|                 |       |
|-----------------|-------|
| Randolph        | 129   |
| Ravine          | 38-39 |
| Redding Station | 61    |
| Reef            | 48-49 |
| Regent Court    | 97    |

|              |       |
|--------------|-------|
| Regents Park | 156   |
| Riverwood    | 34-35 |
| Roscoe       | 146   |
| Royal Marine | 32-33 |

## S

|                         |          |
|-------------------------|----------|
| Sandbanks               | 167      |
| Sandown                 | 128      |
| Security & PIR Lanterns | 132-133  |
| Shannon                 | 151      |
| Sheldon                 | 158-159  |
| Shepherd                | 144-145  |
| Shipston                | 128      |
| Sigmund                 | 133, 183 |
| Somerton                | 160      |
| Sorel                   | 180-181  |
| South Hope              | 31, 54   |
| St James                | 157      |
| St. Louis               | 103      |
| St Martins              | 154      |
| Stow                    | 126      |
| Sven                    | 186      |

## T

|                      |         |
|----------------------|---------|
| Tangier              | 65      |
| Torsten              | 182     |
| Tournai              | 84-87   |
| Traditional Lanterns | 124-130 |
| Trellis              | 63-64   |

## U

|                     |     |
|---------------------|-----|
| Up/Down Wall Lights | 131 |
|---------------------|-----|

## V

|               |           |
|---------------|-----------|
| Vandalia      | 26-27, 40 |
| Venetian Rain | 74-75     |
| Victoria      | 156       |

## W

|             |              |
|-------------|--------------|
| Wabash      | 129          |
| Walker      | 56-57        |
| Wellfleet   | 143          |
| Westminster | 155          |
| Wexford     | 110-111, 132 |
| Wilmslow    | 120          |
| Winchcombe  | 128          |
| Winchester  | 113          |

## Y

|      |     |
|------|-----|
| York | 112 |
|------|-----|



# *See Elstead Lighting's comprehensive Interior Lighting Collection...*



CONTEMPORARY RANGES



TRADITIONAL RANGES



BATHROOM LIGHTING



PORTABLE LIGHTING

To request an Interior Catalogue email [sales@elsteadlighting.com](mailto:sales@elsteadlighting.com) or download from [elsteadlighting.com](http://elsteadlighting.com)

